

TAPERTIPS

		1,000
TT150-10-15-N-5	TaperTip, 150 um OD 20 um ID, uncoated, 15 cm long, box of 5	45,000
TT150-10-3.5-D-5	TaperTip, 150um OD, 10um ID, 3.5cm length, distal coated, 5 per box	47,000
TT150-10-3.5-N-5	TaperTip, 150um OD, 10um ID, 3.5 cm length, uncoated, box of 5..	45,000
TT150-10-50-N-5	TaperTip, 150 um OD 10 um ID, uncoated, box of 5	45,000
TT150-20-15-N-5	TaperTip, 150 um OD 20 um ID, uncoated, 15 cm long, box of 5	45,000
TT150-20-30-CE-5	TaperTip, 150 um OD 20 um ID, coated, box of 5	49,000
TT150-20-30-N-5	TaperTip, 150 um OD 20 um ID, 30 cm length, uncoated, box of 5	45,000
TT150-20-4-N-5	TaperTip, 150 um OD 20 um ID, 4cm length, uncoated, box of 5	45,000
TT150-20-5-CE-5	TaperTip, 150 um OD 20 um ID, 5 cm length, coated, box of 5	49,000
TT150-20-5-D-5	TaperTip, 150 um OD 20 um ID, 5 cm length, distal coated, box of 5	47,000
TT150-20-5-N-5	TaperTip, 150 um OD 20 um ID, 5cm length, uncoated, box of 5	45,000
TT150-20-50-CE-5	TaperTip, 150 um OD 20 um ID, 50 cm length, coated, box of 5	49,000
TT150-20-50-N-5	TaperTip, 150 um OD 20 um ID, uncoated, box of 5	45,000
TT150-25-50-N-5	TaperTip, 150 um OD 25 um ID, 50 cm length, uncoated, box of 5	45,000
TT150-40-50-N-5	TaperTip, 150 um OD 40 um ID, 50 cm length, uncoated, box of 5	45,000
TT150-50-100-N-5	TaperTip, 150 um OD 50 um ID, 100 cm length, uncoated, box of 5	62,000
TT150-50-50-CE-5	TaperTip, 150 um OD 50 um ID, 50 cm length, coated, box of 5	49,000
TT150-50-50-N-5	TaperTip, 150 um OD 50 um ID, 50 cm length, uncoated, box of 5	45,000
TT150-50-90-N-5	TaperTip, 150 um OD 50 um ID, 90 cm length, uncoated, box of 5	60,000
TT150-7-3.5-D-20	TaperTip, 150um OD x 7um ID x 3.5cm length, distal coated, 20 per box	166,000
TT150-7-3.5-N-20	TaperTip, 150um OD x 7um ID x 3.5cm length, uncoated, 20 per box	160,000
TT150-7.9-3.5-D-5	TaperTip, 150um OD, 7.9 ID, 3.5cm length, distal coated, 5 per box	47,000
TT150-7.9-3.5-N-5	TaperTip, 150um OD, 7.9um ID, 3.5 cm length, uncoated, box of 5	45,000
TT150-75-100-N-5	TaperTip, 150 um OD 75 um ID, 100 cm length, uncoated, box of 5	62,000
TT240-100-50-N-5	TaperTip, 240 um OD 100 um ID, 50 cm length, uncoated, box of 5	45,000
TT240-40-50-N-5	TaperTip, 240 um OD 40 um ID, 50 cm length,uncoated, box of 5	45,000

TT240-40-AG-N-3	Taper Tip, 240 um OD, 40 um ID, 88.6 mm long, box of 3 tips. (Agilent Part #G1385-26100)	24,000
TT250-100-50-N-5	TaperTip: 250 um OD, 100 um ID customer supplied tubing, 50 cm length, non-coated, 5 per box	45,000
TT360-10-3.5-D-5	TaperTip, 360um OD, 10 ID, 3.5cm length, distal coated, 5 per box	47,000
TT360-10-3.5-N-5	TaperTip, 360um OD, 10um ID, 3.5 cm length, uncoated, box of 5..	45,000
TT360-10-30-CE-5	TaperTip: 360 um OD, 10 um ID, 30 cm length, standard coating, 5 per box	49,000
TT360-10-4-N-5	TaperTips: 360 um OD, 10 um ID, 4 cm legnth, non-coated, 5 per box	45,000
TT360-10-5-D-5	TaperTip, 360 um OD 10 um ID, 5 cm length, distal coated, box of 5	47,000
TT360-10-5-N-5	TaperTips: 360 um OD, 10 um ID, 5cm legnth, non-coated, 5 tips per box	45,000
TT360-10-5.3-N-5	TaperTips: 360 um OD, 10 um ID, 5.3 cm legnth, non-coated, 5 tips per box	45,000
TT360-10-50-CE-5	TaperTip: 360 um OD, 10 um ID, 50 cm length, standard coating, 5 per box	49,000
TT360-10-50-N-5	TaperTips: 360 um OD, 10 um ID, 50 cm legnth, non-coated, 5 per box	45,000
TT360-100-10-CE-5	TaperTip, 360 um OD 100 um ID, 10 cm length, coated, box of 5	49,000
TT360-100-100-N-5	TaperTip: 360 um OD, 100 um ID, 100 cm length, non-coated, 5 per box	62,000
TT360-100-15-N-5	TaperTip: 360 um OD, 100 um ID, trimmed to 15 cm length, non-coated, 5 per box	45,000
TT360-100-3.5-N-5	TaperTips: 360 um OD, 100 um ID, 3.5cm length, non-coated, 5 per box	45,000
TT360-100-5-CE-5	TaperTip, 360 um OD 100 um ID, 5 cm length, coated, box of 5	49,000
TT360-100-5-D-5	TaperTip, 360 um OD 100 um ID, 5 cm length, distal coated, box of 5	47,000
TT360-100-5-N-5	TaperTips: 360 um OD, 100 um ID, 5cm length, non-coated, 5 per box	45,000
TT360-100-50-CE-5	TaperTip, 360 um OD 100 um ID, 50 cm length, coated, box of 5	49,000
TT360-100-50-N-5	TaperTip: 360 um OD, 100 um ID, 50 cm length, non-coated, 5 per box	45,000
TT360-100-7-D-5	TaperTip, 360 um OD 100 um ID, 7cm length, distal coated, box of 5	47,000
TT360-100-8.5-N-5	TaperTip: 360 um OD, 100 um ID, 8.5 cm length, 5 per box	45,000
TT360-100-90-N-5	TaperTip Emitters: 360 um OD, 100 um ID, 90 cm length, uncoated, box of 5	60,000
TT360-150-5-D-5	TaperTip: 360 um OD, 150 um ID, 5 cm length, distal coating, 5 per box	47,000
TT360-150-50-CE-5	TaperTip Emitters: 360 um OD, 150 um ID, 50 cm length, uncoated, 5 per box	49,000
TT360-150-50-N-5	TaperTip Emitters: 360 um OD, 150 um ID, 50 cm length, uncoated, 5 per box	45,000
TT360-180-50-CE-5	TaperTip, 360 um OD 180 um ID, 50 cm Length, coated, box of 5 *Customer supplied tubing*	49,000
TT360-20-10-CE-5	TaperTip: 360 um OD 20 um ID, 10cm length, standard-coated, 5 per box	49,000
TT360-20-12-CE-5	TaperTip: 360 um OD 20 um ID, 12 cm length, standard-coated, 5 per box	49,000

TT360-20-12-N-5	TaperTips: 360 um OD, 20 um ID, 12 cm length, non-coated, 5 per box	45,000
TT360-20-15-N-5-CT	Pre-cut TaperTips: 360 um OD, 20 um ID, non-coated, 5 per box, pre-cut to 15cm length(+/-1.0mm)(For use with	66,000
TT360-20-30-N-5	TaperTips 360 um OD, 20 um ID, 30 cm length, non-coated, 5 per box	45,000
TT360-20-4-N-5	TaperTips: 360 um OD, 20 um ID, 4 cm legnth, non-coated, 5 per box	45,000
TT360-20-4-N-5-CT	PreCut TaperTips: 360 um OD, 20 um ID, 4 cm legnth(+/-1.0mm), non-coated, 5 per box	53,000
TT360-20-5-CE-5	TaperTip, 360 um OD 20 um ID, 5 cm length, coated, box of 5	49,000
TT360-20-5-D-5	TaperTip, 360 um OD 20 um ID, 5 cm length, distal coated, box of 5	47,000
TT360-20-5-N-5	TaperTips: 360 um OD, 20 um ID, 5 cm legnth, non-coated, 5 per box	45,000
TT360-20-5.3-N-5	TaperTips: 360 um OD, 20 um ID, 5.3 cm legnth, non-coated, 5 per box	45,000
TT360-20-50-CE-5	TaperTip: 360 um OD 20 um ID, 50 cm length, standard-coated, 5 per box	49,000
TT360-20-50-CEL-5	TaperTip: 360 um OD 20 um ID, 50 cm length, extended 35mm standard-coating, 5 per box	58,000
TT360-20-50-N-5	TaperTip: 360 um OD, 20 um ID, 50 cm length, non-coated, 5 per box	45,000
TT360-20-6-N-5	TaperTips: 360 um OD, 20 um ID, 6 cm legnth, non-coated, 5 per box	45,000
TT360-20-6.35-N-20-CT	Pre-cut TaperTips: 360 um OD, 20 um ID, 6.35 cm length(+/-1.0mm) non-coated, 20 per box, pre-cut	247,000
TT360-20-7-D-5	TaperTip, 360 um OD 20 um ID, 7 cm length, distal coated, box of 5	47,000
TT360-20-7-N-5	TaperTips: 360 um OD, 20 um ID, 7 cm length, non-coated, 5 per box	45,000
TT360-20-90-N-5	TaperTip Emitters: 360 um OD, 20 um ID, 90 cm length, uncoated, box of 5	60,000
TT360-200-5-CE-5	TaperTip, 360 um OD 200 um ID, 5 cm length, coated, box of 5	53,000
TT360-200-5-N-5	TaperTip Emitters: 360 um OD, 200 um ID, 5 cm length, uncoated, box of 5	50,000
TT360-200-50-N-5	TaperTip Emitters: 360 um OD, 200 um ID, 50 cm length, uncoated, box of 5	50,000
TT360-25-30-CE-5	TaperTip: 360 um OD, 25 um ID, 30 cm length, standard coating, 5 per box	49,000
TT360-30-100-CE-5	TaperTips: 360 um OD, 30 um ID, 100 cm length, standard coating, 5 per box	66,000
TT360-30-15-CE-5	TaperTip, 360 um OD 30 um ID, 15 cm length, coated, box of 5	49,000
TT360-30-15-N-5	TaperTip, 360 um OD 30 um ID, 15 cm length, non-coated, box of 5	45,000
TT360-30-7-N-5	TaperTip: 360 um OD, 30 um ID, 7cm length, non-coated, 5 per box	45,000
TT360-50-10-CE-5	TaperTip: 360 um OD, 50 um ID, 10 cm length, standard coating, 5 per box	49,000
TT360-50-100-CE-5	TaperTip: 360um OD, 50um ID, 100cm Length, Standard Coated, box of 5	66,000

TT360-50-100-N-5	TaperTips 360 um OD, 50 um ID, 100 cm length, non-coated, 5 per box	62,000
TT360-50-3.5-N-5	TaperTips: 360 um OD, 50 um ID, 3.5 cm length, non-coated, 5 per box	45,000
TT360-50-30-CE-5	TaperTip: 360 um OD, 50 um ID, 30 cm length, standard coating, 5 per box	49,000
TT360-50-30-N-5	TaperTips 360 um OD, 50 um ID, 30 cm length, non-coated, 5 per box	45,000
TT360-50-5-CE-5	TaperTip: 360 um OD, 50 um ID, 5 cm length, standard coating, 5 per box	49,000
TT360-50-5-D-5	TaperTip: 360 um OD, 50 um ID, 5 cm length, distal coated, 5 per box	47,000
TT360-50-5-N-5	TaperTip: 360 um OD, 50 um ID, 5 cm length, non-coated, 5 per box	45,000
TT360-50-5.3-N-5	TaperTips: 360 um OD, 50 um ID, 5.3 cm length, non-coated, 5 per box	45,000
TT360-50-50-CE-5	TaperTip: 360 um OD, 50 um ID, 50 cm length, standard coated, 5 per box	49,000
TT360-50-50-N-5	TaperTip: 360 um OD, 50 um ID, 50 cm length, non-coated, 5 per box	45,000
TT360-50-60-N-5	TaperTip: 360 um OD, 50 um ID, 60 cm length, non-coated, 5 per box	49,000
TT360-50-7-D-5	TaperTip: 360 um OD, 50 um ID, 7 cm length, distal coating, 5 per box	47,000
TT360-50-7-N-5	TaperTip: 360 um OD, 50 um ID, 7cm length, non-coated, 5 per box	45,000
TT360-50-75-N-5	TaperTip Emitters: 360um OD, 50um ID, 75 cm length, uncoated, box of 5	55,000
TT360-50-80-N-5	TaperTip Emitters: 360um OD, 50um ID, 80 cm length, uncoated, box of 5	56,000
TT360-50-83-N-5	TaperTip Emitters: 360 um OD, 50 um ID, 83 cm length, uncoated, box of 5	37,000
TT360-50-90-N-5	TaperTip Emitters: 360 um OD, 50 um ID, 90 cm length, uncoated, box of 5	60,000
TT360-75-100-CE-5	TaperTips: 360 um OD, 75 um ID, 100 cm length, standard coating, 5 per box	53,000
TT360-75-100-N-5	TaperTip: 360 um OD, 75 um ID, 100 cm length, uncoated, 5 per box	62,000
TT360-75-100-N-5-F	TaperTips 360 um OD, 75 um ID, 100 cm length, uncoated, 5 per box - early process	50,000
TT360-75-12-CE-5	TaperTips: 360 um OD, 75 um ID, 12 cm length, standard coating, 5 per box	49,000
TT360-75-12-N-5	TaperTips: 360 um OD, 75um ID, 12 cm length, non-coated, 5 tips per box	45,000
TT360-75-150-N-5	TaperTip: 360 um OD, 75 um ID, 150 cm length, uncoated, 5 per box	80,000
TT360-75-5-CE-5	TaperTips: 360 um OD, 75 um ID, 5 cm length, standard coating, 5 per box	49,000
TT360-75-5-D-5	TaperTips: 360 um OD, 75 um ID, 5 cm long, distal coated, 5 per box	47,000
TT360-75-5-N-5	TaperTips : 360 um OD, 75 um tip ID, 5 cm length, non-coated, 5 per box	45,000
TT360-75-50-CE-5	TaperTips : 360 um OD, 75 um ID, 50 cm length, standard coating, 5 per box	49,000
TT360-75-50-N-5	TaperTips: 360 um OD, 75 um ID, 50 cm length, non-coated, 5 per box	45,000
TT360-75-6.35-N-5-CT	Pre-cut TaperTip Emitter: 360 um OD, 75um ID, non-coated, 5 tips per box, pre-cut, 6.35 cm	66,000

length(+/-1.0mm)

TAPERTIP KITS

		1,000
TaperKit 360-CE	Fused Silica Taper Tips, 360 um OD, one 100 um ID, one 75 um ID , one 50 um ID & two 20 um ID, with conductive coating, 50 cm length, box of 5	49,000
TaperKit 360-CE-C5	Fused Silica TaperTips, 360 um OD, standard coated, box of 5 emitters - one 100, one 75, one 50 & two 20 um ID, 5 cm in length	47,000
TaperKit 360-D	Fused Silica TaperTips, 360 um OD, distal coated, box of 5 emitters - one 100, one 75, one 50 & two 20 um ID, 5 cm length	47,000
TaperKit 360-N	Fused Silica TaperTips, 360 um OD, uncoated, box of 5 emitters - one 100, one 75, one 50 & two 20 um ID, 50 cm length	45,000
TaperKit 360-N-C5	Fused Silica TaperTips, 360 um OD, uncoated, box of 5 emitters - one 100, one 75, one 50 & two 20 um ID, 5 cm in length	45,000