

Part No.	Description 1	Description 2		
.2FR.5-5	Frit 1/32", 0.2 micron	.25mm thick, 316SS, 5/pk		8,000
.5FR.5-5	Frit 1/32", 0.5 micron	.25mm thick, 316SS, 5/pkg		4,300
.5FR1-10	Frit 1/16", 0.5 micron	.75mm thick, 316SS, 10/pkg		2,000
.5FR1HC-10	Frit 1/16", 0.5 micron	.75mm thick, HC, 10/pkg		7,400
.5FR2-10	Frit 1/8", 0.5 micron	1mm thick, 316SS, 10/pkg		1,700
.5FR2HC-10	Frit 1/8", 0.5 micron	1mm thick, HC, 10/pkg		9,400
.5FR4-10	Frit 1/4", 0.5 micron	1mm thick, 316SS, 10/pkg		1,700
.5SR.5-10	Screen 1/32" OD, 0.5 micron, 316SS, 10/pkg		0	3,300
.5SR1-10	Screen 1/16" OD, 0.5 micron, 316SS, 10/pkg		0	2,900
.5SR2-10	Screen 1/8" OD, 0.5 micron, 316SS, 10/pkg		0	3,300
.5SR4-10	OBSOLETE			0
10FR1-10	Frit 1/16", 10 micron	.75mm thick, 316SS, 10/pkg		1,700
10FR2-10	Frit 1/8", 10 micron	1mm thick, 316SS, 10/pkg		1,700
10FR4-10	Frit 1/4", 10 micron	1mm thick, 316SS, 10/pkg		2,100
10FR4HC-10	Frit 1/4", 10 micron	1mm thick, HC, 10/pkg		9,400
10SR.5-10	Screen 1/32", 10 micron, 316SS, 10/pkg		0	4,300
10SR1-10	Screen 1/16", 10 micron, 316SS, 10/pkg		0	2,000
10SR2-10	Screen 1/8", 10 micron, 316SS, 10/pkg		0	2,000
10SR4-10	Screen 1/4", 10 micron, 316SS, 10/pkg		0	2,200
1FR2-10	Frit 1/8", 1 micron	.04" thickn., 316SS, 10/pkg		2,000
1FR2HC-10	Frit 1/8", 1 micron	.04" thickn., HC, 10/pkg		9,400
1SR.5-10	Screen 1/32" OD, 1 micron, 316SS, 10/pkg		0	2,900
1SR1-10	Screen 1/16" OD, 1 micron, 316SS, 10/pkg		0	2,900
1SR2-10	Screen 1/8" OD, 1 micron, 316SS, 10/pkg		0	2,900
1SR4-10	Screen 1/4", 1 micron, 316SS, 10/pkg		0	7,400
210UW	10 port 2-pos valve, manual/2"so	1/8*.75mm, 75C/5000psi liq, N60/H		123,000
24UW	4 port 2-pos valve, manual/2"so	1/8*.75mm, 75C/5000psi liq, N60/H		114,000
26UW	6 port 2-pos valve, manual/2"so	1/8*.75mm, 75C/5000psi liq, N60/H		115,000
28UW	8 port 2-pos valve, manual/2"so	1/8*.75mm, 75C/5000psi liq, N60/H		123,000
2C10UW	10 port 2-pos valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, N60/H		123,000
2C4UW	4 port 2-pos valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, N60/H		114,000
2C6UW	6 port 2-pos valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, N60/H		91,300
2C8UW	8 port 2-pos valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, N60/H		97,700
2CI4UW.2	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, .2ul, N60/H		114,000
2CI4UW.5	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, .5ul, N60/H		114,000
2CI4UW1	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, 1ul, N60/H		114,000

2CI4UW2	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 75C/5000psi liq, 2ul, N60/H	114,000
2CI4UWE.2	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 175C/1000psi liq, .2ul, N60/E	102,000
2CI4UWE.5	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 175C/1000psi liq, .5ul, N60/E	102,000
2CI4UWE1	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 175C/1000psi liq, 1ul, N60/E	102,000
2CI4UWE2	4 port 2-pos int vol valve, manual/2"so	1/16*.75mm, 175C/1000psi liq, 2ul, N60/E	102,000
2CI4WE.06	4 port 2-pos int vol valve, manual/2"so	1/16*.4mm, 175C/1000psi liq, .06ul, N60/E	102,000
2CI4WE.1	4 port 2-pos int vol valve, manual/2"so	1/16*.4mm, 175C/1000psi liq, .1ul, N60/E	102,000
2CI4WE.2	4 port 2-pos int vol valve, manual/2"so	1/16*.4mm, 175C/1000psi liq, .2ul, N60/E	102,000
2CI4WE.5	4 port 2-pos int vol valve, manual/2"so	1/16*.4mm, 175C/1000psi liq, .5ul, N60/E	102,000
2CSC10MWE	10 mpos common outlet path, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	152,000
2CSC12MWE	12 mpos common outlet path, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	154,000
2CSC16MWE	16 mpos common outlet path, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	154,000
2CSC6MWE	6 mpos common outlet path, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	130,000
2CSD10MWE	10 mpos dead-end path, MW, manual/2"so	1/16*.75mm, 200C/400psi gas, N60/E	138,000
2CSD12MWE	12 mpos dead-end path, MW, manual/2"so	1/16*.75mm, 200C/400psi gas, N60/E	150,000
2CSD16MWE	16 mpos dead-end path, MW, manual/2"so	1/16*.75mm, 200C/400psi gas, N60/E	150,000
2CSD6MWE	6 mpos dead-end path, MW, manual/2"so	1/16*.75mm, 200C/400psi gas, N60/E	126,000
2CSF10MWE	10 mpos flow-through, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	128,000
2CSF12MWE	12 mpos flow-through, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	172,000
2CSF16MWE	16 mpos flow-through, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	172,000
2CSF6MWE	6 mpos flow-through, MW, manual/2"so	1/16*1mm, 200C/200psi gas, N60/E	148,000
2CST10MWE	10 mpos trapping path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	160,000
2CST12MWE	12 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	172,000
2CST16MWE	16 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	172,000
2CST6MWE	6 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	148,000
2CSTF10MWE	10 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	165,000
2CSTF12MWE	12 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	177,000
2CSTF16MWE	16 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	177,000
2CSTF6MWE	6 mpos trap/flow path, MW, manual/2"so	1/16*.75mm, 200C/200psi gas, N60/E	153,000
2FR.5-5	Frit 1/32", 2 micron	.25mm thick, 316SS, 5/pkg	980
2FR1-10	Frit 1/16", 2 micron	.75mm thick, 316SS, 10/pkg	2,000
2FR1HC-10	Frit 1/16", 2 micron	.75mm thick, HC, 10/pkg	7,800
2FR1K	Frit 1", 2 micron	1.5mm thick, 316SS	370
2FR1KHC	Frit 1", 2 micron	1.5mm thick, HC	1,300
2FR1KTI	Frit 1", 2 micron	.040" thick, Titanium	1,400
2FR1TI-10	Frit 1/16", 2 micron	1mm thick, Titanium, 10/pkg	5,500
2FR2-10	Frit 1/8", 2 micron	1mm thick, 316SS, 10/pkg	2,000

2FR2HC-10	Frit 1/8", 2 micron	1mm thick, HC, 10/pkg	3,900
2FR2TI-10	Frit 1/8", 2 micron	1mm thick, Titanium, 10/pkg	7,400
2FR4-10	Frit 1/4", 2 micron	1mm thick, 316SS, 10/pkg	2,000
2FR4HC-10	Frit 1/4", 2 micron	1mm thick, HC, 10/pkg	9,400
2FR4TI-10	Frit 1/4", 2 micron	1mm thick, Titanium, 10/pkg	9,700
2FR6	Frit 3/8", 2 micron	1mm thick, 316SS	220
2FR6HC	Frit 3/8", 2 micron	1mm thick, HC	730
2FR6TI	Frit 3/8", 2 micron	1mm thick, Titanium	790
2FR8	Frit 1/2", 2 micron	1mm thick, 316SS	290
2FR8HC	Frit 1/2", 2 micron	1mm thick, HC	1,200
2FR8TI	Frit 1/2", 2 micron	1mm thick, Titanium	1,100
2I4UWE.2	4 port 2-pos int vol valve, manual/2"so	1/8*.75mm, 175C/1000psi liq, .2ul, N60/E	102,000
2I4UWE.5	4 port 2-pos int vol valve, manual/2"so	1/8*.75mm, 175C/1000psi liq, .5ul, N60/E	102,000
2I4UWE1	4 port 2-pos int vol valve, manual/2"so	1/8*.75mm, 175C/1000psi liq, 1ul, N60/E	102,000
2I4UWE2	4 port 2-pos int vol valve, manual/2"so	1/8*.75mm, 175C/1000psi liq, 2ul, N60/E	102,000
2L10UW	10 port 2-pos valve, manual/2"so	1/8*1.0mm, 75C/5000psi liq, N60/H	126,000
2L4UW	4 port 2-pos valve, manual/2"so	1/8*1.7mm, 75C/5000psi liq, N60/H	118,000
2L6UW	6 port 2-pos valve, manual/2"so	1/8*1.7mm, 75C/5000psi liq, N60/H	94,200
2L8UW	8 port 2-pos valve, manual/2"so	1/8*1.3mm, 75C/5000psi liq, N60/H	126,000
2NI4WE.06	4 port 2-pos int vol valve, manual/2"so	1/32*.25mm, 175C/1000psi liq, .06ul,N60/E	120,000
2NI4WE.1	4 port 2-pos int vol valve, manual/2"so	1/32*.25mm, 175C/1000psi liq, .1ul,N60/E	120,000
2NI4WE.2	4 port 2-pos int vol valve, manual/2"so	1/32*.25mm, 175C/1000psi liq, .2ul,N60/E	120,000
2NI4WE.5	4 port 2-pos int vol valve, manual/2"so	1/32*.25mm, 175C/1000psi liq, .5ul,N60/E	120,000
2RAD	Right angle drive, 2" standoff		0 43,400
2SC10MWE	10 mpos common outlet path,MW,manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	152,000
2SC12MWE	12 mpos common outlet path,MW,manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	154,000
2SC16MWE	16 mpos common outlet path,MW,manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	154,000
2SC6MWE	6 mpos common outlet path,MW,manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	130,000
2SD10MWE	10 mpos dead-end path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	138,000
2SD12MWE	12 mpos dead-end path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	150,000
2SD16MWE	16 mpos dead-end path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	150,000
2SD6MWE	6 mpos dead-end path, MW, manual/2"so	1/8*1mm, 200C/400psi gas, N60/E	101,000
2SF10MWE	10 mpos flow-through, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	160,000
2SF12MWE	12 mpos flow-through, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	172,000
2SF16MWE	16 mpos flow-through, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	183,000
2SF6MWE	6 mpos flow-through, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	148,000
2SOA	Standoff assembly 2"	for 2 pos actuator	7,300

2SOAMMP	Standoff assembly 2", keyed	for m-electric actuator	10,900
2SOAMP	Standoff assembly 2"	for mpos actuator	7,300
2SOAMPCP	Standoff assembly 2"	for M series pumps	8,700
2SR.5-10	Screen 1/32", 2 micron, 316SS, 10/pkg		0 2,000
2SR1-10	Screen 1/16", 2 micron, 316SS, 10/pkg		0 2,000
2SR2-10	Screen 1/8", 2 micron, 316SS, 10/pkg		0 2,000
2SR4-10	Screen 1/4", 2 micron, 316SS, 10/pkg		0 2,200
2ST10MWE	10 mpos trapping path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	160,000
2ST12MWE	12 mpos trapping path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	183,000
2ST16MWE	16 mpos trapping path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	183,000
2ST6MWE	6 mpos trapping path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	148,000
2STF10MWE	10 mpos trap/flow path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	165,000
2STF12MWE	12 mpos trap/flow path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	177,000
2STF16MWE	16 mpos trap/flow path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	177,000
2STF6MWE	6 mpos trap/flow path, MW, manual/2"so	1/8*1mm, 200C/200psi gas, N60/E	153,000
3SOAMPCP	Standoff assembly 3"	for M series pumps	8,400
410UWE	10 port 2-pos valve, manual/4"so	1/8*.75mm, 225C/400psi gas, N60/E	118,000
410UWT	10 port 2-pos valve, manual/4"so	1/8*.75mm, 330C/300psi gas, N60/T	118,000
44UWE	4 port 2-pos valve, manual/4"so	1/8*.75mm, 225C/400psi gas, N60/E	94,700
44UWT	4 port 2-pos valve, manual/4"so	1/8*.75mm, 330C/300psi gas, N60/T	94,700
46UWE	6 port 2-pos valve, manual/4"so	1/8*.75mm, 225C/400psi gas, N60/E	103,000
46UWT	6 port 2-pos valve, manual/4"so	1/8*.75mm, 330C/300psi gas, N60/T	103,000
48UWE	8 port 2-pos valve, manual/4"so	1/8*.75mm, 225C/400psi gas, N60/E	118,000
48UWT	8 port 2-pos valve, manual/4"so	1/8*.75mm, 330C/300psi gas, N60/T	118,000
4C10UWE	10 port 2-pos valve, manual/4"so	1/16*.75mm, 225C/400psi gas, N60/E	118,000
4C10UWT	10 port 2-pos valve, manual/4"so	1/16*.75mm, 330C/300psi gas, N60/T	118,000
4C10WE	10 port 2-pos valve, manual/4"so	1/16*.4mm, 225C/400psi gas, N60/E	118,000
4C10WT	10 port 2-pos valve, manual/4"so	1/16*.4mm, 350C/300psi gas, N60/T	118,000
4C4UWE	4 port 2-pos valve, manual/4"so	1/16*.75mm, 225C/400psi gas, N60/E	94,700
4C4UWT	4 port 2-pos valve, manual/4"so	1/16*.75mm, 330C/300psi gas, N60/T	94,700
4C4WE	4 port 2-pos valve, manual/4"so	1/16*.4mm, 225C/400psi gas, N60/E	94,700
4C4WT	4 port 2-pos valve, manual/4"so	1/16*.4mm, 350C/300psi gas, N60/T	94,700
4C6UWE	6 port 2-pos valve, manual/4"so	1/16*.75mm, 225C/400psi gas, N60/E	103,000
4C6UWT	6 port 2-pos valve, manual/4"so	1/16*.75mm, 330C/300psi gas, N60/T	103,000
4C6WE	6 port 2-pos valve, manual/4"so	1/16*.4mm, 225C/400psi gas, N60/E	103,000
4C6WT	6 port 2-pos valve, manual/4"so	1/16*.4mm, 350C/300psi gas, N60/T	103,000
4C8UWE	8 port 2-pos valve, manual/4"so	1/16*.75mm, 225C/400psi gas, N60/E	118,000

4C8UWT	8 port 2-pos valve, manual/4"so	1/16*.75mm, 330C/300psi gas, N60/T	118,000
4C8WE	8 port 2-pos valve, manual/4"so	1/16*.4mm, 225C/400psi gas, N60/E	118,000
4C8WT	8 port 2-pos valve, manual/4"so	1/16*.4mm, 350C/300psi gas, N60/T	111,000
4N10WE	10 port 2-pos valve, manual/4"so	1/32*.25mm, 225C/400psi gas, N60/E	129,000
4N10WT	10 port 2-pos valve, manual/4"so	1/32*.25mm, 350C/300psi gas, N60/T	129,000
4N4WE	4 port 2-pos valve, manual/4"so	1/32*.25mm, 225C/400psi gas, N60/E	113,000
4N4WT	4 port 2-pos valve, manual/4"so	1/32*.25mm, 350C/300psi gas, N60/T	90,200
4N6WE	6 port 2-pos valve, manual/4"so	1/32*.25mm, 225C/400psi gas, N60/E	121,000
4N6WT	6 port 2-pos valve, manual/4"so	1/32*.25mm, 350C/300psi gas, N60/T	121,000
4N8WE	8 port 2-pos valve, manual/4"so	1/32*.25mm, 225C/400psi gas, N60/E	129,000
4N8WT	8 port 2-pos valve, manual/4"so	1/32*.25mm, 350C/300psi gas, N60/T	129,000
4SOA	Standoff assembly 4"	for 2 pos actuator	7,300
4SOAMP	Standoff assembly 4"	for mpos actuator	7,300
4SOAMP	Standoff assembly 4"	for M series pumps	8,700
4SOUTH	Handle with 4" standoff, Valco UW-type	2-pos valve with 1 or 2 mounting holes	10,200
4SOUTHMP	Handle with 4" standoff, Valco UW-type	2-pos valve with no mounting holes	10,200
4SOWK	4" standoff assy for 2 pos vlv W/WK	with 1 or 2 mounting holes	10,900
4SOWKMP	4" Standoff assy for 2 pos vlv W/WK	with no mounting holes, and Cheminert vlv	10,900
4UWE	4 port 2-pos valve, manual	1/8*.75mm, 225C/400psi gas, N60/E	87,400
4VL4MWE2	4 port 2-pos valve, MW, manual/4"so	1/4*4mm, 75C/100psi gas, N60/E2	177,000
4VL6MWE2	6 port 2-pos valve, MW, manual/4"so	1/4*4mm, 75C/100psi gas, N60/E2	185,000
4VL8MWE2	8 port 2-pos valve, MW, manual/4"so	1/4*4mm, 75C/100psi gas, N60/E2	193,000
6SOAMP	Standoff assembly 6"	for M series pumps	8,700
6UWE	6 port 2-pos valve, manual	1/8*.75mm, 225C/400psi gas, N60/E	95,400
8UWE	8 port 2-pos valve, manual	1/8*.75mm, 225C/400psi gas, N60/E	104,000
A10	Air actuator 10 mpos, close mount	36 deg rotation	61,400
A102	Air actuator 10 mpos, 2" standoff	36 deg rotation	61,400
A10S	Air actuator 10 mpos, for standoff	36 deg rotation	55,700
A10UW	10 port 2-pos valve, air actuated	1/8*.75mm, 75C/5000psi liq, N60/H	142,000
A12	Air actuator 12 mpos, close mount	30 deg rotation	61,400
A122	Air actuator 12 mpos, 2" standoff	30 deg rotation	61,400
A12S	Air actuator 12 mpos, for standoff	30 deg rotation	55,700
A16	Air actuator 16 mpos, close mount	22.5 deg rotation	61,400
A162	Air actuator 16 mpos, 2" standoff	22.5 deg rotation	61,400
A16S	Air actuator 16 mpos, for standoff	22.5 deg rotation	55,700
A2CI4UWE.2	4 port 2-pos int vol valve, air act/2"so	1/16*.75mm, 175C/1000psi liq, .2ul, N60/E	126,000
A2CI4UWE.5	4 port 2-pos int vol valve, air act/2"so	1/16*.75mm, 175C/1000psi liq, .5ul, N60/E	126,000

A2CI4UWE1	4 port 2-pos int vol valve, air act/2"so	1/16*.75mm, 175C/1000psi liq, 1ul, N60/E	126,000
A2CI4UWE2	4 port 2-pos int vol valve, air act/2"so	1/16*.75mm, 175C/1000psi liq, 2ul, N60/E	101,000
A2CI4WE.06	4 port 2-pos int vol valve, air act/2"so	1/16*.4mm, 175C/1000psi liq, .06ul, N60/E	126,000
A2CI4WE.1	4 port 2-pos int vol valve, air act/2"so	1/16*.4mm, 175C/1000psi liq, .1ul, N60/E	126,000
A2CI4WE.2	4 port 2-pos int vol valve, air act/2"so	1/16*.4mm, 175C/1000psi liq, .2ul, N60/E	126,000
A2CI4WE.5	4 port 2-pos int vol valve, air act/2"so	1/16*.4mm, 175C/1000psi liq, .5ul, N60/E	126,000
A2CSC10MWE	10 mpos common outlet path, MW,air act/2"so	1/16*1mm, 200C/200psi gas, N60/E	180,000
A2CSC12MWE	12 mpos common outlet path, MW,air act/2"so	1/16*1mm, 200C/200psi gas, N60/E	191,000
A2CSC16MWE	16 mpos common outlet path, MW,air act/2"so	1/16*1mm, 200C/200psi gas, N60/E	191,000
A2CSD10MWE	10 mpos dead-end path, MW, air act/2"so	1/16*.75mm, 200C/400psi gas, N60/E	175,000
A2CSD12MWE	12 mpos dead-end path, MW, air act/2"so	1/16*.75mm, 200C/400psi gas, N60/E	187,000
A2CSD16MWE	16 mpos dead-end path, MW, air act/2"so	1/16*.75mm, 200C/400psi gas, N60/E	187,000
A2CSD6MWE	6 mpos dead-end path, MW, air act/2"so	1/16*.75mm, 200C/400psi gas, N60/E	163,000
A2CSF10MWE	10 mpos flow-through, MW, air act/2"so	1/16*1mm, 200C/200psi gas, N60/E	158,000
A2CSF12MWE	12 mpos flow-through, MW, air act/2"so	1/16*1mm, 200C/200psi gas, N60/E	208,000
A2CSF16MWE	16 mpos flow-through, MW, air act/2"so	1/16*1mm, 200C/200psi gas, N60/E	208,000
A2CST10MWE	10 mpos trapping path, MW, air act high torq./2"so	1/16*.75mm, 200C/200psi gas, N60/E	158,000
A2CST12MWE	12 mpos trapping path, MW, air act high torq./2"so	1/16*.75mm, 200C/200psi gas, N60/E	208,000
A2CST16MWE	16 mpos trapping path, MW, air act high torq./2"so	1/16*.75mm, 200C/200psi gas, N60/E	208,000
A2CSTF10MWE	10 mpos trap/flow path, MW, air act high t./2"so	1/16*.75mm, 200C/200psi gas, N60/E	202,000
A2CSTF12MWE	12 mpos trap/flow path, MW, air act high t./2"so	1/16*.75mm, 200C/200psi gas, N60/E	214,000
A2CSTF16MWE	16 mpos trap/flow path, MW, air act high t./2"so	1/16*.75mm, 200C/200psi gas, N60/E	214,000
A2I4UWE.2	4 port 2-pos int vol valve, air act/2"so	1/8*.75mm, 175C/1000psi liq, .2ul, N60/E	126,000
A2I4UWE.5	4 port 2-pos int vol valve, air act/2"so	1/8*.75mm, 175C/1000psi liq, .5ul, N60/E	126,000
A2I4UWE1	4 port 2-pos int vol valve, air act/2"so	1/8*.75mm, 175C/1000psi liq, 1ul, N60/E	126,000
A2I4UWE2	4 port 2-pos int vol valve, air act/2"so	1/8*.75mm, 175C/1000psi liq, 2ul, N60/E	126,000
A2NI4WE.06	4 port 2-pos int vol valve, air act/2"so	1/32*.25mm, 175C/1000psi liq, .06ul,N60/E	144,000
A2NI4WE.1	4 port 2-pos int vol valve, air act/2"so	1/32*.25mm, 175C/1000psi liq, .1ul,N60/E	144,000
A2NI4WE.2	4 port 2-pos int vol valve, air act/2"so	1/32*.25mm, 175C/1000psi liq, .2ul,N60/E	144,000
A2NI4WE.5	4 port 2-pos int vol valve, air act/2"so	1/32*.25mm, 175C/1000psi liq, .5ul,N60/E	144,000
A2SC10MWE	10 mpos common outlet path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	180,000
A2SC12MWE	12 mpos common outlet path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	191,000
A2SC16MWE	16 mpos common outlet path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	191,000
A2SD10MWE	10 mpos dead-end path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	175,000
A2SD12MWE	12 mpos dead-end path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	187,000
A2SD16MWE	16 mpos dead-end path, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	187,000
A2SD6MWE	6 mpos dead-end path, MW, air act/2"so	1/8*1mm, 200C/400psi gas, N60/E	163,000

A2SF10MWE	10 mpos flow-through, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	158,000
A2SF12MWE	12 mpos flow-through, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	208,000
A2SF16MWE	16 mpos flow-through, MW, air act/2"so	1/8*1mm, 200C/200psi gas, N60/E	208,000
A2ST10MWE	10 mpos trapping path, MW, air act high torq./2"so	1/8*1mm, 200C/200psi gas, N60/E	197,000
A2ST12MWE	12 mpos trapping path, MW, air act high torq./2"so	1/8*1mm, 200C/200psi gas, N60/E	208,000
A2ST16MWE	16 mpos trapping path, MW, air act high torq./2"so	1/8*1mm, 200C/200psi gas, N60/E	208,000
A2STF10MWE	10 mpos trap/flow path, MW, air act high t./2"so	1/8*1mm, 200C/200psi gas, N60/E	202,000
A2STF12MWE	12 mpos trap/flow path, MW, air act high t./2"so	1/8*1mm, 200C/200psi gas, N60/E	214,000
A2STF16MWE	16 mpos trap/flow path, MW, air act high t./2"so	1/8*1mm, 200C/200psi gas, N60/E	214,000
A30	Air actuator 2-pos, close mount	30 deg rotation	38,300
A304	Air actuator 2-pos, 4" standoff	30 deg rotation	38,300
A30S	Air actuator 2-pos, for standoff	30 deg rotation	32,500
A36	Air actuator 2-pos, close mount	36 deg rotation	38,300
A364	Air actuator 2-pos, 4" standoff	36 deg rotation	38,300
A36S	Air actuator 2-pos, for standoff	36 deg rotation	32,500
A4	Air actuator 4 mpos, close mount	90 deg rotation	61,400
A410UWE	10 port 2-pos valve, air actuated/4"so	1/8*.75mm, 225C/400psi gas, N60/E	135,000
A410UWT	10 port 2-pos valve, air actuated/4"so	1/8*.75mm, 330C/300psi gas, N60/T	135,000
A42	Air actuator 4 mpos, 2" standoff	90 deg rotation	61,400
A44UWE	4 port 2-pos valve, air actuated/4"so	1/8*.75mm, 225C/400psi gas, N60/E	119,000
A44UWT	4 port 2-pos valve, air actuated/4"so	1/8*.75mm, 330C/300psi gas, N60/T	127,000
A45	Air actuator 2-pos, close mount	45 deg rotation	38,300
A454	Air actuator 2-pos, 4" standoff	45 deg rotation	38,300
A45S	Air actuator 2-pos, for standoff	45 deg rotation	32,500
A46UWE	6 port 2-pos valve, air actuated/4"so	1/8*.75mm, 225C/400psi gas, N60/E	127,000
A46UWT	6 port 2-pos valve, air actuated/4"so	1/8*.75mm, 330C/300psi gas, N60/T	127,000
A48UWE	8 port 2-pos valve, air actuated/4"so	1/8*.75mm, 225C/400psi gas, N60/E	135,000
A48UWT	8 port 2-pos valve, air actuated/4"so	1/8*.75mm, 330C/300psi gas, N60/T	135,000
A4C10UWE	10 port 2-pos valve, air actuated/4"so	1/16*.75mm, 225C/400psi gas, N60/E	135,000
A4C10UWT	10 port 2-pos valve, air actuated/4"so	1/16*.75mm, 330C/300psi gas, N60/T	135,000
A4C10WE	10 port 2-pos valve, air actuated/4"so	1/16*.4mm, 225C/400psi gas, N60/E	135,000
A4C10WT	10 port 2-pos valve, air actuated/4"so	1/16*.4mm, 350C/300psi gas, N60/T	135,000
A4C4UWE	4 port 2-pos valve, air actuated/4"so	1/16*.75mm, 225C/400psi gas, N60/E	119,000
A4C4UWT	4 port 2-pos valve, air actuated/4"so	1/16*.75mm, 330C/300psi gas, N60/T	119,000
A4C4WE	4 port 2-pos valve, air actuated/4"so	1/16*.4mm, 225C/400psi gas, N60/E	127,000
A4C4WT	4 port 2-pos valve, air actuated/4"so	1/16*.4mm, 350C/300psi gas, N60/T	119,000
A4C6UWE	6 port 2-pos valve, air actuated/4"so	1/16*.75mm, 225C/400psi gas, N60/E	127,000

A4C6UWT	6 port 2-pos valve, air actuated/4"so	1/16*.75mm, 330C/300psi gas, N60/T	127,000
A4C6WE	6 port 2-pos valve, air actuated/4"so	1/16*.4mm, 225C/400psi gas, N60/E	127,000
A4C6WT	6 port 2-pos valve, air actuated/4"so	1/16*.4mm, 350C/300psi gas, N60/T	102,000
A4C8UWE	8 port 2-pos valve, air actuated/4"so	1/16*.75mm, 225C/400psi gas, N60/E	144,000
A4C8UWT	8 port 2-pos valve, air actuated/4"so	1/16*.75mm, 330C/300psi gas, N60/T	135,000
A4C8WE	8 port 2-pos valve, air actuated/4"so	1/16*.4mm, 225C/400psi gas, N60/E	135,000
A4C8WT	8 port 2-pos valve, air actuated/4"so	1/16*.4mm, 350C/300psi gas, N60/T	135,000
A4N10WE	10 port 2-pos valve, air actuated/4"so	1/32*.25mm, 225C/400psi gas, N60/E	153,000
A4N10WT	10 port 2-pos valve, air actuated/4"so	1/32*.25mm, 350C/300psi gas, N60/T	163,000
A4N4WE	4 port 2-pos valve, air actuated/4"so	1/32*.25mm, 225C/400psi gas, N60/E	137,000
A4N4WT	4 port 2-pos valve, air actuated/4"so	1/32*.25mm, 350C/300psi gas, N60/T	137,000
A4N6WE	6 port 2-pos valve, air actuated/4"so	1/32*.25mm, 225C/400psi gas, N60/E	145,000
A4N6WT	6 port 2-pos valve, air actuated/4"so	1/32*.25mm, 350C/300psi gas, N60/T	145,000
A4N8WE	8 port 2-pos valve, air actuated/4"so	1/32*.25mm, 225C/400psi gas, N60/E	153,000
A4N8WT	8 port 2-pos valve, air actuated/4"so	1/32*.25mm, 350C/300psi gas, N60/T	153,000
A4S	Air actuator 4 mpos, for standoff	90 deg rotation	55,700
A4UW	4 port 2-pos valve, air actuated	1/8*.75mm, 75C/5000psi liq, N60/H	126,000
A4VL4MWE2	4 port 2-pos valve, MW, air act/4"so	1/4*4mm, 75C/100psi gas, N60/E2	190,000
A4VL6MWE2	6 port 2-pos valve, MW, air act/4"so	1/4*4mm, 75C/100psi gas, N60/E2	198,000
A4VL8MWE2	8 port 2-pos valve, MW, air act/4"so	1/4*4mm, 75C/100psi gas, N60/E2	206,000
A6	Air actuator 6 mpos, close mount	60 deg rotation	61,400
A60	Air actuator 2-pos, close mount	60 deg rotation	38,300
A604	Air actuator 2-pos, 4" standoff	60 deg rotation	38,300
A60S	Air actuator 2-pos, for standoff	60 deg rotation	32,500
A62	Air actuator 6 mpos, 2" standoff	60 deg rotation	61,400
A6S	Air actuator 6 mpos, for standoff	60 deg rotation	55,700
A6UW	6 port 2-pos valve, air actuated	1/8*.75mm, 75C/5000psi liq, N60/H	134,000
A8	Air actuator 8 mpos, close mount	45 deg rotation	61,400
A82	Air actuator 8 mpos, 2" standoff	45 deg rotation	61,400
A8S	Air actuator 8 mpos, for standoff	45 deg rotation	59,400
A8UW	8 port 2-pos valve, air actuated	1/8*.75mm, 75C/5000psi liq, N60/H	142,000
A90	Air actuator 2-pos, close mount	90 deg rotation	38,300
A904	Air actuator 2-pos, 4" standoff	90 deg rotation	38,300
A90S	Air actuator 2-pos, for standoff	90 deg rotation	32,500
AC10UW	10 port 2-pos valve, air actuated	1/16*.75mm, 75C/5000psi liq, N60/H	142,000
AC10W	10 port 2-pos valve, air actuated	1/16*.4mm, 75C/5000psi liq, N60/H	135,000
AC4UW	4 port 2-pos valve, air actuated	1/16*.75mm, 75C/5000psi liq, N60/H	126,000

AC4W	4 port 2-pos valve, air actuated	1/16*.4mm, 75C/5000psi liq, N60/H	119,000
AC6UW	6 port 2-pos valve, air actuated	1/16*.75mm, 75C/5000psi liq, N60/H	134,000
AC6W	6 port 2-pos valve, air actuated	1/16*.4mm, 75C/5000psi liq, N60/H	127,000
AC8UW	8 port 2-pos valve, air actuated	1/16*.75mm, 75C/5000psi liq, N60/H	142,000
AC8W	8 port 2-pos valve, air actuated	1/16*.4mm, 75C/5000psi liq, N60/H	135,000
ACI4UW.2	4 port 2-pos int vol valve, air actuated	1/16*.75mm, 75C/5000psi liq, .2ul, N60/H	133,000
ACI4UW.5	4 port 2-pos int vol valve, air actuated	1/16*.75mm, 75C/5000psi liq, .5ul, N60/H	133,000
ACI4UW1	4 port 2-pos int vol valve, air actuated	1/16*.75mm, 75C/5000psi liq, 1ul, N60/H	133,000
ACI4UW2	4 port 2-pos int vol valve, air actuated	1/16*.75mm, 75C/5000psi liq, 2ul, N60/H	133,000
ACI4W.06	4 port 2-pos int vol valve, air actuated	1/16*.4mm, 75C/5000psi liq, .06ul, N60/H	126,000
ACI4W.1	4 port 2-pos int vol valve, air actuated	1/16*.4mm, 75C/5000psi liq, .1ul, N60/H	126,000
ACI4W.2	4 port 2-pos int vol valve, air actuated	1/16*.4mm, 75C/5000psi liq, .2ul, N60/H	126,000
ACI4W.5	4 port 2-pos int vol valve, air actuated	1/16*.4mm, 75C/5000psi liq, .5ul, N60/H	126,000
ACSD10UW	10 mpos dead-end path, air actuated	1/16*.4mm, 75C/5000psi liq, N60/E	182,000
ACST4UW	4 mpos trapping path, air actuated	1/16*.4mm, 75C/5000psi liq, N60/E	175,000
ACST6UW	6 mpos trapping path, air actuated	1/16*.4mm, 75C/5000psi liq, N60/E	183,000
AH2CSC6MWE	6 mpos common outlet path,MW/air act.high tor/2"so	1/16*1mm, 200C/200psi gas, N60/E	201,000
AH2CSF6MWE	6 mpos flow-through, MW, air act high torque/2"so	1/16*1mm, 200C/200psi gas, N60/E	219,000
AH2CST6MWE	6 mpos trapping path, MW, air act high torq./2"so	1/16*.75mm, 200C/200psi gas, N60/E	219,000
AH2CSTF6MWE	6 mpos trap/flow path, MW, air act high torq./2"so	1/16*.75mm, 200C/200psi gas, N60/E	224,000
AH2SC6MWE	6 mpos common outlet path,MW,air act high tor/2"so	1/8*1mm, 200C/200psi gas, N60/E	201,000
AH2SF6MWE	6 mpos flow-through, MW, air act high torq./2"so	1/8*1mm, 200C/200psi gas, N60/E	219,000
AH2ST6MWE	6 mpos trapping path, MW, air act high torq./2"so	1/8*1mm, 200C/200psi gas, N60/E	219,000
AH2STF6MWE	6 mpos trap/flow path, MW, air act high torq./2"so	1/8*1mm, 200C/200psi gas, N60/E	224,000
AH2VLSC4MWE2	4 mpos common outlet path, MW, air act high t/2"so	1/4*4mm, 75C/100psi gas, N60/E2	265,000
AH2VLSC6MWE2	6 mpos common outlet path, MW, air act high t/2"so	1/4*4mm, 75C/100psi gas, N60/E2	273,000
AH2VLSC8MWE2	8 mpos common outlet path, MW, air act high t/2"so	1/4*4mm, 75C/100psi gas, N60/E2	285,000
AH2VLSD10MWE2	10 mpos dead-end path, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	243,000
AH2VLSD4MWE2	4 mpos dead-end path, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	278,000
AH2VLSD6MWE2	6 mpos dead-end path, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	268,000
AH2VLSD8MWE2	8 mpos dead-end path, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	243,000
AH2VLSF4MWE2	4 mpos flow-through, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	284,000
AH2VLSF6MWE2	6 mpos flow-through, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	292,000
AH2VLSF8MWE2	8 mpos flow-through, MW, air act high torq/2"so	1/4*4mm, 75C/100psi gas, N60/E2	304,000
AHCSD4UW	4 mpos dead-end path, air act high torque	1/16*.4mm, 75C/5000psi liq, N60/E	157,000
AHCSD6UW	6 mpos dead-end path, air act high torque	1/16*.4mm, 75C/5000psi liq, N60/E	204,000
AHSD4UW	4 mpos dead-end path, air act high torque	1/8*.75mm, 75C/5000psi liq, N60/E	157,000

AHSD6UW	6 mpos dead-end path, air act high torque	1/8*.75mm, 75C/5000psi liq, N60/E	204,000
AL10UW	10 port 2-pos valve, air actuated	1/8*1.0mm, 75C/5000psi liq, N60/H	150,000
AL4UW	4 port 2-pos valve, air actuated	1/8*1.7mm, 75C/5000psi liq, N60/H	134,000
AL6UW	6 port 2-pos valve, air actuated	1/8*1.7mm, 75C/5000psi liq, N60/H	142,000
AL8UW	8 port 2-pos valve, air actuated	1/8*1.3mm, 75C/5000psi liq, N60/H	150,000
ASD8UW	8 mpos dead-end path, air actuated	1/8*.75mm, 75C/5000psi liq, N60/E	182,000
ASFV	Prime/Purge valve, air actuated/1"so	3*1/16".50 mm, 100C/10'000psi, SS	44,700
ASFV2HT	Prime/Purge valve, air actuated/1"so	3*1/8"1.50 mm, 300C/2'000psi, SS	57,800
ASFV2HT4	Prime/Purge valve, air actuated/4"so	3*1/8"1.50 mm, 300C/2'000psi, SS	72,500
ASFV40K.5	Prime/purge valve, air actuated/1.625"so	3*1/32".15 mm bore, 50C/40'000 psi, SS	0
ASFV40K1	Prime/purge valve, air actuated/1.625"so	3*1/16" .15 mm bore, 50C/40'000 psi, SS	114,000
ASFV40K360	Prime/purge valve, air actuated/1.625"so	3*360um .15 mm bore, 50C/40'000 psi, SS	0
ASFVHT	Prime/Purge valve, air actuated/1"so	3*1/16".50 mm, 300C/6'000psi, SS	49,200
ASFVHT4	Prime/Purge valve, air actuated/4"so	3*1/16".50 mm, 300C/6'000psi, SS	57,800
ASFVL	Prime/Purge valve, air actuated/1"so	3*1/16".75 mm, 100C/10'000psi, SS	49,400
ASFVLHT	Prime/Purge valve, air actuated/2"so	3*1/16".75 mm, 300C/6'000psi, SS	60,100
ASFVLHT4	Prime/Purge valve, air actuated/4"so	3*1/16".75 mm, 300C/6'000psi, SS	66,300
ASFVO	On/Off valve, air actuated/1"so	2*1/16".50 mm bore, 100C/10'000 psi, SS	44,700
ASFVO2HT	On/Off valve, air actuated/2"so	2*1/8"1.50 mm bore, 300C/2'000 psi, SS	57,800
ASFVO2HT4	On/Off valve, air actuated, 4" so	2*1/8"1.50 mm bore, 300C/2'000 psi, SS	72,500
ASFVO40K.5	On/Off valve, air actuated/1.625"so	2*1/32".15 mm bore, 50C/40'000 psi, SS	0
ASFVO40K1	On/Off valve, air actuated/1.625"so	2*1/16" .15 mm bore, 50C/40'000 psi, SS	109,000
ASFVO40K360	On/Off valve, air actuated/1.625"so	2*360um .15 mm bore, 50C/40'000 psi, SS	0
ASFVOD40K.5	Dual On/Off valve, air actuated/1.625"so	3*1/32".15 mm bore, 50C/40'000 psi, SS	0
ASFVOD40K1	Dual On/Off valve, air actuated/1.625"so	3*1/16".15 mm bore, 50C/40'000 psi, SS	192,000
ASFVOD40K360	Dual On/Off valve, air actuated/1.625"so	3*360um .15 mm bore, 50C/40'000 psi, SS	0
ASFVOHT	On/Off valve, air actuated/2"so	2*1/16".50 mm bore, 300C/6'000 psi, SS	49,200
ASFVOHT4	On/Off valve, air actuated/4"so	2*1/16".50 mm bore, 300C/6'000psi, SS	57,800
ASFVOL	On/Off valve, air actuated/1"so	2*1/16".75 mm bore, 100C/10'000 psi, SS	49,400
ASFVOLHT	On/Off valve, air actuated/2"so,	2*1/16".75 mm bore, 300C/6'000 psi, SS	60,100
ASFVOLHT4	On/Off valve, air actuated, 4" so	2*1/16".75 mm bore, 300C/6'000 psi, SS	62,200
AT10	Air actuator 10 mpos high T, close mount	36 deg rotation	61,400
AT104	Air actuator 10 mpos high T, 4" standoff	36 deg rotation	61,400
AT10S	Air actuator 10 mpos high T, for standoff	36 deg rotation	55,700
AT12	Air actuator 12 mpos high T, close mount	30 deg rotation	61,400
AT124	Air actuator 12 mpos high T, 4" standoff	30 deg rotation	61,400
AT12S	Air actuator 12 mpos high T, for standoff	30 deg rotation	55,700

AT16	Air actuator 16 mpos high T, close mount	22.5 deg rotation	61,400
AT164	Air actuator 16 mpos high T, 4" standoff	22.5 deg rotation	61,400
AT16S	Air actuator 16 mpos high T, for standoff	22.5 deg rotation	55,700
AT30	Air actuator 2-pos high T, close mount	30 deg rotation	38,300
AT302	Air actuator 2-pos, high T, 2" standoff	30 deg rotation	38,300
AT30S	Air actuator 2-pos high T, for standoff	30 deg rotation	32,500
AT36	Air actuator 2-pos high T, close mount	36 deg rotation	38,300
AT362	Air actuator 2-pos, high T, 2" standoff	36 deg rotation	38,300
AT36S	Air actuator 2-pos high T, for standoff	36 deg rotation	32,500
AT4	Air actuator 4 mpos high T, close mount	90 deg rotation	61,400
AT44	Air actuator 4 mpos high T, 4"standoff	90 deg rotation	61,400
AT45	Air actuator 2-pos high T, close mount	45 deg rotation	38,300
AT452	Air actuator 2-pos, high T, 2" standoff	45 deg rotation	38,300
AT45S	Air actuator 2-pos high T, for standoff	45 deg rotation	32,500
AT4S	Air actuator 4 mpos high T, for standoff	90 deg rotation	55,700
AT6	Air actuator 6 mpos high T, close mount	60 deg rotation	61,400
AT60	Air actuator 2-pos high T, close mount	60 deg rotation	38,300
AT602	Air actuator 2-pos, high T, 2" standoff	60 deg rotation	38,300
AT60S	Air actuator 2-pos high T, for standoff	60 deg rotation	32,500
AT64	Air actuator 6 mpos high T, 4" standoff	60 deg rotation	61,400
AT6S	Air actuator 6 mpos high T, for standoff	60 deg rotation	55,700
AT8	Air actuator 8 mpos high T, close mount	45 deg rotation	61,400
AT84	Air actuator 8 mpos high T, 4" standoff	45 deg rotation	61,400
AT8S	Air actuator 8 mpos high T, for standoff	45 deg rotation	55,700
AT90	Air actuator 2-pos high T, close mount	90 deg rotation	38,300
AT902	Air actuator 2-pos, high T, 2" standoff	90 deg rotation	38,300
AT90S	Air actuator 2-pos high T, for standoff	90 deg rotation	32,500
BNV1	Micrometering needle valve, bulkhead, 2-225 ml/min	1/16"tube,18"/45cm,2um frit, 225C,lubr., SS/Vitc	23,200
BNV1-D	Micrometering needle valve, bulkhead, 2-225 ml/min	1/16" tube,18"/45cm,non-lubricated,225C, SS/Vi	27,000
BNV1-KZ	Micrometering needle valve, bulkhead, 2-225 ml/min	1/16" tube, 18"/45cm,non-lubricated,315C,SS/Ka	30,900
BNV1LF	Micrometering needle valve, bulkhead, 2-90 ml/min	1/16"tube,18"/45cm,2um frit,225C,lubr. SS/Vitor	23,200
BNV1LF-D	Micrometering needle valve, bulkhead, 2-90 ml/min	1/16"tube,18"/45cm,2um frit,225C,non-lubr.SS/\	26,000
BNV1LF-KZ	Micrometering needle valve, bulkhead, 2-90 ml/min	1/16"tube,18"/45cm,2um frit,315C,non-lub.SS/K	32,400
C10UWE	10 port 2-pos valve, manual	1/16*.75mm, 225C/400psi gas, N60/E	104,000
C10W	10 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	104,000
C10WE	10 port, 2-pos valve, manual	1/16*.4mm, 225C/400psi gas, N60/E	89,600
C1-10R6	Rotor seal 6 port 2-pos valve	1/16*.25mm, 75C/5000psi liq, H	11,000

C1-13R6	Rotor seal 6 port 2-pos valve PAEK	1/16*.25mm, 50C/5000psi liq, E	11,000
C1-20R6	Rotor seal 6 port 2-pos valve	1/16*.4mm, 75C/5000psi liq, H	11,000
C12-310	Rotor seal 10 port 2-pos C22/C22Z-valve	1/16*.75mm tube, 75C/250psi liq, E2	7,700
C12-314	Rotor seal 4 port 2-pos C22/C22Z-valve	1/16*.75mm tube, 75C/250psi liq, E2	7,700
C12-316	Rotor seal 6 port 2-pos C22/C22Z-valve	1/16*.75mm tube, 75C/250psi liq, E2	7,700
C12-318	Rotor seal 8 port 2-pos C22/C22Z-valve	1/16*.75mm tube, 75C/250psi liq, E2	7,700
C1-23R6	Rotor seal 6 port 2-pos valve PAEK	1/16*.4mm, 50C/5000psi liq, E	11,000
C15-310	Rotor seal mpos dead-end path C15/C25Z-v	1/16*.75mm, 75C/250psi liq, E2	7,700
C-1C00H	Stator 10 port 2-pos (.180BC) C2-valve	1/16*.25mm, N60	75,200
C-1C04	Stator 4 port 2-pos C2-valve	1/16*.25mm, N60	58,500
C-1C06	Stator 6 port 2-pos C2-valve	1/16*.25mm, N60	58,500
C-1C08H	Stator 8 port 2-pos (.180BC) C2-valve	1/16*.25mm, N60	66,500
C-1C30H	Stator 10 port 2-pos (.180BC) C2-valve	1/16*.25mm, Ti	120,000
C-1C34	Stator 4 port 2-pos C2-valve	1/16*.25mm, Ti	103,000
C-1C36	Stator 6 port 2-pos C1/C2-valve	1/16*.25mm, Ti	103,000
C-1C38H	Stator 8 port 2-pos (.180BC) C2-valve	1/16*.25mm, Ti	111,000
C-1C40H	Stator 10 port 2-pos (.180BC) C2-valve	1/16*.25mm, PAEK	91,800
C-1C44	Stator 4 port 2-pos C2-valve	1/16*.25mm, PAEK	75,200
C-1C46	Stator 6 port 2-pos C1/C2-valve	1/16*.25mm, PAEK	75,200
C-1C48H	Stator 8 port 2-pos (.180) C2-valve	1/16*.25mm, PAEK	83,800
C1CF-1C06	Stator 6 port 2-pos. C1-valve, CF	1/16*.25mm, N60	41,200
C1CF-1C46	Stator 6 port 2-pos. C1-valve, CF	1/16*.25mm, PEAK	83,800
C1CF-2C46	Stator 6 port 2-pos. C1-valve, CF	1/16*.4mm, PEAK	58,500
C1CFI-1006	6 port 2-pos vlv, man/front loading, cont flow+PFC	1/16*.25mm, 75C/5000psi liq, N60/H, V-knob	115,000
C1CFI-1346	6 port 2-pos vlv, man/front loading, cont flow+PFC	1/16*.25mm, 50C/5000psi liq, PEAK/E, V-Knob	132,000
C1CFI-2006	6 port 2-pos vlv, man/front loading, cont flow+PFC	1/16*.4mm, 75C/5000psi liq, N60/H, V-knob	90,300
C1CFI-2346	6 port 2-pos vlv, man/front loading, cont flow+PFC	1/16*.4mm, 75C/5000psi liq, PEAK/E, V-knob	108,000
C2-1004	4 port 2-pos valve, manual	1/16*.25mm, 75C/5000psi liq, N60/H	85,300
C2-1004A	4 port 2-pos valve, air actuated	1/16*.25mm, 75C/5000psi liq, N60/H	124,000
C2-1004D	4 port 2-pos valve, replacement	1/16*.25mm, 75C/5000psi liq, N60/H	85,300
C2-1004EH	4 port 2-pos valve, m-electric	1/16*.25mm, 75C/5000psi liq, N60/H	198,000
C2-1006	6 port 2-pos valve, manual	1/16*.25mm, 75C/5000psi liq, N60/H	85,300
C2-1006A	6 port 2-pos valve, air actuated	1/16*.25mm, 75C/5000psi liq, N60/H	124,000
C2-1006D	6 port 2-pos valve, replacement	1/16*.25mm, 75C/5000psi liq, N60/H	85,300
C2-1006EH	6 port 2-pos valve, m-electric	1/16*.25mm, 75C/5000psi liq, N60/H	198,000
C2-1034	4 port 2-pos valve, manual	1/16*.25mm, 75C/5000psi liq, Ti/H	130,000
C2-1034A	4 port 2-pos valve, air actuated	1/16*.25mm, 75C/5000psi liq, Ti/H	168,000

C2-1034D	4 port 2-pos valve, replacement	1/16*.25mm, 75C/5000psi liq, Ti/H	130,000
C2-1034EH	4 port 2-pos valve, m-electric	1/16*.25mm, 75C/5000psi liq, Ti/H	242,000
C2-1036	6 port 2-pos valve, manual	1/16*.25mm, 75C/5000psi liq, Ti/H	130,000
C2-1036A	6 port 2-pos valve, air actuated	1/16*.25mm, 75C/5000psi liq, Ti/H	168,000
C2-1036D	6 port 2-pos valve, replacement	1/16*.25mm, 75C/5000psi liq, Ti/H	130,000
C2-1036EH	6 port 2-pos valve, m-electric	1/16*.25mm, 75C/5000psi liq, Ti/H	242,000
C2-10R0H	Rotor seal 10 port 2-pos (.180BC) C2-valve	1/16*.25mm, 75C/5000psi liq, H	11,000
C2-10R4	Rotor seal 4 port 2-pos C2-valve	1/16*.25mm, 75C/5000psi liq, H	11,800
C2-10R6	Rotor seal 6 port 2-pos C2/C3-valve	1/16*.25mm, 75C/5000psi liq, H	11,800
C2-10R8H	Rotor seal 8 port 2-pos (.180BC) C2-valve	1/16*.25mm, 75C/5000psi liq, H	11,800
C2-1344	4 port 2-pos valve, manual	1/16*.25mm, 50C/5000psi liq, PAEK/E	103,000
C2-1344A	4 port 2-pos valve, air actuated	1/16*.25mm, 50C/5000psi liq, PAEK/E	141,000
C2-1344D	4 port 2-pos valve, replacement	1/16*.25mm, 50C/5000psi liq, PAEK/E	103,000
C2-1344EH	4 port 2-pos valve, m-electric	1/16*.25mm, 50C/5000psi liq, PAEK/E	216,000
C2-1346	6 port 2-pos valve, manual	1/16*.25mm, 50C/5000psi liq, PAEK/E	103,000
C2-1346A	6 port 2-pos valve, air actuated	1/16*.25mm, 50C/5000psi liq, PAEK/E	141,000
C2-1346D	6 port 2-pos valve, replacement	1/16*.25mm, 50C/5000psi liq, PAEK/E	103,000
C2-1346EH	6 port 2-pos valve, m-electric	1/16*.25mm, 50C/5000psi liq, PAEK/E	216,000
C2-13R0H	Rotor seal 10 port 2-pos C2-valve (B.C.180)	1/16*.25mm, 50C/5000psi liq, E	11,000
C2-13R4	Rotor seal 4 port 2-pos C2-valve	1/16*.25mm, 50C/5000psi liq, E	11,000
C2-13R6	Rotor seal 6 port 2-pos C2/C3-valve	1/16*.25mm, 50C/5000psi liq, E	11,000
C2-13R8H	Rotor seal 8 port 2-pos (.180BC) C2-valve	1/16*.25mm, 50C/5000psi liq, E	11,000
C2-2004	4 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	61,400
C2-2004A	4 port 2-pos valve, air act	1/16*.4mm, 75C/5000psi liq, N60/H	99,700
C2-2004D	4 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	61,400
C2-2004EH	4 port 2-pos valve, m-elect	1/16*.4mm, 75C/5000psi liq, N60/H	175,000
C2-2006	6 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	61,400
C2-2006A	6 port 2-pos valve, air act	1/16*.4mm, 75C/5000psi liq, N60/H	99,700
C2-2006D	6 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	61,400
C2-2006EH	6 port 2-pos valve, m-elect	1/16*.4mm, 75C/5000psi liq, N60/H	175,000
C2-2034	4 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, Ti/H	106,000
C2-2034A	4 port 2-pos valve, air act	1/16*.4mm, 75C/5000psi liq, Ti/H	115,000
C2-2034D	4 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	106,000
C2-2034EH	4 port 2-pos valve, m-elect	1/16*.4mm, 75C/5000psi liq, Ti/H	219,000
C2-2036	6 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, Ti/H	106,000
C2-2036A	6 port 2-pos valve, air act	1/16*.4mm, 75C/5000psi liq, Ti/H	144,000
C2-2036D	6 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	106,000

C2-2036EH	6 port 2-pos valve, m-elect	1/16*.4mm, 75C/5000psi liq, Ti/H	219,000
C2-20R0H	Rotor seal 10 port 2-pos (.180BC) C2-valve	1/16*.4mm, 75C/5000psi liq, H	11,000
C2-20R4	Rotor seal 4 port 2-pos C2-valve	1/16*.4mm, 75C/5000psi liq, H	11,000
C2-20R6	Rotor seal 6 port 2-pos C2/C3-valve	1/16*.4mm, 75C/5000psi liq, H	11,000
C2-20R8H	Rotor seal 8 port 2-pos (.180BC) C2-valve	1/16*.4mm, (.180 BC), 75C/5000psi liq, H	11,000
C22-310	Rotor seal 10 port 2-pos C12/C22Z-valve	1/4"-28*.75mm, 75C/250psi liq, E2	7,700
C22-314	Rotor seal 4 port 2-pos C22-valve	1/4"-28*.75mm, 75C/250psi liq, E2	7,700
C22-316	Rotor seal 6 port 2-pos C22-valve	1/4"-28*.75mm, 75C/250psi liq, E2	7,700
C22-318	Rotor seal 8 port 2-pos C12/C22Z-valve	1/4"-28*.75mm, 75C/250psi liq, E2	7,700
C22-3180	10 port 2-pos valve, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	56,400
C22-3180A	10 port 2-pos valve, air actuated	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	101,000
C22-3180D	10 port 2-pos valve, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	56,400
C22-3180EH	10 port 2-pos valve, m-electric	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	169,000
C22-3184	4 port 2-pos valve, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	34,500
C22-3184A	4 port 2-pos valve, air actuated	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	78,000
C22-3184D	4 port 2-pos valve, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	34,500
C22-3184EH	4 port 2-pos valve, m-electric	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	153,000
C22-3186	6 port 2-pos valve, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	34,500
C22-3186A	6 port 2-pos valve, air actuated	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	78,000
C22-3186D	6 port 2-pos valve, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	39,800
C22-3186EH	6 port 2-pos valve, m-electric	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	153,000
C22-3188	8 port 2-pos valve, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	45,700
C22-3188A	8 port 2-pos valve, air actuated	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	91,000
C22-3188D	8 port 2-pos valve, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	45,700
C22-3188EH	8 port 2-pos valve, m-electric	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	166,000
C2-2344	4 port 2-pos valve, manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	78,800
C2-2344A	4 port 2-pos valve, air act	1/16*.4mm, 50C/5000psi liq, PAEK/E	117,000
C2-2344D	4 port 2-pos valve, replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	78,800
C2-2344EH	4 port 2-pos valve, m-elect	1/16*.4mm, 50C/5000psi liq, PAEK/E	192,000
C2-2346	6 port 2-pos valve, manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	78,800
C2-2346A	6 port 2-pos valve, air act	1/16*.4mm, 50C/5000psi liq, PAEK/E	117,000
C2-2346D	6 port 2-pos valve, replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	78,800
C2-2346EH	6 port 2-pos valve, m-elect	1/16*.4mm, 50C/5000psi liq, PAEK/E	192,000
C22-380	Stator 10 port 2-pos C22-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	40,500
C22-384	Stator 4 port 2-pos C22-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	22,900
C22-386	Stator 6 port 2-pos C22-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	24,400
C22-388	Stator 8 port 2-pos C22-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	36,200

C2-23R0H	Rotor seal 10 port 2-pos (.180BC) C2-valve	1/16*.4mm, 50C/5000psi liq, E	11,000
C2-23R4	Rotor seal 4 port 2-pos C2-valve	1/16*.4mm, 50C/5000psi liq, E	11,000
C2-23R6	Rotor seal 6 port 2-pos C2/C3-valve	1/16*.4mm, 50C/5000psi liq, E	11,000
C2-23R8H	Rotor seal 8 port 2-pos (.180BC) C2-valve	1/16*.4mm,(.180 BC), 50C/5000psi liq, E	11,000
C22-610	Rotor seal 10 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	7,700
C22-614	Rotor seal 4 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	7,700
C22-616	Rotor seal 6 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	7,700
C22-618	Rotor seal 8 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	8,200
C22-6180	10 port 2-pos valve, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	56,400
C22-6180A	10 port 2-pos valve, air actuated	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	101,000
C22-6180D	10 port 2-pos valve, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	56,400
C22-6180EH	10 port 2-pos valve, m-electric	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	169,000
C22-6184	4 port 2-pos valve, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	39,800
C22-6184A	4 port 2-pos valve, air actuated	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	78,000
C22-6184D	4 port 2-pos valve, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	39,800
C22-6184EH	4 port 2-pos valve, m-electric	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	153,000
C22-6186	6 port 2-pos valve, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	39,800
C22-6186A	6 port 2-pos valve, air actuated	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	78,000
C22-6186D	6 port 2-pos valve, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	39,800
C22-6186EH	6 port 2-pos valve, m-electric	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	153,000
C22-6188	8 port 2-pos valve, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	45,700
C22-6188A	8 port 2-pos valve, air actuated	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	78,900
C22-6188D	8 port 2-pos valve, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	56,300
C22-6188EH	8 port 2-pos valve, m-electric	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	166,000
C22-680	Stator 10 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	40,500
C22-684	Stator 4 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	24,400
C22-686	Stator 6 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	22,900
C22-688	Stator 8 port 2-pos C22-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	36,200
C22Z-3180	10 port 2-pos valve, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	47,700
C22Z-3180A	10 port 2-pos valve, air actuated	1/16*.75mm, 75C/250psi liq, PPS/E2	86,000
C22Z-3180D	10 port 2-pos valve, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	47,700
C22Z-3180EH	10 port 2-pos valve, m-electric	1/16*.75mm, 75C/250psi liq, PPS/E2	161,000
C22Z-3184	4 port 2-pos valve, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	39,800
C22Z-3184A	4 port 2-pos valve, air actuated	1/16*.75mm, 75C/250psi liq, PPS/E2	78,000
C22Z-3184D	4 port 2-pos valve, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	39,800
C22Z-3184EH	4 port 2-pos valve, m-electric	1/16*.75mm, 75C/250psi liq, PPS/E2	153,000
C22Z-3186	6 port 2-pos valve, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	39,800

C22Z-3186A	6 port 2-pos valve, air actuated	1/16*.75mm, 75C/250psi liq, PPS/E2	78,000
C22Z-3186D	6 port 2-pos valve, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	31,800
C22Z-3186EH	6 port 2-pos valve, m-electric	1/16*.75mm, 75C/250psi liq, PPS/E2	153,000
C22Z-3188	8 port 2-pos valve, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	44,100
C22Z-3188A	8 port 2-pos valve, air actuated	1/16*.75mm, 75C/250psi liq, PPS/E2	82,400
C22Z-3188D	8 port 2-pos valve, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	44,100
C22Z-3188EH	8 port 2-pos valve, m-electric	1/16*.75mm, 75C/250psi liq, PPS/E2	157,000
C22Z-380	Stator 10 port 2-pos C22Z-valve	1/16*.75mm, 75C/250psi liq, PPS	31,100
C22Z-384	Stator 4 port 2-pos C22Z-valve	1/16*.75mm, 75C/250psi liq, PPS	22,900
C22Z-386	Stator 6 port 2-pos C22Z-valve	1/16*.75mm, 75C/250psi liq, PPS	22,900
C22Z-388	Stator 8 port 2-pos C22Z-valve	1/16*.75mm, 75C/250psi liq, PPS	27,500
C24-10R-.2	Rotor seal 4port 2-pos int vol C24-valve	1/4"-28*.5mm, 75C/250psi liq, .2ul, E2	7,700
C24-10R-.5	Rotor seal 4port 2-pos int vol C24-valve	1/4"-28*.5mm, 75C/250psi liq, .5ul, E2	8,200
C24-10R-1	Rotor seal 4port 2-pos int vol C24-valve	1/4"-28*.5mm, 75C/250psi liq, 1ul, E2	8,200
C24-10R-2	Rotor seal 4port 2-pos int vol C24-valve	1/4"-28*.5mm, 75C/250psi liq, 2ul, E2	8,200
C24-1C8	Stator 4 port 2-pos int vol C24-valve	1/4"-28*.5mm, 75C/250psi liq, PPS	24,400
C24-2184-.5	4 port 2-pos int vol valve, manual	1/4"-28*.5mm, 75C/250psi liq,.5ul,PPS/E2	31,800
C24-2184-.5A	4 port 2-pos int vol valve, air act	1/4"-28*.5mm, 75C/250psi liq,.5ul,PPS/E2	78,000
C24-2184-.5D	4 port 2-pos int vol valve, replacement	1/4"-28*.5mm, 75C/250psi liq,.5ul,PPS/E2	31,800
C24-2184-.5EH	4 port 2-pos int vol valve, m-elect	1/4"-28*.5mm, 75C/250psi liq,.5ul,PPS/E2	153,000
C24-2184-1	4 port 2-pos int vol valve, manual	1/4"-28*.5mm, 75C/250psi liq, 1ul,PPS/E2	31,800
C24-2184-1A	4 port 2-pos int vol valve, air act	1/4"-28*.5mm, 75C/250psi liq, 1ul,PPS/E2	78,000
C24-2184-1D	4 port 2-pos int vol valve, replacement	1/4"-28*.5mm, 75C/250psi liq, 1ul,PPS/E2	31,800
C24-2184-1EH	4 port 2-pos int vol valve, m-elect	1/4"-28*.5mm, 75C/250psi liq, 1ul,PPS/E2	153,000
C24-2184-2	4 port 2-pos int vol valve, manual	1/4"-28*.5mm, 75C/250psi liq, 2ul,PPS/E2	42,400
C24-2184-2A	4 port 2-pos int vol valve, air act	1/4"-28*.5mm, 75C/250psi liq, 2ul,PPS/E2	78,000
C24-2184-2D	4 port 2-pos int vol valve, replacement	1/4"-28*.5mm, 75C/250psi liq, 2ul,PPS/E2	42,400
C24-2184-2EH	4 port 2-pos int vol valve, m-elect	1/4"-28*.5mm, 75C/250psi liq, 2ul,PPS/E2	153,000
C24Z-1C8	Stator 4 port 2-pos int vol C24Z-valve	1/16*.4mm, 75C/250psi liq, PPS	22,900
C24Z-2184-.2	4 port 2-pos int vol valve, manual	1/16*.4mm, 75C/250psi liq, .2ul, PPS/E2	42,400
C24Z-2184-.2A	4 port 2-pos int vol valve, air act	1/16*.4mm, 75C/250psi liq, .2ul, PPS/E2	78,000
C24Z-2184-.2D	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/250psi liq, .2ul, PPS/E2	39,800
C24Z-2184-.2EH	4 port 2-pos int vol valve, m-elect	1/16*.4mm, 75C/250psi liq, .2ul, PPS/E2	153,000
C24Z-2184-.5	4 port 2-pos int vol valve, manual	1/16*.4mm, 75C/250psi liq, .5ul, PPS/E2	39,800
C24Z-2184-.5A	4 port 2-pos int vol valve, air act	1/16*.4mm, 75C/250psi liq, .5ul, PPS/E2	78,000
C24Z-2184-.5D	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/250psi liq, .5ul, PPS/E2	39,800
C24Z-2184-.5EH	4 port 2-pos int vol valve, m-elect	1/16*.4mm, 75C/250psi liq, .5ul, PPS/E2	153,000

C24Z-2184-1	4 port 2-pos int vol valve, manual	1/16*.4mm, 75C/250psi liq, 1ul, PPS/E2	39,800
C24Z-2184-1A	4 port 2-pos int vol valve, air act	1/16*.4mm, 75C/250psi liq, 1ul, PPS/E2	78,000
C24Z-2184-1D	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/250psi liq, 1ul, PPS/E2	39,800
C24Z-2184-1EH	4 port 2-pos int vol valve, m-elect	1/16*.4mm, 75C/250psi liq, 1ul, PPS/E2	153,000
C25-310	Rotor seal 8/10 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, E2	7,700
C25-314	Rotor seal 4 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, E2	7,700
C25-316	Rotor seal 6 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, E2	7,700
C25-3180	10 mpos dead-end path, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	64,300
C25-3180A	10 mpos dead-end path, air actuated	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	126,000
C25-3180D	10 mpos dead-end path, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	64,300
C25-3180EMH	10 mpos dead-end path, m-electric	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	212,000
C25-3184	4 mpos dead-end path, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	46,300
C25-3184A	4 mpos dead-end path, air actuated	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	108,000
C25-3184D	4 mpos dead-end path, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	46,300
C25-3184EMH	4 mpos dead-end path, m-electric	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	194,000
C25-3186	6 mpos dead-end path, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	46,300
C25-3186A	6 mpos dead-end path, air actuated	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	108,000
C25-3186D	6 mpos dead-end path, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	46,300
C25-3186D0	OBSOLETE, replaced by C25-3186D		0
C25-3186EMH	6 mpos dead-end path, m-electric	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	194,000
C25-3188	8 mpos dead-end path, manual	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	61,400
C25-3188A	8 mpos dead-end path, air actuated	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	131,000
C25-3188D	8 mpos dead-end path, replacement	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	61,400
C25-3188EMH	8 mpos dead-end path, m-electric	1/4"-28*.75mm, 75C/250psi liq, PPS/E2	209,000
C25-380	Stator 10 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	46,300
C25-384	Stator 4 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	27,500
C25-386	Stator 6 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	27,500
C25-388	Stator 8 mpos dead-end path C25-valve	1/4"-28*.75mm, 75C/250psi liq, PPS	42,700
C25-610	Rotor seal 10 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	7,700
C25-614	Rotor seal 4 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	7,700
C25-616	Rotor seal 6 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	7,700
C25-618	Rotor seal 8 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, E2	7,700
C25-6180	10 mpos dead-end path, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	64,300
C25-6180A	10 mpos dead-end path, air actuated	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	126,000
C25-6180D	10 mpos dead-end path, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	64,300
C25-6180EMH	10 mpos dead-end path, m-electric	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	212,000
C25-6184	4 mpos dead-end path, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	46,300

C25-6184A	4 mpos dead-end path, air actuated	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	108,000
C25-6184D	4 mpos dead-end path, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	46,300
C25-6184EMH	4 mpos dead-end path, m-electric	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	194,000
C25-6186	6 mpos dead-end path, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	46,300
C25-6186A	6 mpos dead-end path, air actuated	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	108,000
C25-6186D	6 mpos dead-end path, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	46,300
C25-6186EMH	6 mpos dead-end path, m-electric	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	194,000
C25-6188	8 mpos dead-end path, manual	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	61,400
C25-6188A	8 mpos dead-end path, air actuated	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	98,300
C25-6188D	8 mpos dead-end path, replacement	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	61,400
C25-6188EMH	8 mpos dead-end path, m-electric	1/4"-28*1.5mm, 75C/250psi liq, PPS/E2	209,000
C25-680	Stator 10 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	46,300
C25-684	Stator 4 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	27,500
C25-686	Stator 6 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	27,500
C25-688	Stator 8 mpos dead-end path C25-valve	1/4"-28*1.5mm, 75C/250psi liq, PPS	42,700
C25G-24520D	20 mpos dead-end path, replacement	1/16*.67mm, 50C/100psi liq, PEEK(E4)/M	123,000
C25G-24520EMT	20 mpos dead-end path, m-electric	1/16*.67mm, 50C/100psi liq, PEEK(E4)/M	279,000
C25G-24524D	24 mpos dead-end path, replacement	1/16*.61mm, 50C/100psi liq, PEEK(E4)/M	130,000
C25G-24524EMT	24 mpos dead-end path, m-electric	1/16*.61mm, 50C/100psi liq, PEEK(E4)/M	287,000
C25G-24528D	28 mpos dead-end path, replacement	1/16*.56mm, 50C/100psi liq, PEEK(E4)/M	138,000
C25G-24528EMT	28 mpos dead-end path, m-electric	1/16*.56mm, 50C/100psi liq, PEEK(E4)/M	295,000
C25G-24R20	Rotor seal mpos dead-end path C25G-valve	1/16*.67mm tube, 50C/100psi liq, M	16,800
C25G-24R24	Rotor seal mpos dead-end path C25G-valve	1/16*.61mm tube, 50C/100psi liq, M	17,900
C25G-2C520	Stator 20 mpos dead-end path valve	1/16*.67mm, 50C/100psi liq, PEEK	72,300
C25G-2C524	Stator 24 mpos dead-end path valve	1/16*.61mm, 50C/100psi liq, PEEK	80,900
C25G-2C528	Stator 28 mpos dead-end path valve	1/16*.56mm, 50C/100psi liq, PEEK	85,300
C25Z-3180A	10 mpos dead-end path, air actuated	1/16*.75mm, 75C/250psi liq, PPS/E2	117,000
C25Z-3180D	10 mpos dead-end path, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	55,700
C25Z-3180EMH	10 mpos dead-end path, m-electric	1/16*.75mm, 75C/250psi liq, PPS/E2	203,000
C25Z-31814	14 mpos dead-end path, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	71,500
C25Z-31814A	OBSOLETE		0
C25Z-31814D	14 mpos dead-end path, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	71,500
C25Z-31814EMH	14 mpos dead-end path, m-electric	1/16*.75mm, 75C/250psi liq, PPS/E2	219,000
C25Z-3186	6 mpos dead-end path, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	46,300
C25Z-3186A	6 mpos dead-end path, air actuated	1/16*.75mm, 75C/250psi liq, PPS/E2	108,000
C25Z-3186D	6 mpos dead-end path, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	46,300
C25Z-3186EMH	6 mpos dead-end path, m-electric	1/16*.75mm, 75C/250psi liq, PPS/E2	194,000

C25Z-3188	8 mpos dead-end path, manual	1/16*.75mm, 75C/250psi liq, PPS/E2	52,000
C25Z-3188A	8 mpos dead-end path, air actuated	1/16*.75mm, 75C/250psi liq, PPS/E2	114,000
C25Z-3188D	8 mpos dead-end path, replacement	1/16*.75mm, 75C/250psi liq, PPS/E2	52,000
C25Z-3188EMH	8 mpos dead-end path, m-electric	1/16*.75mm, 75C/250psi liq, PPS/E2	200,000
C25Z-325	Rotor seal 14 mpos dead-end path C25Z	1/16*.75mm tube, 75C/250psi liq, E2	7,700
C25Z-380	Stator 10 mpos dead-end path valve	1/16*.75mm, 75C/250psi liq, PPS	36,200
C25Z-38-14	Stator 14 mpos dead-end path valve	1/16*.75mm, 75C/250psi liq, PPS	53,500
C25Z-386	Stator 6 mpos dead-end path valve	1/16*.75mm, 75C/250psi liq, PPS	27,500
C25Z-388	Stator 8 mpos dead-end path valve	1/16*.75mm, 75C/250psi liq, PPS	31,800
C-261	Syringe fitting assy., head knurled	C1, PEEK/TFE	6,000
C-2C00H	Stator 10 port 2-pos (.180BC) C2-valve	1/16*.4mm, N60	49,900
C-2C04	Stator 4 port 2-pos C2-valve	1/16*.4mm, N60	33,300
C-2C06	Stator 6 port 2-pos C2-valve	1/16*.4mm, N60	33,300
C-2C08H	Stator 8 port 2-pos (.180BC) C2-valve	1/16*.4mm, N60	41,900
C-2C30H	Stator 10 port 2-pos (.180BC) C2-valve	1/16*.4mm, Titanium	93,900
C-2C34	Stator 4 port 2-pos C2-valve	1/16*.4mm, Titanium	77,300
C-2C36	Stator 6 port 2-pos C1/C2-valve	1/16*.4mm, Titanium	77,300
C-2C38H	Stator 8 port 2-pos (.180BC) C2-valve	1/16*.4mm, (.180 BC), Titanium	86,000
C-2C40H	Stator 10 port 2-pos (.180BC) C2-valve	1/16*.4mm, PAEK	66,500
C-2C44	Stator 4 port 2-pos C2-valve	1/16*.4mm, PAEK	49,900
C-2C46	Stator 6 port 2-pos C1/C2-valve	1/16*.4mm, PAEK	49,900
C-2C48H	Stator 8 port 2-pos (.180BC) C2-valve	1/16*.4mm, (.180 BC), PAEK	58,500
C2H-1000	10 port 2-pos valve, (.180BC) manual	1/16*.25mm, 75C/5000psi liq, N60/H	102,000
C2H-1000A	10 port 2-pos valve, (.180BC) air actuated	1/16*.25mm, 75C/5000psi liq, N60/H	140,000
C2H-1000D	10 port 2-pos valve, (.180BC) replacement	1/16*.25mm, 75C/5000psi liq, N60/H	102,000
C2H-1000EH	10 port 2-pos valve, (.180BC) m-electric	1/16*.25mm, 75C/5000psi liq, N60/H	214,000
C2H-1008	8 port 2-pos valve, (.180BC) manual	1/16*.25mm, 75C/5000psi liq, N60/H	80,800
C2H-1008A	8 port 2-pos valve, (.180BC) air actuated	1/16*.25mm, 75C/5000psi liq, N60/H	132,000
C2H-1008D	8 port 2-pos valve, (.180BC) replacement	1/16*.25mm, 75C/5000psi liq, N60/H	80,800
C2H-1008EH	8 port 2-pos valve, (.180BC) m-electric	1/16*.25mm, 75C/5000psi liq, N60/H	206,000
C2H-1030	10 port 2-pos valve, (.180BC) manual	1/16*.25mm, 75C/5000psi liq, Ti/H	146,000
C2H-1030A	10 port 2-pos valve, (.180BC) air actuated	1/16*.25mm, 75C/5000psi liq, Ti/H	184,000
C2H-1030D	10 port 2-pos valve, (.180BC) replacement	1/16*.25mm, 75C/5000psi liq, Ti/H	146,000
C2H-1030EH	10 port 2-pos valve, (.180BC) m-electric	1/16*.25mm, 75C/5000psi liq, Ti/H	258,000
C2H-1038	8 port 2-pos valve, (.180BC) manual	1/16*.25mm, 75C/5000psi liq, Ti/H	138,000
C2H-1038A	8 port 2-pos valve, (.180BC) air actuated	1/16*.25mm, 75C/5000psi liq, Ti/H	188,000
C2H-1038D	8 port 2-pos valve, (.180BC) replacement	1/16*.25mm, 75C/5000psi liq, Ti/H	138,000

C2H-1038EH	8 port 2-pos valve, (.180BC) m-electric	1/16*.25mm, 75C/5000psi liq, Ti/H	250,000
C2H-1340	10 port 2-pos valve, (.180BC) manual	1/16*.25mm, 50C/5000psi liq, PAEK/E	119,000
C2H-1340A	10 port 2-pos valve, (.180BC) air actuator	1/16*.25mm, 50C/5000psi liq, PAEK/E	157,000
C2H-1340D	10 port 2-pos valve, (.180BC) replacement	1/16*.25mm, 50C/5000psi liq, PAEK/E	119,000
C2H-1340EH	10 port 2-pos valve, (.180BC) m-electric	1/16*.25mm, 50C/5000psi liq, PAEK/E	232,000
C2H-1348	8 port 2-pos valve, (.180BC) manual	1/16*.25mm, 50C/5000psi liq, PAEK/E	111,000
C2H-1348A	8 port 2-pos valve, (.180BC) air actuated	1/16*.25mm, 50C/5000psi liq, PAEK/E	149,000
C2H-1348D	8 port 2-pos valve, (.180BC) replacement	1/16*.25mm, 50C/5000psi liq, PAEK/E	111,000
C2H-1348EH	8 port 2-pos valve, (.180BC) m-electric	1/16*.25mm, 50C/5000psi liq, PAEK/E	224,000
C2H-2000	10 port 2-pos valve, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, N60/H	77,300
C2H-2000A	10 port 2-pos valve, (.180BC) air act	1/16*.4mm, 75C/5000psi liq, N60/H	116,000
C2H-2000D	10 port 2-pos valve, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, N60/H	77,300
C2H-2000EH	10 port 2-pos valve, (.180BC) m-electric	1/16*.4mm, 75C/5000psi liq, N60/H	190,000
C2H-2008	8 port 2-pos valve, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, N60/H	69,400
C2H-2008A	8 port 2-pos valve, (.180BC) air act	1/16*.4mm, 75C/5000psi liq, N60/H	108,000
C2H-2008D	8 port 2-pos valve, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, N60/H	69,400
C2H-2008EH	8 port 2-pos valve, (.180BC) m-elect	1/16*.4mm, 75C/5000psi liq, N60/H	182,000
C2H-2030	10 port 2-pos valve, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, Ti/H	97,100
C2H-2030A	10 port 2-pos valve, (.180BC) air act	1/16*.4mm, 75C/5000psi liq, Ti/H	160,000
C2H-2030D	10 port 2-pos valve, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	106,000
C2H-2030EH	10 port 2-pos valve, (.180BC) m-electric	1/16*.4mm, 75C/5000psi liq, Ti/H	234,000
C2H-2038	8 port 2-pos valve, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, Ti/H	114,000
C2H-2038A	8 port 2-pos valve, (.180BC) air act	1/16*.4mm, 75C/5000psi liq, Ti/H	152,000
C2H-2038D	8 port 2-pos valve, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	114,000
C2H-2038EH	8 port 2-pos valve, (.180BC) m-electric	1/16*.4mm, 75C/5000psi liq, Ti/H	227,000
C2H-2340	10 port 2-pos valve, (.180BC) manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	101,000
C2H-2340A	10 port 2-pos valve, (.180BC) air act	1/16*.4mm, 50C/5000psi liq, PAEK/E	133,000
C2H-2340D	10 port 2-pos valve, (.180BC) replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	101,000
C2H-2340EH	10 port 2-pos valve, (.180BC) m-electric	1/16*.4mm, 50C/5000psi liq, PAEK/E	208,000
C2H-2348	8 port 2-pos valve, (.180BC) manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	92,500
C2H-2348A	8 port 2-pos valve, (.180BC) air act	1/16*.4mm, 50C/5000psi liq, PAEK/E	125,000
C2H-2348D	8 port 2-pos valve, (.180BC) replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	86,700
C2H-2348EH	8 port 2-pos valve, (.180BC) m-elect	1/16*.4mm, 50C/5000psi liq, PAEK/E	200,000
C2N-4000	10 port 2-pos valve, manual	1/32*.10mm, 75C/5000psi liq, N60/H	157,000
C2N-4000D	10 port 2-pos valve, replacement	1/32*.10mm, 75C/5000psi liq, N60/H	157,000
C2N-4000EH	6 port 2-pos valve, m-electric	1/32*.10mm, 75C/5000psi liq, N60/H	254,000
C2N-4006	6 port 2-pos valve, manual	1/32*.10mm, 75C/5000psi liq, N60/H	141,000

C2N-4006D	6 port 2-pos valve, replacement	1/32*.10mm, 75C/5000psi liq, N60/H	141,000
C2N-4006EH	6 port 2-pos valve, m-electric	1/32*.10mm, 75C/5000psi liq, N60/H	254,000
C2N-40R0	Rotor seal 10 port 2-pos C2N valve	1/32*.10mm, 75C/5000psi liq, H	14,100
C2N-40R6	Rotor seal 6 port 2-pos C2N valve	1/32*.10mm, 75C/5000psi liq, H	14,100
C2N-4340	10 port 2-pos valve, manual	1/32*.10mm, 50C/5000psi liq, PAEK/E	175,000
C2N-4340D	10 port 2-pos valve, replacement	1/32*.10mm,50C/5000psi liq, PAEK/E	175,000
C2N-4340EH	10 port 2-pos valve, m-electric	1/32*.10mm, 50C/5000psi liq, PAEK/E	287,000
C2N-4346	6 port 2-pos valve, manual	1/32*.10mm, 50C/5000psi liq, PAEK/E	159,000
C2N-4346D	6 port 2-pos valve, replacement	1/32*.10mm, 50C/5000psi liq, PAEK/E	159,000
C2N-4346EH	6 port 2-pos valve, m-electric	1/32*.10mm, 50C/5000psi liq, PAEK/E	271,000
C2N-43R0	Rotor seal 10 port 2-pos C2N valve	1/32*.10mm, 50C/5000psi liq, E	14,100
C2N-43R6	Rotor seal 6 port 2-pos C2N valve	1/32*.10mm, 50C/5000psi liq, E	14,100
C2N-4C00	Stator 10 port 2-pos C2N-valve	1/32*.10mm N60	134,000
C2N-4C06	Stator 6 port 2-pos C2N-valve	1/32*.10mm N60	117,000
C2N-4C40	Stator 10 port 2-pos C2N-valve	1/32*.10mm PAEK	151,000
C2N-4C46	Stator 6 port 2-pos C2N-valve	1/32*.10mm PAEK	134,000
C2V-1006	6 port 2-pos vlv, manual vert. port injection	1/16*.25mm, 75C/5000psi liq, N60/H	93,200
C2V-1006A	6 port 2-pos vlv, air act. vert. port injection	1/16*.25mm, 75C/5000psi liq, N60/H	106,000
C2V-1006D	6 port 2-pos vlv, replacement vert. port injection	1/16*.25mm, 75C/5000psi liq, N60/H	93,200
C2V-1006EH	6 port 2-pos vlv, m-elect vert. port injection	1/16*.25mm, 75C/5000psi liq, N60/H	206,000
C2V-1346	6 port 2-pos vlv, manual vert. port injector	1/16*.25mm, 50C/5000psi liq, PAEK/E	111,000
C2V-1346A	6 port 2-pos vlv, air act vert. port injector	1/16*.25mm, 50C/5000psi liq, PAEK/E	149,000
C2V-1346D	6 port 2-pos vlv, replacement vert. port injector	1/16*.25mm, 50C/5000psi liq, PAEK/E	111,000
C2V-1346EH	6 port 2-pos vlv, m-elect vert. port injector	1/16*.25mm, 50C/5000psi liq, PAEK/E	224,000
C2V-1C06	Stator 6 port 2-pos C2-valve, vertical	1/16*.25mm, N60	70,900
C2V-1C46	Stator 6 port 2-pos C2-valve, vertical	1/16*.25mm, PAEK	83,800
C2V-2006	6 port 2-pos vlv, manual vert. port injector	1/16*.4mm, 75C/5000psi liq, N60/H	69,400
C2V-2006A	6 port 2-pos vlv, air. act. vert. port injector	1/16*.4mm, 75C/5000psi liq, N60/H	108,000
C2V-2006D	6 port 2-pos vlv, replacement vert. port injector	1/16*.4mm, 75C/5000psi liq, N60/H	69,400
C2V-2006EH	6 port 2-pos vlv, m-elect vert. port injector	1/16*.4mm, 75C/5000psi liq, N60/H	182,000
C2V-2346	6 port 2-pos vlv, manual vert. port injector	1/16*.4mm, 50C/5000psi liq, PAEK/E	86,700
C2V-2346A	6 port 2-pos vlv, air act. vert. port injector	1/16*.4mm, 50C/5000psi liq, PAEK/E	125,000
C2V-2346D	6 port 2-pos vlv, replacement vert. port injector	1/16*.4mm, 50C/5000psi liq, PAEK/E	86,700
C2V-2346EH	6 port 2-pos vlv, m-elect vert. port injector	1/16*.4mm, 50C/5000psi liq, PAEK/E	200,000
C2V-2C06	Stator 6 port 2-pos C2-valve, vertical	1/16*.4mm, N60	44,700
C2V-2C46	Stator 6 port 2-pos C2-valve, vertical	1/16*.4mm, PAEK	58,500
C3-1006	6 port 2-pos valve, manual	1/16*.25mm, 75C/5000psi liq, N60/H	93,200

C3-1006A	6 port 2-pos valve, air act	1/16*.25mm, 75C/5000psi liq, N60/H	132,000
C3-1006D	6 port 2-pos valve, replacement	1/16*.25mm, 75C/5000psi liq, N60/H	93,200
C3-1006EH	6 port 2-pos valve, m-elect	1/16*.25mm, 75C/5000psi liq, N60/H	206,000
C3-1346	6 port 2-pos valve, manual	1/16*.25mm, 50C/5000psi liq, PAEK/E	111,000
C3-1346A	6 port 2-pos valve, air act	1/16*.25mm, 50C/5000psi liq, PAEK/E	149,000
C3-1346D	6 port 2-pos valve, replacement	1/16*.25mm, 50C/5000psi liq, PAEK/E	95,800
C3-1346EH	6 port 2-pos valve, m-elect	1/16*.25mm, 50C/5000psi liq, PAEK/E	224,000
C3-1C06	Stator 6 port 2-pos C3-valve	1/16*.25mm, N60	70,900
C3-1C46	Stator 6 port 2-pos C3-valve	1/16*.25mm, PAEK	83,800
C3-2006	6 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	60,100
C3-2006A	6 port 2-pos valve, air actuated	1/16*.4mm, 75C/5000psi liq, N60/H	108,000
C3-2006D	6 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	60,100
C3-2006EH	6 port 2-pos valve, m-elect	1/16*.4mm, 75C/5000psi liq, N60/H	182,000
C3-2346	6 port 2-pos valve, manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	86,700
C3-2346A	6 port 2-pos valve, air actuated	1/16*.4mm, 50C/5000psi liq, PAEK/E	125,000
C3-2346D	6 port 2-pos valve, replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	86,700
C3-2346EH	6 port 2-pos valve, m-elect	1/16*.4mm, 50C/5000psi liq, PAEK/E	200,000
C3-2C06	Stator 6 port 2-pos C3-valve	1/16*.4mm, N60	44,700
C3-2C46	Stator 6 port 2-pos C3-valve	1/16*.4mm, PAEK	58,500
C360C	Cap, 360um, for metal tubing	SS, nut included	3,100
C360CFS	Cap, 360um, for fused silica tubing	SS, nut included	5,300
C360CPK	Cap, 360um	PEEK	2,100
C360ET	Make up extender tool	for 360um nuts	1,700
C360EZR.5XC	Ext./int. reducing union 1/32 to 360um	150um bore, SS	0
C360IZR.5TS6	Internal reducer 1/32*360um, w/o frit	.38mm through bore, SS316 for metal tubing	6,100
C360IZR.5TS6FS	Internal reducer 1/32*360um	.38mm bore, SS/gold plated Ni for FS tubing	7,000
C360IZR.5TS6PK	Internal reducer 1/32*360um	.38mm bore, PEEK/glass filled PEEK for PEEK tubi	7,600
C360IZR1S6	Internal reducer 1/16*360um	.38mm bore, SS316 for metal tubing	7,600
C360IZR1S6AL	Internal reducer 1/16*360um	.38mm bore, SS/aluminium for FS tubing	8,100
C360IZR1S6FS	Internal reducer 1/16*360um	.38mm bore, SS, for FS tubing	8,100
C360IZR1S6PK	Internal reducer 1/16*360um	.38mm bore, PEEK/glass filled PEEK for PEEK tubi	7,600
C360NFFS	Nut, 360um, No Twist, SS/gold plated Ni Ferrule	for FS tubing (for > 10 kpsi)	5,400
C360NFPK	Nut, 360um, No Twist, PEEK	with PEEK ferrule	2,100
C360NFS6	Nut, 360um, No Twist, SS	with 316 ferrule	2,100
C360PPK	Plug, 360um		0 1,600
C360QTPK2	Tee, 360um, quick mount, 50um bore	for PEEK and FS Tubing (for < 10 kpsi)	13,500
C360QTPK4	Tee, 360um, quick mount, 100um bore	for PEEK and FS Tubing (for < 10 kpsi)	12,600

C360QTPK6	Tee, 360um, quick mount, 150um bore	for PEEK and FS Tubing (for < 10 kpsi)	12,400
C360QTPKG2	OBSOLETE, REPLACED BY C360QTPK2		0
C360QUPKG2	OBSOLETE, REPLACED BY C360QUPK2		0
C360QUPKG4	OBSOLETE, REPLACED BY C360QUPK4		0
C360QUPKG6	OBSOLETE, REPLACED BY C360QUPK6		0
C360QXPK2	Cross, 360um, quick mount, 50um bore	for PEEK and FS Tubing (for < 10 kpsi)	16,200
C360QXPK4	Cross, 360um, quick mount, 100um bore	for PEEK and FS Tubing (for < 10 kpsi)	15,200
C360QXPK6	Cross, 360um, quick mount, 150um bore	for PEEK and FS Tubing (for < 10 kpsi)	14,300
C360RU.5FS2	Reducing union 1/32" to 360um, SS	50um bore, for FS tubing (for > 10 kpsi)	11,800
C360RU.5FS4	Reducing union 1/32" to 360um, SS	100um bore, for FS tubing (for > 10 kpsi)	10,300
C360RU.5FS6	Reducing union 1/32" to 360um, SS	150um bore, for FS tubing (for > 10 kpsi)	9,700
C360RU.5S62	Reducing union 1/32" to 360um, SS316	50um bore, for metal tubing (up to 20 kpsi)	7,300
C360RU.5S64	Reducing union 1/32" to 360um	100um bore, for metal tubing (up to 20 kpsi)	6,700
C360RU.5S66	Reducing union 1/32" to 360um, SS316	150um bore, for metal tubing (up to 20 kpsi)	6,100
C360RU1FS6	Reducing union 1/16" to 360um, SS	150um bore, for FS tubing (for > 10 kpsi)	9,100
C360RU1PK6	Reducing union 1/16" to 360um, PEEK	150um bore, for PEEK+FS tubing (for<10kpsi)	5,300
C360RU1S66	Reducing union 1/16" to 360um, SS316	150um bore, for metal tubing (up to 20 kpsi)	5,900
C360UFS2	Union, 360um, 50um bore, SS	for FS tubing (for > 10 kpsi)	12,900
C360UFS4	Union, 360um, 100um bore, SS	for FS tubing (for > 10 kpsi)	13,000
C360UFS6	Union, 360um, 150um bore, SS	for FS tubing (for > 10 kpsi)	12,400
C360UPK2	Union, 360um, 50um bore, PEEK	for PEEK and FS tubing (for < 10 kpsi)	8,000
C360UPK4	Union, 360um, 100um bore, PEEK	for PEEK and FS tubing (for < 10 kpsi)	7,300
C360UPK6	Union, 360um, 150um bore, PEEK	for PEEK and FS tubing (for < 10 kpsi)	6,700
C360UPK64	OBSOLETE, replaced by C360UPK6		0
C360US62	Union, 360um, 50um bore, SS316	for metal tubing (up to 20 kpsi)	9,100
C360US64	Union, 360um, 100um bore, SS316	for metal tubing (up to 20 kpsi)	8,600
C360US66	Union, 360um, 150um bore, SS316	for metal tubing (up to 20 kpsi)	8,000
C4-0004-.01	4 port 2-pos int vol valve, manual	1/16*.15mm, 75C/5000psi liq, .01ul, N60/H	109,000
C4-0004-.01A	4 port 2-pos int vol valve, air actuated	1/16*.15mm, 75C/5000psi liq, .01ul, N60/H	137,000
C4-0004-.01D	4 port 2-pos int vol valve, replacement	1/16*.15mm, 75C/5000psi liq, .01ul, N60/H	109,000
C4-0004-.01EH	4 port 2-pos int vol valve, m-electric	1/16*.15mm, 75C/5000psi liq, .01ul, N60/H	221,000
C4-0004-.02	4 port 2-pos int vol valve, manual	1/16*.15mm, 75C/5000psi liq, .02ul, N60/H	109,000
C4-0004-.02A	4 port 2-pos int vol valve, air actuated	1/16*.15mm, 75C/5000psi liq, .02ul, N60/H	137,000
C4-0004-.02D	4 port 2-pos int vol valve, replacement	1/16*.15mm, 75C/5000psi liq, .02ul, N60/H	109,000
C4-0004-.02EH	4 port 2-pos int vol valve, m-electric	1/16*.15mm, 75C/5000psi liq, .02ul, N60/H	221,000
C4-0004-.05	4 port 2-pos int vol valve, manual	1/16*.15mm, 75C/5000psi liq, .05ul, N60/H	109,000
C4-0004-.05A	4 port 2-pos int vol valve, air actuated	1/16*.15mm, 75C/5000psi liq, .05ul, N60/H	157,000

C4-0004-.05D	4 port 2-pos int vol valve, replacement	1/16*.15mm, 75C/5000psi liq, .05ul, N60/H	109,000
C4-0004-.05EH	4 port 2-pos int vol valve, m-electric	1/16*.15mm, 75C/5000psi liq, .05ul, N60/H	221,000
C4-00R-.01	Rotor seal 4 port 2-pos int vol valve	1/16*.15mm, 75C/5000psi liq, .01ul, H	12,600
C4-00R-.02	Rotor seal 4 port 2-pos int vol valve	1/16*.15mm, 75C/5000psi liq, .02ul, H	13,500
C4-00R-.05	Rotor seal 4 port 2-pos int vol valve	1/16*.15mm, 75C/5000psi liq, .05ul, H	12,600
C4-0344-.01	4 port 2-pos int vol valve, manual	1/16*.15mm, 50C/5000psi liq, .01ul, PAEK/E	126,000
C4-0344-.01A	4 port 2-pos int vol valve, air actuated	1/16*.15mm, 50C/5000psi liq, .01ul, PAEK/E	164,000
C4-0344-.01D	4 port 2-pos int vol valve, replacement	1/16*.15mm, 50C/5000psi liq, .01ul, PAEK/E	126,000
C4-0344-.01EH	4 port 2-pos int vol valve, m-electric	1/16*.15mm, 50C/5000psi liq, .01ul, PAEK/E	239,000
C4-0344-.02	4 port 2-pos int vol valve, manual	1/16*.15mm, 50C/5000psi liq, .02ul, PAEK/E	126,000
C4-0344-.02A	4 port 2-pos int vol valve, air actuated	1/16*.15mm, 50C/5000psi liq, .02ul, PAEK/E	164,000
C4-0344-.02D	4 port 2-pos int vol valve, replacement	1/16*.15mm, 50C/5000psi liq, .02ul, PAEK/E	126,000
C4-0344-.02EH	4 port 2-pos int vol valve, m-electric	1/16*.15mm, 50C/5000psi liq, .02ul, PAEK/E	239,000
C4-0344-.05	4 port 2-pos int vol valve, manual	1/16*.15mm, 50C/5000psi liq, .05ul, PAEK/E	126,000
C4-0344-.05A	4 port 2-pos int vol valve, air actuated	1/16*.15mm, 50C/5000psi liq, .05ul, PAEK/E	164,000
C4-0344-.05D	4 port 2-pos int vol valve, replacement	1/16*.15mm, 50C/5000psi liq, .05ul, PAEK/E	126,000
C4-0344-.05EH	4 port 2-pos int vol valve, m-electric	1/16*.15mm, 50C/5000psi liq, .05ul, PAEK/E	239,000
C4-03R-.01	Rotor seal 4 port 2-pos int vol valve	1/16*.15mm, 50C/5000psi liq, .01ul, E	12,600
C4-03R-.02	Rotor seal 4 port 2-pos int vol valve	1/16*.15mm, 50C/5000psi liq, .02ul, E	12,600
C4-03R-.05	Rotor seal 4 port 2-pos int vol valve	1/16*.15mm, 50C/5000psi liq, .05ul, E	12,600
C4-0C0	Stator 4 port 2-pos int vol C4-valve	1/16*.15mm, N60	83,800
C4-1004-.1	4 port 2-pos int vol valve, manual	1/16*.25mm, 75C/5000psi liq, .1ul, N60/H	84,500
C4-1004-.1A	4 port 2-pos int vol valve, air act	1/16*.25mm, 75C/5000psi liq, .1ul, N60/H	123,000
C4-1004-.1D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 75C/5000psi liq, .1ul, N60/H	84,500
C4-1004-.1EH	4 port 2-pos int vol valve, m-elect	1/16*.25mm, 75C/5000psi liq, .1ul, N60/H	198,000
C4-1004-.2	4 port 2-pos int vol valve, manual	1/16*.25mm, 75C/5000psi liq, .2ul, N60/H	84,500
C4-1004-.2A	4 port 2-pos int vol valve, air act	1/16*.25mm, 75C/5000psi liq, .2ul, N60/H	123,000
C4-1004-.2D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 75C/5000psi liq, .2ul, N60/H	84,500
C4-1004-.2EH	4 port 2-pos int vol valve, m-elect	1/16*.25mm, 75C/5000psi liq, .2ul, N60/H	198,000
C4-1004-.5	4 port 2-pos int vol valve, manual	1/16*.25mm, 75C/5000psi liq, .5ul, N60/H	84,500
C4-1004-.5A	4 port 2-pos int vol valve, air act	1/16*.25mm, 75C/5000psi liq, .5ul, N60/H	123,000
C4-1004-.5D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 75C/5000psi liq, .5ul, N60/H	84,500
C4-1004-.5EH	4 port 2-pos int vol valve, m-elect	1/16*.25mm, 75C/5000psi liq, .5ul, N60/H	211,000
C4-1034-.1	4 port 2-pos int vol valve, manual	1/16*.25mm, 75C/5000psi liq, .1ul, Ti/H	129,000
C4-1034-.1A	4 port 2-pos int vol valve, air act	1/16*.25mm, 75C/5000psi liq, .1ul, Ti/H	167,000
C4-1034-.1D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 75C/5000psi liq, .1ul, Ti/H	129,000
C4-1034-.1EH	4 port 2-pos int vol valve, m-elect	1/16*.25mm, 75C/5000psi liq, .1ul, Ti/H	242,000

C4-1034-.2	4 port 2-pos int vol valve, manual	1/16*.25mm, 75C/5000psi liq, .2ul, Ti/H	138,000
C4-1034-.2A	4 port 2-pos int vol valve, air act	1/16*.25mm, 75C/5000psi liq, .2ul, Ti/H	167,000
C4-1034-.2D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 75C/5000psi liq, .2ul, Ti/H	120,000
C4-1034-.2EH	4 port 2-pos int vol valve, m-elect	1/16*.25mm, 75C/5000psi liq, .2ul, Ti/H	242,000
C4-1034-.5	4 port 2-pos int vol valve, manual	1/16*.25mm, 75C/5000psi liq, .5ul, Ti/H	120,000
C4-1034-.5A	4 port 2-pos int vol valve, air act	1/16*.25mm, 75C/5000psi liq, .5ul, Ti/H	167,000
C4-1034-.5D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 75C/5000psi liq, .5ul, Ti/H	120,000
C4-1034-.5EH	4 port 2-pos int vol valve, m-elect	1/16*.25mm, 75C/5000psi liq, .5ul, Ti/H	242,000
C4-10R-.1	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 75C/5000psi liq, .1ul, H	11,000
C4-10R-.2	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 75C/5000psi liq, .2ul, H	11,000
C4-10R-.5	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 75C/5000psi liq, .5ul, H	11,000
C4-1344-.1	4 port 2-pos int vol valve, manual	1/16*.25mm, 50C/5000psi liq,.1ul, PAEK/E	102,000
C4-1344-.1A	4 port 2-pos int vol valve, air act	1/16*.25mm, 50C/5000psi liq,.1ul, PAEK/E	141,000
C4-1344-.1D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 50C/5000psi liq,.1ul, PAEK/E	102,000
C4-1344-.1EH	4 port 2-pos int vol valve, m-elect	1/16*.25mm, 50C/5000psi liq,.1ul, PAEK/E	215,000
C4-1344-.2	4 port 2-pos int vol valve, manual	1/16*.25mm, 50C/5000psi liq,.2ul, PAEK/E	102,000
C4-1344-.2A	4 port 2-pos int vol valve, air act	1/16*.25mm, 50C/5000psi liq,.2ul, PAEK/E	141,000
C4-1344-.2D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 50C/5000psi liq,.2ul, PAEK/E	102,000
C4-1344-.2EH	4 port 2-pos int vol valve, m-elect	1/16*.25mm, 50C/5000psi liq,.2ul, PAEK/E	215,000
C4-1344-.5	4 port 2-pos int vol valve, manual	1/16*.25mm, 50C/5000psi liq,.5ul, PAEK/E	102,000
C4-1344-.5A	4 port 2-pos int vol valve, air act	1/16*.25mm, 50C/5000psi liq,.5ul, PAEK/E	141,000
C4-1344-.5D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 50C/5000psi liq,.5ul, PAEK/E	102,000
C4-1344-.5EH	4 port 2-pos int vol valve, m-elect	1/16*.25mm, 50C/5000psi liq,.5ul, PAEK/E	215,000
C4-13R-.1	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 50C/5000psi liq, .1ul, E	11,000
C4-13R-.2	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 50C/5000psi liq, .2ul, E	11,000
C4-13R-.5	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 50C/5000psi liq, .5ul, E	11,000
C4-1C0	Stator 4 port 2-pos int vol C4-valve	1/16*.25mm, N60	58,500
C4-1C3	Stator 4 port 2-pos int vol C4-valve	1/16*.25mm, TI	103,000
C4-1C4	Stator 4 port 2-pos int vol C4-valve	1/16*.25mm, PAEK	75,200
C42R-9144	4 port 2-pos valve, manual	1/2"-20*4.6mm, 50C/250psi liq, PEEK/E2	71,500
C42R-9144D	4 port 2-pos valve, replacement	1/2"-20*4.6mm, 50C/250psi liq, PEEK/E2	71,500
C42R-9144EUTA	4 port 2-pos valve, u-elect, RS232/485	1/2"-20*4.6mm, 50C/250psi liq, PEEK/E2	203,000
C42R-9146	6 port 2-pos valve, manual	1/2"-20*3.9mm, 50C/250psi liq, PEEK/E2	79,500
C42R-9146D	6 port 2-pos valve, replacement	1/2"-20*3.9mm, 50C/250psi liq, PEEK/E2	79,500
C42R-9146EUTA	6 port 2-pos valve, u-elect, RS232/485	1/2"-20*3.9mm, 50C/250psi liq, PEEK/E2	211,000
C45-9784A	OBSOLETE, replaced by C45R-9144A		0
C45-9784D	OBSOLETE, replaced by C45R-9144D		0

C45-9784EMT	OBSOLETE, replaced by C45R-9144EUTA		0
C45-9786A	OBSOLETE		0
C45-9786D	OBSOLETE, replaced by C45R-9146D		0
C45-9786EMT	OBSOLETE, replaced by C45R-9146EUTA		0
C45-97R4	Rotor 4 mpos, C45-valve	1/2"-20*4.6mm, 50C/100psi liq, TF	17,900
C45-97R6	Rotor 6 mpos, C45-valve	1/2"-20*4.6mm, 50C/100psi liq, TF	16,800
C45R-8148	8 mpos dead-end path, manual	1/2"-20*2.8mm, 50C/250psi liq, PEEK/E2	0
C45R-8148D	8 mpos dead-end path, replacement	1/2"-20*2.8mm, 50C/250psi liq, PEEK/E2	97,500
C45R-8148EUTA	8 mpos dead-end path, u-elect, RS232/485	1/2"-20*2.8mm, 50C/250psi liq, PEEK/E2	227,000
C45R-9144	4 mpos dead-end path, manual	1/2"-20*4.6mm, 50C/250psi liq, PEEK/E2	0
C45R-9144D	4 mpos dead-end path, replacement	1/2"-20*4.6mm, 50C/250psi liq, PEEK/E2	80,200
C45R-9144EUTA	4 mpos dead-end path, u-elect, RS232/485	1/2"-20*4.6mm, 50C/250psi liq, PEEK/E2	211,000
C45R-9146	6 mpos dead-end path, manual	1/2"-20*3.9mm, 50C/250psi liq, PEEK/E2	0
C45R-9146D	6 mpos dead-end path, replacement	1/2"-20*3.9mm, 50C/250psi liq, PEEK/E2	88,200
C45R-9146EUTA	6 mpos dead-end path, u-elect, RS232/485	1/2"-20*3.9mm, 50C/250psi liq, PEEK/E2	219,000
C4N-4004-.004	4 port 2-pos int vol valve, manual	1/32*.10mm, 75C/5000psi liq, .004 ul, N60/H	141,000
C4N-4004-.004D	4 port 2-pos int vol valve, replacement	1/32*.10mm, 75C/5000psi liq, .004ul, N60/H	141,000
C4N-4004-.004EH	4 port 2-pos int vol valve, m-electric	1/32*.10mm, 75C/5000psi liq, .004ul, N60/H	253,000
C4N-4004-.01	4 port 2-pos int vol valve, manual	1/32*.10mm, 75C/5000psi liq, .01 ul, N60/H	141,000
C4N-4004-.01D	4 port 2-pos int vol valve, replacement	1/32*.10mm, 75C/5000psi liq, .01ul, N60/H	141,000
C4N-4004-.01EH	4 port 2-pos int vol valve, m-electric	1/32*.10mm, 75C/5000psi liq, .01ul, N60/H	253,000
C4N-4004-.02	4 port 2-pos int vol valve, manual	1/32*.10mm, 75C/5000psi liq, .02ul, N60/H	141,000
C4N-4004-.02D	4 port 2-pos int vol valve, replacement	1/32*.10mm, 75C/5000psi liq, .02ul, N60/H	141,000
C4N-4004-.02EH	4 port 2-pos int vol valve, m-electric	1/32*.10mm, 75C/5000psi liq, .02ul, N60/H	253,000
C4N-40R-.004	Rotor seal 4 port 2-pos int vol valve	1/32*.10mm, 75C/5000psi liq, .004ul, H	14,100
C4N-40R-.01	Rotor seal 4 port 2-pos int vol valve	1/32*.10mm, 75C/5000psi liq, .01ul, H	15,000
C4N-40R-.02	Rotor seal 4 port 2-pos int vol valve	1/32*.10mm, 75C/5000psi liq, .02ul, H	15,000
C4N-4344-.004	4 port 2-pos int vol valve, manual	1/32*.10mm, 50C/5000psi liq, .004ul, PAEK/E	137,000
C4N-4344-.004D	4 port 2-pos int vol valve, replacement	1/32*.10mm, 50C/5000psi liq, .004ul, PAEK/E	137,000
C4N-4344-.004EH	4 port 2-pos int vol valve, m-electric	1/32*.10mm, 50C/5000psi liq, .004ul, PAEK/E	271,000
C4N-4344-.01	4 port 2-pos int vol valve, manual	1/32*.10mm, 50C/5000psi liq, .01ul, PAEK/E	158,000
C4N-4344-.01D	4 port 2-pos int vol valve, replacement	1/32*.10mm, 50C/5000psi liq, .01ul, PAEK/E	158,000
C4N-4344-.01EH	4 port 2-pos int vol valve, m-electric	1/32*.10mm, 50C/5000psi liq, .01ul, PAEK/E	271,000
C4N-4344-.02	4 port 2-pos int vol valve, manual	1/32*.10mm, 50C/5000psi liq, .02ul, PAEK/E	158,000
C4N-4344-.02D	4 port 2-pos int vol valve, replacement	1/32*.10mm, 50C/5000psi liq, .02ul, PAEK/E	158,000
C4N-4344-.02EH	4 port 2-pos int vol valve, m-electric	1/32*.10mm, 50C/5000psi liq, .02ul, PAEK/E	271,000
C4N-43R-.004	Rotor seal 4 port 2-pos int vol valve	1/32*.10mm, 50C/5000psi liq, .004ul, E	14,100

C4N-43R-.01	Rotor seal 4 port 2-pos int vol valve	1/32*.10mm, 50C/5000psi liq, .01ul, E	14,100
C4N-43R-.02	Rotor seal 4 port 2-pos int vol valve	1/32*.10mm, 50C/5000psi liq, .02ul, E	14,100
C4N-4C0	Stator 4 port 2-pos int vol C4N-valve,	1/32*.10mm, N60	117,000
C4N-4C4	OBSOLETE USE	C4N-4C4H	0
C4UWE	4 port 2-pos valve, manual	1/16*.75mm, 225C/400psi gas, N60/E	87,400
C4W	4 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	87,400
C4WE	4 port 2-pos valve, manual	1/16*.4mm, 225C/400psi gas, N60/E	87,400
C5-2004	4 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, N60/H	73,700
C5-2004A	4 mpos dead-end path, air act	1/16*.4mm, 75C/5000psi liq, N60/H	118,000
C5-2004D	4 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	73,700
C5-2004EMH	4 mpos dead-end path, m-elect	1/16*.4mm, 75C/5000psi liq, N60/H	221,000
C5-2006	6 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, N60/H	73,700
C5-2006A	6 mpos dead-end path, air act	1/16*.4mm, 75C/5000psi liq, N60/H	136,000
C5-2006D	6 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	73,700
C5-2006EMH	6 mpos dead-end path, m-elect	1/16*.4mm, 75C/5000psi liq, N60/H	221,000
C5-2006EMTD	6 mpos dead-end path, m-elect dual drive	1/16*.4mm, 75C/5000psi liq, N60/H	373,000
C5-2034	4 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, Ti/H	118,000
C5-2034A	4 mpos dead-end path, air act	1/16*.4mm, 75C/5000psi liq, Ti/H	180,000
C5-2034D	4 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	118,000
C5-2034EMH	4 mpos dead-end path, m-elect	1/16*.4mm, 75C/5000psi liq, Ti/H	266,000
C5-2036	6 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, Ti/H	126,000
C5-2036A	6 mpos dead-end path, air act	1/16*.4mm, 75C/5000psi liq, Ti/H	180,000
C5-2036D	6 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	126,000
C5-2036EMH	6 mpos dead-end path, m-elect	1/16*.4mm, 75C/5000psi liq, Ti/H	266,000
C5-20R0H	Rotor seal 10 mpos (.180BC) dead-end path valve	1/16*.4mm, 75C/5000psi liq, H	11,000
C5-20R4	Rotor seal 4 mpos dead-end path valve	1/16*.4mm, 75C/5000psi liq, H	11,000
C5-20R6	Rotor seal 6 mpos dead-end path valve	1/16*.4mm, 75C/5000psi liq, H	11,000
C5-20R8H	Rotor seal 8 mpos (.180BC) dead-end path valve	1/16*.4mm, 75C/5000psi liq, H	11,000
C52-1000I	10 port 2-pos valve, motor, sensor, controller	1/16*.25mm, 50C/5000psi liq, N60/H	154,000
C52-1000I-S	10 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, N60/H	132,000
C52-1000IX	10 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, N60/H	125,000
C52-1004I	4 port 2-pos valve, motor, sensor, controller	1/16*.25mm, 50C/5000psi liq, N60/H	138,000
C52-1004I-S	4 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, N60/H	116,000
C52-1004IX	4 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, N60/H	109,000
C52-1006I	6 port 2-pos valve, motor, sensor, controller	1/16*.25mm, 50C/5000psi liq, N60/H	138,000
C52-1006I-S	6 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, N60/H	116,000
C52-1006IX	6 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, N60/H	109,000

C52-1008I	8 port 2-pos valve, motor, sensor, controller	1/16*.25mm, 50C/5000psi liq, N60/H	146,000
C52-1008I-S	8 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, N60/H	124,000
C52-1008IX	8 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, N60/H	117,000
C52-1340I	10 port 2-pos valve, motor, sensor, controller	1/16*.25mm, 50C/5000psi liq, PAEK/E	171,000
C52-1340I-S	10 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, PAEK/E	149,000
C52-1340IX	10 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, PAEK/E	142,000
C52-1344I	4 port 2-pos valve, motor, sensor, controller	1/16*.25mm, 50C/5000psi liq, PAEK/E	155,000
C52-1344I-S	4 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, PAEK/E	133,000
C52-1344IX	4 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, PAEK/E	126,000
C52-1346I	6 port 2-pos valve, motor, sensor, controller	1/16*.25mm, 50C/5000psi liq, PAEK/E	155,000
C52-1346I-S	6 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, PAEK/E	133,000
C52-1346IX	6 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, PAEK/E	126,000
C52-1348I	8 port 2-pos valve, motor, sensor, controller	1/16*.25mm, 50C/5000psi liq, PAEK/E	163,000
C52-1348I-S	8 port 2-pos valve, motor, sensor	1/16*.25mm, 50C/5000psi liq, PAEK/E	141,000
C52-1348IX	8 port 2-pos valve, motor only	1/16*.25mm, 50C/5000psi liq, PAEK/E	134,000
C52-1C00	Stator 10 port 2-pos C52-valve	1/16*.25mm, (.180), N60	75,200
C52-1C04	Stator 4 port 2-pos C52-valve	1/16*.25mm, (.180), N60	58,500
C52-1C06	Stator 6 port 2-pos C52-valve	1/16*.25mm, N60	58,500
C52-1C08	Stator 8 port 2-pos C52-valve	1/16*.25mm, (.180), N60	66,500
C52-1C40	Stator 10 port, 2-pos C52-valve	1/16*.25mm, (.100), E3	91,800
C52-1C44	Stator 4 port, 2-pos C52-valve	1/16*.25mm, (.100), E3	75,200
C52-1C46	Stator 6 port, 2-pos C52-valve	1/16*.25mm, (.100), E3	75,200
C52-1C48	Stator 8 port, 2-pos C52-valve	1/16*.25mm, (.100), E3	83,800
C52-2000I	10 port 2-pos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, N60/H	132,000
C52-2000I-S	10 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	87,900
C52-2000IX	10 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	103,000
C52-2004I	4 port 2-pos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, N60/H	116,000
C52-2004I-S	4port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	101,000
C52-2004IX	4port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	86,700
C52-2006I	6 port 2-pos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, N60/H	116,000
C52-2006I-S	6 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	101,000
C52-2006IX	6port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	86,700
C52-2008I	8 port 2-pos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, N60/H	124,000
C52-2008I-S	8 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	102,000
C52-2008IX	8port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	101,000
C52-2340I	10 port 2-pos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, PAEK/E	149,000
C52-2340I-S	10 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	128,000

C52-2340IX	10 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	120,000
C52-2344I	4 port 2-pos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, PAEK/E	133,000
C52-2344I-S	4 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	112,000
C52-2344IX	4 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	104,000
C52-2346I	6 port 2-pos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, PAEK/E	133,000
C52-2346I-S	6 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	112,000
C52-2346IX	6 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	104,000
C52-2348I	8 port 2-pos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, PAEK/E	141,000
C52-2348I-S	6 port 2-pos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	120,000
C52-2348IX	8 port 2-pos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	112,000
C52-2C00	Stator 10 port 2-pos C52-valve	1/16*.4mm, N60	49,900
C52-2C04	Stator 4 port 2-pos C52-valve	1/16*.4mm, N60	33,300
C52-2C06	Stator 6 port 2-pos C52-valve	1/16*.4mm, N60	33,300
C52-2C08	Stator 8 port 2-pos C52-valve	1/16*.4mm, N60	41,900
C52-2C40	Stator 10 port, 2-pos C52-valve	1/16*.4mm, (BC .180), PAEK	66,500
C52-2C44	Stator 4 port, 2-pos C52-valve	1/16*.4mm, PAEK	49,900
C52-2C46	Stator 6 port, 2-pos C52-valve	1/16*.4mm, PAEK	49,900
C52-2C48	Stator 8 port, 2-pos C52-valve	1/16*.4mm, PAEK	58,500
C5-2344	4 mpos dead-end path, manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	78,900
C5-2344A	4 mpos dead-end path, air act	1/16*.4mm, 50C/5000psi liq, PAEK/E	153,000
C5-2344D	4 mpos dead-end path, replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	78,900
C5-2344EMH	4 mpos dead-end path, m-elect	1/16*.4mm, 50C/5000psi liq, PAEK/E	239,000
C5-2346	6 mpos dead-end path, manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	78,900
C5-2346A	6 mpos dead-end path, air act	1/16*.4mm, 50C/5000psi liq, PAEK/E	153,000
C5-2346D	6 mpos dead-end path, replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	78,900
C5-2346EMH	6 mpos dead-end path, m-elect	1/16*.4mm, 50C/5000psi liq, PAEK/E	239,000
C5-2346EMTD	6 mpos dead-end path, m-elect dual drive	1/16*.4mm, 50C/5000psi liq, PAEK/E	408,000
C5-23R0H	Rotor seal 10 mpos (.180BC) dead-end path valve	1/16*.4mm, 50C/5000psi liq, E	11,000
C5-23R4	Rotor seal 4 mpos dead-end path valve	1/16*.4mm, 50C/5000psi liq, E	11,000
C5-23R6	Rotor seal 6 mpos dead-end path valve	1/16*.4mm, 50C/5000psi liq, E	11,000
C5-23R8H	Rotor seal 8 mpos (.180BC) dead-end path valve	1/16*.4mm, 50C/5000psi liq, E	11,000
C5-2C00H	Stator 10 mpos (.180BC) dead-end path C5-valve	1/16*.4mm, N60	57,100
C5-2C04	Stator 4 mpos dead-end path C5-valve	1/16*.4mm, N60	40,500
C5-2C06	Stator 6 mpos dead-end path C5-valve	1/16*.4mm, N60	40,500
C5-2C08H	Stator 8 mpos (.180BC) dead-end path C5-valve	1/16*.4mm, N60	48,400
C5-2C30H	Stator 10 mpos (.180BC) dead-end path C5-valve	1/16*.4mm, Titanium	98,300
C5-2C34	Stator 4 mpos dead-end path C5-valve	1/16*.4mm, Titanium	84,500

C5-2C36	Stator 6 mpos dead-end path C5-valve	1/16*.4mm, Titanium	84,500
C5-2C38H	Stator 8 mpos (.180BC) dead-end path C5-valve	1/16*.4mm, Titanium	92,500
C5-2C40H	Stator 10 mpos (.180BC) dead-end path C5-valve	1/16*.4mm, PEAK	73,700
C5-2C44	Stator 4 mpos dead-end path C5-valve	1/16*.4mm, PAEK	57,100
C5-2C46	Stator 6 mpos dead-end path C5-valve	1/16*.4mm, PAEK	57,100
C5-2C48H	Stator 8 mpos (.180BC) dead-end path C5-valve	1/16*.4mm, PAEK	65,000
C55-2000I	10 mpos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, N60/H	144,000
C55-2000IA	10 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, N60/H	149,000
C55-2000I-S	10 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	123,000
C55-2000IX	10 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	115,000
C55-2004I	4 mpos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, N60/H	128,000
C55-2004IA	4 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, N60/H	133,000
C55-2004I-S	4 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	107,000
C55-2004IX	4 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	85,800
C55-2006I	6 mpos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, N60/H	128,000
C55-2006IA	6 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, N60/H	133,000
C55-2006I-S	6 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	107,000
C55-2006IX	6 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	85,800
C55-2008I	8 mpos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, N60/H	136,000
C55-2008IA	8 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, N60/H	141,000
C55-2008I-S	8 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, N60/H	115,000
C55-2008IX	8 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, N60/H	107,000
C55-2340I	10 mpos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, PAEK/E	162,000
C55-2340IA	10 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, PAEK/E	166,000
C55-2340I-S	10 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	140,000
C55-2340IX	10 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	133,000
C55-2344I	4 mpos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, PAEK/E	146,000
C55-2344IA	4 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, PAEK/E	150,000
C55-2344I-S	4 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	124,000
C55-2344IX	4 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	117,000
C55-2346I	6 mpos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, PAEK/E	146,000
C55-2346IA	6 mpos valve, motor, sensor, controller, RS-232	1/16*.4mm, 50C/5000psi liq, PAEK/E	150,000
C55-2346I-S	6 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	124,000
C55-2346IX	6 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	117,000
C55-2348I	8 mpos valve, motor, sensor, controller	1/16*.4mm, 50C/5000psi liq, PAEK/E	154,000
C55-2348IA	8 mpos valve, integrated actuator/RS-232	1/16*.4mm, 50C/5000psi liq, PAEK/E	158,000
C55-2348I-S	8 mpos valve, motor, sensor	1/16*.4mm, 50C/5000psi liq, PAEK/E	132,000

C55-2348IX	8 mpos valve, motor only	1/16*.4mm, 50C/5000psi liq, PAEK/E	125,000
C55-2C00	Stator 10 mpos dead-end path C55-valve	1/16*.4mm, N60	57,100
C55-2C04	Stator 4 mpos dead-end path C55-valve	1/16*.4mm, N60	40,500
C55-2C06	Stator 6 mpos dead-end path C55-valve	1/16*.4mm, N60	40,500
C55-2C08	Stator 8 mpos dead-end path C55-valve	1/16*.4mm, N60	48,400
C55-2C40	Stator 10 mpos dead-end path C55-valve	1/16*.4mm, PAEK	73,700
C55-2C44	Stator 4 mpos dead-end path C55-valve	1/16*.4mm, PAEK	57,100
C55-2C46	Stator 6 mpos dead-end path C55-valve	1/16*.4mm, PAEK	57,100
C55-2C48	Stator 8 mpos dead-end path C55-valve	1/16*.4mm, PAEK	65,000
C5H-2000	10 mpos dead-end path, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, N60/H	89,600
C5H-2000A	10 mpos dead-end path, (.180BC) air act	1/16*.4mm, 75C/5000psi liq, N60/H	151,000
C5H-2000D	10 mpos dead-end path, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, N60/H	89,600
C5H-2000EMT	10 mpos dead-end path, (.180BC) m-elect	1/16*.4mm, 75C/5000psi liq, N60/H	247,000
C5H-2000EMTD	10 mpos dead-end path, (.180BC) m-elect dual drive	1/16*.4mm, 75C/5000psi liq, N60/H	405,000
C5H-2008	8 mpos dead-end path, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, N60/H	81,700
C5H-2008A	8 mpos dead-end path, (.180BC) air act	1/16*.4mm, 75C/5000psi liq, N60/H	143,000
C5H-2008D	8 mpos dead-end path, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, N60/H	81,700
C5H-2008EMT	8 mpos dead-end path, (.180BC) m-elect	1/16*.4mm, 75C/5000psi liq, N60/H	239,000
C5H-2008EMTD	8 mpos dead-end path, (.180BC) m-elect dual drive	1/16*.4mm, 75C/5000psi liq, N60/H	389,000
C5H-2030	10 mpos dead-end path, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, Ti/H	134,000
C5H-2030A	10 mpos dead-end path, (.180BC) air act	1/16*.4mm, 75C/5000psi liq, Ti/H	195,000
C5H-2030D	10 mpos dead-end path, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	143,000
C5H-2030EMT	10 mpos dead-end path, (.180BC) m-elect	1/16*.4mm, 75C/5000psi liq, Ti/H	291,000
C5H-2038	8 mpos dead-end path, (.180BC) manual	1/16*.4mm, 75C/5000psi liq, Ti/H	126,000
C5H-2038A	8 mpos dead-end path, (.180BC) air act	1/16*.4mm, 75C/5000psi liq, Ti/H	188,000
C5H-2038D	8 mpos dead-end path, (.180BC) replacement	1/16*.4mm, 75C/5000psi liq, Ti/H	126,000
C5H-2038EMT	8 mpos dead-end path, (.180BC) m-elect	1/16*.4mm, 75C/5000psi liq, Ti/H	283,000
C5H-2340	10 mpos dead-end path, (.180BC) manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	107,000
C5H-2340A	10 mpos dead-end path, (.180BC) air act	1/16*.4mm, 50C/5000psi liq, PAEK/E	169,000
C5H-2340D	10 mpos dead-end path, (.180BC) replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	115,000
C5H-2340EMT	10 mpos dead-end path, (.180BC) m-elect	1/16*.4mm, 50C/5000psi liq, PAEK/E	264,000
C5H-2340EMTD	10 mpos dead-end path, (.180BC) m-elect dual drive	1/16*.4mm, 50C/5000psi liq, PAEK/E	440,000
C5H-2348	8 mpos dead-end path, (.180BC) manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	99,000
C5H-2348A	8 mpos dead-end path, (.180BC) air act	1/16*.4mm, 50C/5000psi liq, PAEK/E	161,000
C5H-2348D	8 mpos dead-end path, (.180BC) replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	99,000
C5H-2348EMT	8 mpos dead-end path, (.180BC), m-elec. actuator	1/16*.4mm, 50C/5000psi liq, PAEK/E	256,000
C5H-2348EMTD	8 mpos dead-end path, (.180BC) m-elect dual drive	1/16*.4mm, 50C/5000psi liq, PAEK/E	424,000

C5M1KF	Cheminert manifold 1/4"-28, 1/16" OD tubing	4 inlets 1 outlet, .75mm bore, CTFE	18,800
C5M1PK	Cheminert manifold 1/4"-28, 1/16" OD tubing	4 inlets 1 outlet, .75mm bore, PEEK	18,800
C5M2KF	Cheminert manifold 1/4"-28, 1/8" OD tubing	4 inlets 1 outlet, 1.5mm bore, CTFE	18,800
C5M2PK	Cheminert manifold 1/4"-28, 1/8" OD tubing	4 inlets 1 outlet, 1.5mm bore, PEEK	18,800
C6-1006	6 port 2-pos valve, cont. flow, manual	1/16*.25mm, 75C/5000psi liq, N60/H	93,200
C6-1006A	6 port 2-pos valve, cont. flow, air actuator	1/16*.25mm, 75C/5000psi liq, N60/H	132,000
C6-1006D	6 port 2-pos valve, cont. flow, replacement	1/16*.25mm, 75C/5000psi liq, N60/H	93,200
C6-1006E	6 port 2-pos valve, cont. flow, std. electric	1/16*.25mm, 75C/5000psi liq, N60/H	201,000
C6-1006EH	6 port 2-pos valve, cont. flow, m-electric	1/16*.25mm, 75C/5000psi liq, N60/H	206,000
C6-1346	6 port 2-pos valve, cont. flow, manual	1/16*.25mm, 50C/5000psi liq, PAEK/E	95,800
C6-1346A	6 port 2-pos valve, cont. flow, air actuator	1/16*.25mm, 50C/5000psi liq, PAEK/E	149,000
C6-1346D	6 port 2-pos valve, cont. flow, replacement	1/16*.25mm, 50C/5000psi liq, PAEK/E	111,000
C6-1346E	6 port 2-pos valve, cont. flow, std. electric	1/16*.25mm, 50C/5000psi liq, PAEK/E	218,000
C6-1346EH	6 port 2-pos valve, cont. flow, m-electric	1/16*.25mm, 50C/5000psi liq, PAEK/E	224,000
C6-1C06	Stator 6 port 2-pos C6-valve	1/16*.25mm, N60	66,500
C6-1C46	Stator 6 port 2-pos, cont. flow valve	1/16*.25mm, PAEK	83,800
C6-2006	6 port 2-pos valve, cont. flow, manual	1/16*.4mm, 75C/5000psi liq, N60/H	69,400
C6-2006A	6 port 2-pos valve, cont. flow, air actuator	1/16*.4mm, 75C/5000psi liq, N60/H	108,000
C6-2006D	6 port 2-pos valve, cont. flow, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	69,400
C6-2006EH	6 port 2-pos valve, cont. flow, m-electric	1/16*.4mm, 75C/5000psi liq, N60/H	182,000
C62-3180I	10 port 2-pos valve, motor, sensor, controller	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	112,000
C62-3180I-S	10 port 2-pos valve, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	90,300
C62-3184I	4 port 2-pos valve, motor, sensor, controller	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	96,800
C62-3184I-S	4 port 2-pos valve, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	75,200
C62-3186I	6 port 2-pos valve, motor, sensor, controller	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	96,800
C62-3186I-S	6 port 2-pos valve, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	75,200
C62-3188I	8 port 2-pos valve, motor, sensor, controller	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	110,000
C62-3188I-S	8 port 2-pos valve, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	87,400
C6-2346	6 port 2-pos valve, cont. flow, manual	1/16*.4mm, 50C/5000psi liq, PAEK/E	86,700
C6-2346A	6 port 2-pos valve, cont. flow, air actuator	1/16*.4mm, 50C/5000psi liq, PAEK/E	125,000
C6-2346D	6 port 2-pos valve, cont. flow, replacement	1/16*.4mm, 50C/5000psi liq, PAEK/E	86,700
C6-2346EH	6 port 2-pos valve, cont. flow, m-electric	1/16*.4mm, 50C/5000psi liq, PAEK/E	200,000
C62-6180I	10 port 2-pos valve, motor, sensor, controller	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	112,000
C62-6180I-S	10 port 2-pos valve, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	90,300
C62-6184I	4 port 2-pos valve, motor, sensor, controller	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	96,800
C62-6184I-S	4 port 2-pos valve, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	75,200
C62-6186I	6 port 2-pos valve, motor, sensor, controller	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	96,800

C62-6186I-S	6 port 2-pos valve, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	75,200
C62-6188I	8 port 2-pos valve, motor, sensor, controller	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	87,300
C62-6188I-S	6 port 2-pos valve, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	87,400
C6-2C06	Stator 6 port 2-pos, cont. flow valve	1/16*.4mm, N60	41,200
C6-2C46	Stator 6 port 2-pos, cont. flow valve	1/16*.4mm, PAEK	57,800
C62Z-3180I	10 port 2-pos valve, motor, sensor, controller	1/16"*.75mm, 50C/250psi liq, PPS/E2	104,000
C62Z-3180I-S	10 port 2-pos valve, motor, sensor	1/16"*.75mm, 50C/250psi liq, PPS/E2	82,400
C62Z-3184I	4 port 2-pos valve, motor, sensor, controller	1/16"*.75mm, 50C/250psi liq, PPS/E2	96,800
C62Z-3184I-S	4 port 2-pos valve, motor, sensor	1/16"*.75mm, 50C/250psi liq, PPS/E2	75,200
C62Z-3186I	6 port 2-pos valve, motor, sensor, controller	1/16"*.75mm, 50C/250psi liq, PPS/E2	96,800
C62Z-3186I-S	6 port 2-pos valve, motor, sensor	1/16"*.75mm, 50C/250psi liq, PPS/E2	75,200
C62Z-3188I	8 port 2-pos valve, motor, sensor, controller	1/16"*.75mm, 50C/250psi liq, PPS/E2	102,000
C62Z-3188I-S	8 port 2-pos valve, motor, sensor	1/16"*.75mm, 50C/250psi liq, PPS/E2	79,500
C65-3180I	10 mpos dead-end path, integrated actuator	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	119,000
C65-3180IA	10 mpos dead-end path, integrated actuator/RS-232	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	123,000
C65-3180I-S	10 mpos dead-end path, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	96,800
C65-3184I	4 mpos dead-end path, integrated actuator	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	102,000
C65-3184IA	4 mpos dead-end path, integrated actuator	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	107,000
C65-3184I-S	4 mpos dead-end path, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	80,200
C65-3186I	6 mpos dead-end path, integrated actuator	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	102,000
C65-3186IA	6 mpos dead-end path, integrated actuator/RS-232	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	107,000
C65-3186I-S	6 mpos dead-end path, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	80,200
C65-3188I	8 mpos dead-end path, integrated actuator	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	116,000
C65-3188IA	8 mpos dead-end path, integrated actuator/RS-232	1/4"-28*.75mm, 50C/250psi liq, PPS/E2	120,000
C65-3188I-S	8 mpos dead-end path, motor, sensor	1/4"-28*0.75mm, 50C/250psi liq, PPS/E2	101,000
C65-6180I	10 mpos dead-end path, motor, sensor, controller	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	119,000
C65-6180IA	10 mpos dead-end path, motor, sensor, controller	1/4"-28*1.50mm, 50C/250psi liq, PPS/E2	123,000
C65-6180I-S	10 mpos dead-end path, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	96,800
C65-6184I	4 mpos dead-end path, motor, sensor, controller	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	88,300
C65-6184IA	4 mpos dead-end path, integrated actuator/RS-232	1/4"-28*1.50mm, 50C/250psi liq, PPS/E2	107,000
C65-6184I-S	4 mpos dead-end path, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	80,200
C65-6186I	6 mpos dead-end path, motor, sensor, controller	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	88,300
C65-6186IA	6 mpos dead-end path, integrated actuator/RS-232	1/4"-28*1.50mm, 50C/250psi liq, PPS/E2	107,000
C65-6186I-S	6 mpos dead-end path, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	80,200
C65-6188I	8 mpos dead-end path, motor, sensor, controller	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	116,000
C65-6188IA	8 mpos dead-end path, integrated actuator/RS-232	1/4"-28*1.50mm, 50C/250psi liq, PPS/E2	120,000
C65-6188I-S	8 mpos dead-end path, motor, sensor	1/4"-28*1.5mm, 50C/250psi liq, PPS/E2	101,000

C65Z-3180I	10 mpos dead-end path, integrated actuator	1/16"*.75mm, 50C/250psi liq, PPS/E2	111,000
C65Z-3180IA	10 mpos dead-end path, integrated actuator	1/16*.75mm, 50C/250psi liq, PPS/E2	115,000
C65Z-3180I-S	10 mpos dead-end path,motor, sensor,w/o controller	1/16"*.75mm, 50C/250psi liq, PPS/E2	88,900
C65Z-3184I	4 mpos dead-end path, integrated actuator	1/16"*.75mm, 50C/250psi liq, PPS/E2	88,300
C65Z-3184IA	4 mpos dead-end path, integrated actuator	1/16"*.75mm, 50C/250psi liq, PPS/E2	107,000
C65Z-3184I-S	4 mpos dead-end path, motor, sensor,w/o controller	1/16"*.75mm, 50C/250psi liq, PPS/E2	80,200
C65Z-3186I	6 mpos dead-end path, integrated actuator	1/16"*.75mm, 50C/250psi liq, PPS/E2	88,300
C65Z-3186IA	6 mpos dead-end path, integrated actuator/RS-232	1/16*.75mm, 50C/250psi liq, PPS/E2	107,000
C65Z-3186I-S	6 mpos dead-end path, motor, sensor,w/o controller	1/16"*.75mm, 50C/250psi liq, PPS/E2	80,200
C65Z-3188I	8 mpos dead-end path, integrated actuator	1/16"*.75mm, 50C/250psi liq, PPS/E2	108,000
C65Z-3188IA	8 mpos dead-end path, integr. actuator/RS-232	1/16"*.75mm, 50C/250psi liq, PPS/E2	112,000
C65Z-3188I-S	8 mpos dead-end path, motor, sensor,w/o controller	1/16"*.75mm, 50C/250psi liq, PPS/E2	86,000
C6UWE	6 port 2-pos valve, manual	1/16*.75mm, 225C/400psi gas, N60/E	95,400
C6W	6 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	95,400
C6WE	6 port 2-pos valve, manual	1/16*.4mm, 225C/400psi gas, N60/E	95,400
C72-16R0	Rotor seal 10 port 2-pos C72-valve	1/16*.25mm, 50C/all pressures liq,E3	14,500
C72-16R4	Rotor seal 4 port 2-pos C72-valve	1/16*.25mm, 50C/all pressures liq,E3	14,500
C72-16R6	Rotor seal 6 port 2-pos C72-valve	1/16*.25mm, 50C/all pressures liq, E3	14,500
C72-16R8	Rotor seal 8 port 2-pos C72-valve	1/16*.25mm, 50C/all pressures liq,E3	14,500
C72-1C70	Stator 10 port 2-pos C72-valve	1/16*.25mm, N60C	120,000
C72-1C74	Stator 4 port 2-pos C72-valve	1/16*.25mm,N60C	96,800
C72-1C76	Stator 6 port 2-pos C72-valve	1/16*.25mm, N60C	96,800
C72-1C78	Stator 8 port 2-pos C72-valve	1/16*.25mm, N60C	104,000
C72H-1670	OBSOLETE, replaced by C82H-1670		0
C72H-1670A	OBSOLETE, replaced by C82H-1670A		0
C72H-1670D	OBSOLETE, replaced by C82H-1670D		0
C72H-1670ED	OBSOLETE, replaced by C82H-1670ED		0
C72H-1674	OBSOLETE, replaced by C82H-1674		0
C72H-1674D	OBSOLETE, replaced by C82H-1674D		0
C72H-1674EH	OBSOLETE, replaced by C82H-1674EH		0
C72H-1676	OBSOLETE, replaced by C82H-1676		0
C72H-1676A	OBSOLETE, replaced by C82H-1676A		0
C72H-1676D	OBSOLETE, replaced by C82H-1676D		0
C72H-1676EH	OBSOLETE, replaced by C82H-1676EH		0
C72H-1678	OBSOLETE, replaced by C82H-1678		0
C72H-1678A	OBSOLETE, replaced by C82H-1678A		0
C72H-1678D	OBSOLETE, replaced by C82H-1678D		0

C72H-1678ED	OBSOLETE, replaced by C82H-1678ED		0
C72M-46R4	Rotor seal 4 port 2-pos valve	360um*.10mm, 50C/all pressures liq,E3	14,500
C72M-46R6	Rotor seal 6 port 2-pos C72M-valve	360µm, .10mm, 50C/all pressures liq,E3	14,500
C72M-4C74	Stator 4 port 2-pos C72M-valve	360um, .10mm, N60C	166,000
C72M-4C76	Stator 6 port 2-pos C72M-valve	360um, .10mm, N60C	166,000
C72M-66R0	Rotor seal 10 port 2-pos C72M-valve	360µm, .15mm, 50C/all pressures liq,E3	14,500
C72M-66R6	Rotor seal 6 port 2-pos C72M-valve	360µm, .15mm, 50C/all pressures liq,E3	14,500
C72M-6C70	Stator 10 port 2-pos C72M-valve	360um, .15mm, N60C	158,000
C72M-6C76	Stator 6 port 2-pos C72M-valve	360um, .15mm, N60C	143,000
C72MFSU-4674	4 port 2-pos valve, (FS fittings), manual	360um*.10mm, 50C/20000psi liq, N60C/E3	250,000
C72MFSU-4674A	4 port 2-pos valve, (FS fittings), air actuator	360um*.10mm, 50C/20000psi liq, N60C/E3	289,000
C72MFSU-4674D	4 port 2-pos valve, (FS fittings), replacement	360um*.10mm, 50C/20000psi liq, N60C/E3	250,000
C72MFSU-4674EH	4 port 2-pos valve, (FS fittings), m-electric	360um*.10mm, 50C/20000psi liq, N60C/E3	363,000
C72MFSU-4676	6 port 2-pos valve, (FS fittings), manual	360um*.10mm, 50C/20000psi liq, N60C/E3	260,000
C72MFSU-4676A	6 port 2-pos valve, (FS fittings), air actuator	360um*.10mm, 50C/20000psi liq, N60C/E3	299,000
C72MFSU-4676D	6 port 2-pos valve, (FS fittings), replacement	360um*.10mm, 50C/20000psi liq, N60C/E3	260,000
C72MFSU-4676EH	6 port 2-pos valve, (FS fittings), m-electric	360um*.10mm, 50C/10000psi liq, N60C/E3	373,000
C72MU-4674	4 port 2-pos valve, manual	360um*.10mm, 50C/20000psi liq, N60C/E3	230,000
C72MU-4674A	4 port 2-pos valve, air actuator	360um*.10mm, 50C/20000psi liq, N60C/E3	268,000
C72MU-4674D	4 port 2-pos valve, replacement	360um*.10mm, 50C/20000psi liq, N60C/E3	245,000
C72MU-4674EH	4 port 2-pos valve, m-electric	360um*.10mm, 50C/20000psi liq, N60C/E3	343,000
C72MU-4676	6 port 2-pos valve, manual	360um*.10mm, 50C/20000psi liq, N60C/E3	245,000
C72MU-4676A	6 port 2-pos valve, air actuator	360um*.10mm, 50C/20000psi liq, N60C/E3	268,000
C72MU-4676D	6 port 2-pos valve, replacement	360um*.10mm, 50C/20000psi liq, N60C/E3	230,000
C72MU-4676EH	6 port 2-pos valve, m-electric	360um*.10mm, 50C/20000psi liq, N60C/E3	343,000
C72MX-6670	10 port 2-pos valve, manual	360um*.15mm, 50C/15000psi liq, N60C/E3	203,000
C72MX-6670A	10 port 2-pos valve, air actuator	360um*.15mm, 50C/15000psi liq, N60C/E3	241,000
C72MX-6670D	10 port 2-pos valve, replacement	360um*.15mm, 50C/15000psi liq, N60C/E3	203,000
C72MX-6670ED	10 port 2-pos valve, m-electric	360um*.15mm, 50C/15000psi liq, N60C/E3	324,000
C72MX-6676	6 port 2-pos valve, manual	360um*.15mm, 50C/15000psi liq, N60C/E3	187,000
C72MX-6676A	6 port 2-pos valve, air actuator	360um*.15mm, 50C/15000psi liq, N60C/E3	225,000
C72MX-6676D	6 port 2-pos valve, replacement	360um*.15mm, 50C/15000psi liq, N60C/E3	199,000
C72MX-6676EH	6 port 2-pos valve, m-electric	360um*.15mm, 50C/15000psi liq, N60C/E3	299,000
C72N-66R0	Rotor seal 10 port 2-pos C72N-valve	1/32*.15mm, 50C/all pressures liq,E3	14,500
C72N-66R6	Rotor seal 6 port 2-pos C72N-valve	1/32*.15mm, 50C/all pressures liq,E3	14,500
C72N-6C70	Stator 10 port 2-pos C72N-valve	1/32*.15mm N60C	143,000
C72N-6C76	Stator 6 port 2-pos C72N-valve	1/32*.15mm N60C	122,000

C72NX-6670	OBSOLETE, replaced by C82NX-6670		0
C72NX-6670A	OBSOLETE, replaced by C82NX-6670A		0
C72NX-6670D	OBSOLETE, replaced by C82NX-6670D		0
C72NX-6676	OBSOLETE, replaced by C82NX-6676		0
C72NX-6676A	OBSOLETE, replaced by C82NX-6676A		0
C72NX-6676D	OBSOLETE, replaced by C82NX-6676D		0
C72NX-6676EH	OBSOLETE, replaced by C82NX-6676EH		0
C72X-1670	OBSOLETE, replaced by C82X-1670		0
C72X-1670A	OBSOLETE, replaced by C82X-1670A		0
C72X-1670D	OBSOLETE, replaced by C82X-1670D		0
C72X-1670ED	OBSOLETE, replaced by C82X-1670ED		0
C72X-1674	OBSOLETE, replaced by C82X-1674		0
C72X-1674A	OBSOLETE, replaced by C82X-1674A		0
C72X-1674D	OBSOLETE, replaced by C82X-1674D		0
C72X-1674EH	OBSOLETE, replaced by C82X-1674EH		0
C72X-1676	OBSOLETE, replaced by C82X-1676		0
C72X-1676A	OBSOLETE, replaced by C82X-1676A		0
C72X-1676D	OBSOLETE, replaced by C82X-1676D		0
C72X-1676EH	OBSOLETE, replaced by C82X-1676EH		0
C72X-1678	OBSOLETE, replaced by C82X-1678		0
C72X-1678A	OBSOLETE, replaced by C82X-1678A		0
C72X-1678D	OBSOLETE, replaced by C82X-1678D		0
C72X-1678ED	OBSOLETE, replaced by C82X-1678ED		0
C74-16R-.02	Rotor seal 4 port 2-pos int vol valve, C74-valve	1/16*.25mm, 50C/all pressures liq, .02ul, E3	14,500
C74-16R-.05	Rotor seal 4 port 2-pos int vol valve, C74-valve	1/16*.25mm, 50C/all pressures liq, .05ul, E3	14,500
C74-16R-.1	Rotor seal 4 port 2-pos int vol valve	1/16*.25mm, 50C/all pressures liq,E3	14,500
C74-1C7	Stator 4 port 2-pos C74-valve	1/16*.25mm, N60C	96,800
C74H-1674-.02	OBSOLETE, replaced by C84H-1674-.02		0
C74H-1674-.02A	OBSOLETE, replaced by C84H-1674-.02A		0
C74H-1674-.02D	OBSOLETE, replaced by C84H-1674-.02D		0
C74H-1674-.02EH	OBSOLETE, replaced by C84H-1674-.02EH		0
C74H-1674-.05	OBSOLETE, replaced by C84H-1674-.05		0
C74H-1674-.05A	OBSOLETE, replaced by C84H-1674-.05A		0
C74H-1674-.05D	OBSOLETE, replaced by C84H-1674-.05D		0
C74H-1674-.1	OBSOLETE, replaced by C84H-1674-.1		0
C74H-1674-.1A	OBSOLETE, replaced by C84H-1674-.1A		0
C74H-1674-.1D	OBSOLETE, replaced by C84H-1674-.1D		0

C74H-1674-.1EH	OBSOLETE, replaced by C84H-1674-.1EH		0
C74N-66R-.01	Rotor seal 4 port 2-pos int vol valve, C74N-valve	1/32*.15mm, 50C/all pressures liq, .01ul, E3	14,500
C74N-66R-.02	Rotor seal 4 port 2-pos int vol valve, C74N-valve	1/32*.15mm, 50C/all pressures liq, .02ul, E3	14,500
C74N-66R-.03	Rotor seal 4 port 2-pos int vol valve	1/32*.15mm, 50C/all pressures liq, .03ul, E3	14,500
C74N-6C7	Stator 4 port 2-pos C74-valve	1/32*.15mm, N60C	128,000
C74NX-6674-.01	OBSOLETE, replaced by C84NX-6674-.01		0
C74NX-6674-.01A	OBSOLETE, replaced by C84NX-6674-.01A		0
C74NX-6674-.01D	OBSOLETE, replaced by C84NX-6674-.01D		0
C74NX-6674-.01EH	OBSOLETE, replaced by C84NX-6674-.01EH		0
C74NX-6674-.02	OBSOLETE, replaced by C84NX-6674-.02		0
C74NX-6674-.02A	OBSOLETE, replaced by C84NX-6674-.02A		0
C74NX-6674-.02D	OBSOLETE, replaced by C84NX-6674-.02D		0
C74NX-6674-.02EH	OBSOLETE, replaced by C84NX-6674-.02EH		0
C74NX-6674-.03	OBSOLETE, replaced by C84NX-6674-.03		0
C74NX-6674-.03A	OBSOLETE, replaced by C84NX-6674-.03A		0
C74NX-6674-.03D	OBSOLETE, replaced by C84NX-6674-.03D		0
C74NX-6674-.03EH	OBSOLETE, replaced by C84NX-6674-.03EH		0
C74X-1674-.02	OBSOLETE, replaced by C84X-1674-.02		0
C74X-1674-.02A	OBSOLETE, replaced by C84X-1674-.02A		0
C74X-1674-.02D	OBSOLETE, replaced by C84X-1674-.02D		0
C74X-1674-.02EH	OBSOLETE, replaced by C84X-1674-.02EH		0
C74X-1674-.05	OBSOLETE, replaced by C84X-1674-.05		0
C74X-1674-.05A	OBSOLETE, replaced by C84X-1674-.05A		0
C74X-1674-.05D	OBSOLETE, replaced by C84X-1674-.05D		0
C74X-1674-.05EH	OBSOLETE, replaced by C84X-1674-.05EH		0
C74X-1674-.1	OBSOLETE, replaced by C84X-1674-.1		0
C74X-1674-.1A	OBSOLETE, replaced by C84X-1674-.1A		0
C74X-1674-.1D	OBSOLETE, replaced by C84X-1674-.1D		0
C74X-1674-.1EH	OBSOLETE, replaced by C84X-1674-.1EH		0
C75-16R0	Rotor seal 11 port 10-pos C75-valve	1/16*.25mm, 50C/all pressures liq,E3	14,500
C75-16R6	Rotor seal 7 port 6-pos C75-valve	1/16*.25mm, 50C/all pressures liq,E3	14,500
C75-16R8	Rotor seal 9 port 8-pos C75-valve	1/16*.25mm, 50C/all pressures liq,E3	14,500
C75-1C70	Stator 10 mpos dead-end path C75-valve	1/16*.25mm, N60C	124,000
C75-1C76	Stator 6 mpos dead-end path C75-valve	1/16*.25mm, N60C	109,000
C75-1C78	Stator 8 mpos dead-end path C75-valve	1/16*.25mm, N60C	117,000
C75H-1670A	OBSOLETE, replaced by C85H-1670A		0
C75H-1670D	OBSOLETE, replaced by C85H-1670D		0

C75H-1670EMT	OBSOLETE, replaced by C85H-1670EMT		0
C75H-1676A	OBSOLETE, replaced by C85H-1676A		0
C75H-1676D	OBSOLETE, replaced by C85H-1676D		0
C75H-1676EMH	OBSOLETE, replaced by C85H-1676EMH		0
C75H-1678A	OBSOLETE, replaced by C85H-1678A		0
C75H-1678D	OBSOLETE, replaced by C85H-1678D		0
C75H-1678EMT	OBSOLETE, replaced by C85H-1678EMT		0
C75N-66R0	Rotor seal 10 mpos, C75N-valve, dead-end path	1/32*.15mm, 50C/all pressures liq,E3	14,500
C75N-66R6	Rotor seal 6 mpos, C75N-valve, dead-end path	1/32*.15mm, 50C/all pressures liq,E3	14,500
C75N-66R8	Rotor seal 8 mpos, C75N-valve, dead-end path	1/32*.15mm, 50C/all pressures liq,E3	14,500
C75NX-6670A	OBSOLETE, replaced by C85NX-6670A		0
C75NX-6670D	OBSOLETE, replaced by C85NX-6670D		0
C75NX-6670EMT	OBSOLETE, replaced by C85NX-6670EMT		0
C75NX-6676A	OBSOLETE, replaced by C85NX-6676A		0
C75NX-6676D	OBSOLETE, replaced by C85NX-6676D		0
C75NX-6676EMH	OBSOLETE, replaced by C85NX-6676EMH		0
C75NX-6678A	OBSOLETE, replaced by C85NX-6678A		0
C75NX-6678D	OBSOLETE, replaced by C85NX-6678D		0
C75NX-6678EMT	OBSOLETE, replaced by C85NX-6678EMT		0
C75NX-66R0	Rotor seal 10 mpos dead-end path C75-valve	1/32*.15mm, 50C/all pressures liq, E3	14,500
C75NX-66R6	Rotor seal 6 mpos dead-end path C75-valve	1/32*.15mm, 50C/all pressures liq, E3	14,500
C75NX-66R8	Rotor seal 8 mpos dead-end path C75-valve	1/32*.15mm, 50C/all pressures liq, E3	14,500
C75NX-6C70	Stator 10 mpos dead-end path C75-valve	1/32*.15mm, N60C	154,000
C75NX-6C76	Stator 6 mpos dead-end path C75-valve	1/32*.15mm, N60C	139,000
C75NX-6C78	Stator 8 mpos dead-end path C75-valve	1/32*.15mm, N60C	147,000
C82H-1670	10 port 2-pos valve, manual	1/16*.25mm, 50C/10000psi liq, N60C/E3	138,000
C82H-1670A	10 port 2-pos valve, air actuator	1/16*.25mm, 50C/10000psi liq, N60C/E3	188,000
C82H-1670D	10 port 2-pos valve, replacement	1/16*.25mm, 50C/10000psi liq, N60C/E3	138,000
C82H-1670ED	10 port 2-pos valve, m-electric	1/16*.25mm, 50C/10000psi liq, N60C/E3	259,000
C82H-1674	4 port 2-pos valve, manual	1/16*.25mm, 50C/10000psi liq, N60C/E3	106,000
C82H-1674D	4 port 2-pos valve, replacement	1/16*.25mm, 50C/10000psi liq, N60C/E3	122,000
C82H-1674EH	4 port 2-pos valve, m-electric	1/16*.25mm, 50C/10000psi liq, N60C/E3	234,000
C82H-1676	6 port 2-pos valve, manual	1/16*.25mm, 50C/10000psi liq, N60C/E3	122,000
C82H-1676A	6 port 2-pos valve, air actuator	1/16*.25mm, 50C/10000psi liq, N60C/E3	160,000
C82H-1676D	6 port 2-pos valve, replacement	1/16*.25mm, 50C/10000psi liq, N60C/E3	122,000
C82H-1676EH	6 port 2-pos valve, m-electric	1/16*.25mm, 50C/10000psi liq, N60C/E3	234,000
C82H-1678	8 port 2-pos valve, manual	1/16*.25mm, 50C/10000psi liq, N60C/E3	130,000

C82H-1678A	8 port 2-pos valve, air actuator	1/16*.25mm, 50C/10000psi liq, N60C/E3	168,000
C82H-1678D	8 port 2-pos valve, replacement	1/16*.25mm, 50C/10000psi liq, N60C/E3	130,000
C82H-1678ED	8 port 2-pos valve, m-electric	1/16*.25mm, 50C/10000psi liq, N60C/E3	251,000
C82NX-6670	10 port 2-pos valve, manual	1/32*.15mm, 50C/15000psi liq, N60C/E3	188,000
C82NX-6670A	10 port 2-pos valve, air actuator	1/32*.15mm, 50C/15000psi liq, N60C/E3	227,000
C82NX-6670D	10 port 2-pos valve, replacement	1/32*.15mm, 50C/15000psi liq, N60C/E3	188,000
C82NX-6676	6 port 2-pos valve, manual	1/32*.15mm, 50C/15000psi liq, N60C/E3	172,000
C82NX-6676A	6 port 2-pos valve, air actuator	1/32*.15mm, 50C/15000psi liq, N60C/E3	211,000
C82NX-6676D	6 port 2-pos valve, replacement	1/32*.15mm, 50C/15000psi liq, N60C/E3	172,000
C82NX-6676EH	6 port 2-pos valve, m-electric	1/32*.15mm, 50C/15000psi liq, N60C/E3	285,000
C82X-1670	10 port 2-pos valve,manual	1/16*.25mm, 50C/15000psi liq, N60C/E3	159,000
C82X-1670A	10 port 2-pos valve, air actuator	1/16*.25mm, 50C/15000psi liq, N60C/E3	198,000
C82X-1670D	10 port 2-pos valve, replacement	1/16*.25mm, 50C/15000psi liq, N60C/E3	159,000
C82X-1670ED	10 port 2-pos valve, m-electric	1/16*.25mm, 50C/15000psi liq, N60C/E3	281,000
C82X-1674	4 port 2-pos valve, manual	1/16*.25mm, 50C/15000psi liq, N60C/E3	143,000
C82X-1674A	4 port 2-pos valve, air actuator	1/16*.25mm, 50C/15000psi liq, N60C/E3	182,000
C82X-1674D	4 port 2-pos valve, replacement	1/16*.25mm, 50C/15000psi liq, N60C/E3	143,000
C82X-1674EH	4 port 2-pos valve, m-electric	1/16*.25mm, 50C/15000psi liq, N60C/E3	256,000
C82X-1676	6 port 2-pos valve, manual	1/16*.25mm, 50C/15000psi liq, N60C/E3	143,000
C82X-1676A	6 port 2-pos valve, air actuator	1/16*.25mm, 50C/15000psi liq, N60C/E3	182,000
C82X-1676D	6 port 2-pos valve, replacement	1/16*.25mm, 50C/15000psi liq, N60C/E3	143,000
C82X-1676EH	6 port 2-pos valve, m-electric	1/16*.25mm, 50C/15000psi liq, N60C/E3	256,000
C82X-1678	8 port 2-pos valve,manual	1/16*.25mm, 50C/15000psi liq, N60C/E3	151,000
C82X-1678A	8 port 2-pos valve, air actuator	1/16*.25mm, 50C/15000psi liq, N60C/E3	190,000
C82X-1678D	8 port 2-pos valve, replacement	1/16*.25mm, 50C/15000psi liq, N60C/E3	151,000
C82X-1678ED	8 port 2-pos valve, replacement	1/16*.25mm, 50C/15000psi liq, N60C/E3	273,000
C84H-1674-.02	4 port 2-pos int vol valve, manual	1/16*.25mm, 50C/10000psi liq,.02ul, N60C/E3	122,000
C84H-1674-.02A	4 port 2-pos int vol valve, air actuator	1/16*.25mm, 50C/10000psi liq,.02ul, N60C/E3	160,000
C84H-1674-.02D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 50C/10000psi liq,.02ul, N60C/E3	122,000
C84H-1674-.02EH	4 port 2-pos int vol valve, m-electric	1/16*.25mm, 50C/10000psi liq,.02ul, N60C/E3	234,000
C84H-1674-.05	4 port 2-pos int vol valve, manual	1/16*.25mm, 50C/10000psi liq, .05ul, N60C/E3	122,000
C84H-1674-.05A	4 port 2-pos int vol valve, air actuator	1/16*.25mm, 50C/10000psi liq, .05ul, N60C/E3	160,000
C84H-1674-.05D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 50C/10000psi liq, .05ul, N60C/E3	122,000
C84H-1674-.1	4 port 2-pos int vol valve, manual	1/16*.25mm, 50C/10000psi liq,.1ul, N60C/E3	122,000
C84H-1674-.1A	4 port 2-pos int vol valve, air actuator	1/16*.25mm, 50C/10000psi liq,.1ul, N60C/E3	160,000
C84H-1674-.1D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 50C/10000psi liq,.1ul, N60C/E3	122,000
C84H-1674-.1EH	4 port 2-pos int vol valve, m-electric	1/16*.25mm, 50C/10000psi liq,.1ul, N60C/E3	234,000

C84NX-6674-.01	4 port 2-pos int vol valve, manual	1/32*.15mm, 50C/15000psi liq,.01ul, N60C/E3	172,000
C84NX-6674-.01A	4 port 2-pos int vol valve, air actuator	1/32*.15mm, 50C/15000psi liq,.01ul, N60C/E3	211,000
C84NX-6674-.01D	4 port 2-pos int vol valve, replacement	1/32*.15mm, 50C/15000psi liq,.01ul, N60C/E3	172,000
C84NX-6674-.01EH	4 port 2-pos int vol valve, m-electric	1/32*.15mm, 50C/15000psi liq,.01ul, N60C/E3	285,000
C84NX-6674-.02	4 port 2-pos int vol valve, manual	1/32*.15mm, 50C/15000psi liq,.02ul, N60C/E3	172,000
C84NX-6674-.02A	4 port 2-pos int vol valve, air actuator	1/32*.15mm, 50C/15000psi liq, .02ul, N60C/E3	211,000
C84NX-6674-.02D	4 port 2-pos int vol valve, replacement	1/32*.15mm, 50C/15000psi liq,.02ul, N60C/E3	172,000
C84NX-6674-.02EH	4 port 2-pos int vol valve, m-electric	1/32*.15mm, 50C/15000psi liq,.02ul, N60C/E3	285,000
C84NX-6674-.03	4 port 2-pos int vol valve, manual	1/32*.15mm, 50C/15000psi liq,.03ul, N60C/E3	172,000
C84NX-6674-.03A	4 port 2-pos int vol valve, air actuator	1/32*.15mm, 50C/15000psi liq,.03ul, N60C/E3	211,000
C84NX-6674-.03D	4 port 2-pos int vol valve, replacement	1/32*.15mm, 50C/15000psi liq,.03ul, N60C/E3	172,000
C84NX-6674-.03EH	4 port 2-pos int vol valve, m-electric	1/32*.15mm, 50C/15000psi liq,.03ul, N60C/E3	285,000
C84X-1674-.02	4 port 2-pos int vol valve, manual	1/16*.25mm, 50C/15000psi liq,.02ul, N60C/E3	143,000
C84X-1674-.02A	4 port 2-pos int vol valve, air actuator	1/16*.25mm, 50C/15000psi liq,.02ul, N60C/E3	182,000
C84X-1674-.02D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 50C/15000psi liq,.02ul, N60C/E3	143,000
C84X-1674-.02EH	4 port 2-pos int vol valve, m-electric	1/16*.25mm, 50C/15000psi liq,.02ul, N60C/E3	256,000
C84X-1674-.05	4 port 2-pos int vol valve, manual	1/16*.25mm, 50C/15000psi liq, .05ul, N60C/E3	143,000
C84X-1674-.05A	4 port 2-pos int vol valve, air actuator	1/16*.25mm, 50C/15000psi liq, .05ul, N60C/E3	182,000
C84X-1674-.05D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 50C/15000psi liq, .05ul, N60C/E3	143,000
C84X-1674-.05EH	4 port 2-pos int vol valve, m-electric	1/16*.25mm, 50C/15000psi liq, .05ul, N60C/E3	256,000
C84X-1674-.1	4 port 2-pos int vol valve, manual	1/16*.25mm, 50C/15000psi liq,.10ul, N60C/E3	143,000
C84X-1674-.1A	4 port 2-pos int vol valve, air actuator	1/16*.25mm, 50C/15000psi liq,.10ul, N60C/E3	182,000
C84X-1674-.1D	4 port 2-pos int vol valve, replacement	1/16*.25mm, 50C/15000psi liq,.10ul, N60C/E3	143,000
C84X-1674-.1EH	4 port 2-pos int vol valve, m-electric	1/16*.25mm, 50C/15000psi liq,.10ul, N60C/E3	256,000
C85H-1670A	10 mpos dead-end path, air actuator	1/16*.25mm, 50C/10'000psi liq, N60C/E3	211,000
C85H-1670D	10 mpos dead-end path, replacement	1/16*.25mm, 50C/10'000psi liq, N60C/E3	150,000
C85H-1670EMT	10 mpos dead-end path, m-electric	1/16*.25mm, 50C/10'000psi liq, N60C/E3	307,000
C85H-1676A	6 mpos dead-end path, air actuator	1/16*.25mm, 50C/10'000psi liq, N60C/E3	195,000
C85H-1676D	6 mpos dead-end path, replacement	1/16*.25mm, 50C/10'000psi liq, N60C/E3	116,000
C85H-1676EMH	6 mpos dead-end path, m-electric	1/16*.25mm, 50C/10'000psi liq, N60C/E3	281,000
C85H-1678A	8 mpos dead-end path, air actuator	1/16*.25mm, 50C/10'000psi liq, N60C/E3	203,000
C85H-1678D	8 mpos dead-end path, replacement	1/16*.25mm, 50C/10'000psi liq, N60C/E3	142,000
C85H-1678EMT	8 mpos dead-end path, m-electric	1/16*.25mm, 50C/10'000psi liq, N60C/E3	299,000
C85NX-6670A	10 mpos dead-end path, air actuator	1/32*.15mm, 50C/15000psi liq, N60C/E3	262,000
C85NX-6670D	10 mpos dead-end path, replacement	1/32*.15mm, 50C/15000psi liq, N60C/E3	201,000
C85NX-6670EMT	10 mpos dead-end path, m-electric	1/32*.15mm, 50C/15000psi liq, N60C/E3	357,000
C85NX-6676A	6 mpos dead-end path, replacement	1/32*.15mm, 50C/15000psi liq, N60C/E3	246,000

C85NX-6676D	6 mpos dead-end path, replacement	1/32*.15mm, 50C/15000psi liq, N60C/E3	185,000
C85NX-6676EMH	6 mpos dead-end path, m-electric	1/32*.15mm, 50C/15000psi liq, N60C/E3	332,000
C85NX-6678A	8 mpos dead-end path, air actuator	1/32*.15mm, 50C/15000psi liq, N60C/E3	254,000
C85NX-6678D	8 mpos dead-end path, replacement	1/32*.15mm, 50C/15000psi liq, N60C/E3	193,000
C85NX-6678EMT	8 mpos dead-end path, m-electric	1/32*.15mm, 50C/15000psi liq, N60C/E3	349,000
C8UWE	8 port 2-pos valve, manual	1/16*.75mm, 225C/400psi gas, N60/E	89,600
C8W	8 port 2-pos valve, manual	1/16*.4mm, 75C/5000psi liq, N60/H	89,600
C8WE	8 port 2-pos valve, manual	1/16*.4mm, 225C/400psi gas, N60/E	89,600
C9M1KF	Cheminert manifold 1/4"-28, 1/16" OD tubing	8 inlets 1 outlet, .75mm bore, CTFE	27,500
C9M1PK	Cheminert manifold 1/4"-28, 1/16" OD tubing	8 inlets 1 outlet, .75mm bore, PEEK	27,500
C9M2KF	Cheminert manifold 1/4"-28, 1/8" OD tubing	8 inlets 1 outlet, 1.5mm bore, CTFE	27,500
C9M2PK	Cheminert manifold 1/4"-28, 1/8" OD tubing	8 inlets 1 outlet, 1.5mm bore, PEEK	27,500
C-BOT16	Cheminert solvent bottle 500ml	with plain cap, PE	2,400
C-BOT32	Cheminert solvent bottle 1000ml	with plain cap, PE	3,500
CBUCKF	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.25mm bore, CTFE	8,700
CBUCPK	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.25mm bore, PEEK	8,700
CBUCS6	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.25mm bore, 316SS	7,100
CBUFLKF	Cheminert luer adapter bulkhead union	female luer to 1/4-28, 1.5mm bore, CTFE	8,100
CBUFLPK	Cheminert luer adapter bulkhead union	female luer to 1/4-28, 1.5mm bore, PEEK	4,400
CBUKF	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.5mm bore, CTFE	3,900
CBULKF	Cheminert bulkhead union 1/4"-28, 1/8" OD tubing	1.5mm bore, CTFE	3,900
CBULPK	Cheminert bulkhead union 1/4"-28, 1/8" OD tubing	1.5mm bore, PEEK	3,900
CBULS6	Cheminert bulkhead union 1/4"-28, 1/8" OD tubing	1.5mm bore, 316SS	3,100
CBUMKF	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.75mm bore, CTFE	7,100
CBUMPK	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.75mm bore, PEEK	3,900
CBUMS6	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.75mm bore, 316SS	6,300
CBUPK	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.5mm bore, PEEK	7,100
CBUS6	Cheminert bulkhead union 1/4"-28, 1/16" OD tubing	.5mm bore, 316SS	6,300
CCKF-5	Cheminert cap 1/4"-28	CTFE, 5/pkg	11,600
CCPK-5	Cheminert cap 1/4"-28	PEEK, 5/pkg	5,800
CD10-4841-M1A	OBSOLETE	M10 diluter/dispenser, 10 nl - 10 ml	0
CEF1	Column end fitting 1/16"	.25mm bore, 1mm cone, without frit, 316SS	2,600
CEF1.5	Column end fitting 1/16"*1/32"	.25mm bore, 1mm cone, without frit, 316SS	7,000
CEF1.5F	Column end fitting 1/16"*1/32"	.25mm bore, 1mm cone, removable 2um frit, 316	7,800
CEF1F	Column end fitting 1/16"	.25mm bore, 1mm cone, removable 2um frit, 316	5,500
CEF2.51.0	Column end fitting 1/8"*1/32"	.25mm bore, 1mm cone, without frit, 316SS	7,400
CEF2.51.0F	Column end fitting 1/8"*1/32"	.25mm bore, 1mm cone, removable 2um frit, 316	7,700

CEF211.0	Column end fitting 1/8"*1/16"	.25mm bore, 1mm cone, without frit, 316SS	5,300
CEF211.0F	Column end fitting 1/8"*1/16"	.25mm bore, 1mm cone, removable 2um frit, 316	5,200
CEF212.0	Column end fitting 1/8"*1/16"	.25mm bore, 2mm cone, without frit, 316SS	2,500
CEF212.0F	Column end fitting 1/8"*1/16"	.25mm bore, 2mm cone, removable 2um frit, 316	5,200
CEF412.1	Column end fitting 1/4"*1/16"	.4mm bore, 2.1mm cone, without frit, 316SS	4,700
CEF412.1F	Column end fitting 1/4"*1/16"	.4mm bore, 2.1mm cone, removable 2um frit, 316	5,300
CEF413.0	Column end fitting 1/4"*1/16"	.4mm bore, 3mm cone, without frit, 316SS	4,700
CEF413.0F	Column end fitting 1/4"*1/16"	.4mm bore, 3mm cone, removable 2um frit, 316	5,300
CEF414.0	Column end fitting 1/4"*1/16"	.4mm bore, 4mm cone, without frit, 316SS	4,700
CEF414.0F	Column end fitting 1/4"*1/16"	.4mm bore, 4mm cone, removable 2um frit, 316	5,300
CEF414.6	Column end fitting 1/4"*1/16"	.4mm bore 4.6mm cone, without frit, 316SS	4,700
CEF414.6F	Column end fitting 1/4"*1/16"	.4mm bore 4.6mm cone, removable 2um frit, 316	5,300
C-EN.5FPKB	Nut, External, 1/32" Cheminert	PEEK black	1,600
CEN1KF	Cheminert external nut 1/4"-28, tube OD 1/16"	CTFE, 5/pkg	4,400
CEN1PK	Cheminert external nut 1/4"-28, tube OD 1/16"	PEEK, 5/pkg	4,400
CEN2KF	Cheminert external nut 1/4"-28, tube OD 1/8"	CTFE, 5/pkg	4,400
CEN2PK	Cheminert external nut 1/4"-28, tube OD 1/8"	PEEK, 5/pkg	8,100
CEPA2KF	Cheminert pipe connector 1/8"NPT	1/4"-28male*M-NPT, 1.5mm bore, CTFE	6,100
CEPA2PK	Cheminert pipe connector 1/8"NPT	1/4"-28male*M-NPT, 1.5mm bore, PEEK	6,100
CEPA4KF	Cheminert pipe connector 1/4"NPT	1/4"-28male*M-NPT, 1.5mm bore, CTFE	6,100
CEPA4PK	Cheminert pipe connector 1/4"NPT	1/4"-28male*M-NPT, 1.5mm bore, PEEK	6,100
C-F1.5TI	Frit Titanium, PEEK-encapsulated	0.5 micron	840
CF-1A	Cheminert nut 1/4"-28 for 1/16"OD tubing	Assorted incl. washer for flange, 12/pkg	2,500
CF-1BE	Cheminert nut 1/4"-28 for 1/16"OD tubing	Blue incl. washer for flange, 10/pkg	2,200
CF-1BK	Cheminert nut 1/4"-28 for 1/16"OD tubing	Black incl. washer for flange, 10/pkg	2,200
CF-1BR	Cheminert nut 1/4"-28 for 1/16"OD tubing	Brown incl. washer for flange, 10/pkg	2,200
CF-1DG	Cheminert nut 1/4"-28 for 1/16"OD tubing	Dark gray incl. washer for flange, 10/pkg	2,200
CF-1E	Cheminert nut 1/4"-28 for 1/16"OD tubing	Orange incl. washer for flange, 10/pkg	2,100
CF-1G	Cheminert nut 1/4"-28 for 1/16"OD tubing	Green incl. washer for flange, 10/pkg	2,100
CF-1L	Cheminert nut 1/4"-28 for 1/16"OD tubing	Lavender incl. washer for flange,10/pkg	2,100
CF-1N	Cheminert nut 1/4"-28 for 1/16"OD tubing	Natural incl. washer for flange, 10/pkg	2,100
CF-1P	Cheminert nut 1/4"-28 for 1/16"OD tubing	Purple incl. washer for flange, 10/pkg	2,100
CF-1R	Cheminert nut 1/4"-28 for 1/16"OD tubing	Red incl. washer for flange, 10/pkg	2,200
CF-1W	Cheminert nut 1/4"-28 for 1/16"OD tubing	White incl. washer for flange, 10/pkg	2,200
CF-1Y	Cheminert nut 1/4"-28 for 1/16"OD tubing	Yellow incl. washer for flange, 10/pkg	2,200
CF-2A	Cheminert nut 1/4"-28 for 1/8"OD tubing	Assorted incl. washer for flange, 12/pkg	2,500
CF-2BE	Cheminert nut 1/4"-28 for 1/8"OD tubing	Blue incl. washer for flange, 10/pkg	2,200

CF-2BK	Cheminert nut 1/4"-28 for 1/8"OD tubing	Black incl. washer for flange, 10/pkg	2,200
CF-2BR	Cheminert nut 1/4"-28 for 1/8"OD tubing	Brown incl. washer for flange, 10/pkg	2,200
CF-2DG	Cheminert nut 1/4"-28 for 1/8"OD tubing	Dark gray incl. washer for flange, 10/pkg	2,200
CF-2E	Cheminert nut 1/4"-28 for 1/8"OD tubing	Orange incl. washer for flange, 10/pkg	2,200
CF-2G	Cheminert nut 1/4"-28 for 1/8"OD tubing	Green incl. washer for flange, 10/pkg	2,200
CF-2L	Cheminert nut 1/4"-28 for 1/8"OD tubing	Lavender incl. washer for flange, 10/pkg	2,200
CF-2N	Cheminert nut 1/4"-28 for 1/8"OD tubing	Natural incl. washer for flange, 10/pkg	2,200
CF-2P	Cheminert nut 1/4"-28 for 1/8"OD tubing	Purple incl. washer for flange, 10/pkg	2,200
CF-2R	Cheminert nut 1/4"-28 for 1/8"OD tubing	Red incl. washer for flange, 10/pkg	2,200
CF-2W	Cheminert nut 1/4"-28 for 1/8"OD tubing	White incl. washer for flange, 10/pkg	2,200
CF-2Y	Cheminert nut 1/4"-28 for 1/8"OD tubing	Yellow incl. washer for flange, 10/pkg	2,200
CFE-S10	Cheminert in-line filter	1/4"-28, 10um screen SS316, PTFE/CTFE	1,100
CFE-S2	Cheminert in-line filter	1/4"-28, 2um screen SS316, PTFE/CTFE	1,100
CFE-S75	Cheminert in-line filter	1/4"-28, 75um screen SS316, PTFE/CTFE	1,100
CFL-1A	Cheminert nut 1/4"-28 for 1/16"OD tubing	Assort, collapsible ferrule, CTFE, 12/pkg	3,500
CFL-1A-PK	Cheminert nut 1/4"-28 for 1/16"OD tubing	Assort, collapsible ferrule, PEEK, 12/pkg	3,500
CFL-1BE	Cheminert nut 1/4"-28 for 1/16"OD tubing	Blue, collapsible ferrule, 5/pkg	1,800
CFL-1BK	Cheminert nut 1/4"-28 for 1/16"OD tubing	Black, collapsible ferrule, 5/pkg	1,800
CFL-1BR	Cheminert nut 1/4"-28 for 1/16"OD tubing	Brown, collapsible ferrule, 5/pkg	1,800
CFL-1DG	Cheminert nut 1/4"-28 for 1/16"OD tubing	Dark gray, collapsible ferrule, 5/pkg	1,900
CFL-1E	Cheminert nut 1/4"-28 for 1/16"OD tubing	Orange, collapsible ferrule, 5/pkg	1,900
CFL-1G	Cheminert nut 1/4"-28 for 1/16"OD tubing	Green, collapsible ferrule, 5/pkg	1,900
CFL-1L	Cheminert nut 1/4"-28 for 1/16"OD tubing	Lavender, collapsible ferrule, 5/pkg	1,900
CFL-1N	Cheminert nut 1/4"-28 for 1/16"OD tubing	Natural, collapsible ferrule, 5/pkg	1,900
CFL-1P	Cheminert nut 1/4"-28 for 1/16"OD tubing	Purple, collapsible ferrule, 5/pkg	1,900
CFL-1PK	Cheminert nut 1/4"-28 for 1/16"OD tubing	collapsible ferrule, PEEK, 5/pkg	4,100
CFL-1R	Cheminert nut 1/4"-28 for 1/16"OD tubing	Red, collapsible ferrule, 5/pkg	1,900
CFL-1W	Cheminert nut 1/4"-28 for 1/16"OD tubing	White, collapsible ferrule, 5/pkg	1,900
CFL-1Y	Cheminert nut 1/4"-28 for 1/16"OD tubing	Yellow, collapsible ferrule, 5/pkg	1,900
CFL-2A	Cheminert nut 1/4"-28 for 1/8"OD tubing	Assort, collapsible ferrule, CTFE, 12/pkg	3,500
CFL-2A-PK	Cheminert nut 1/4"-28 for 1/8"OD tubing	Assort, collapsible ferrule, PEEK, 12/pkg	3,500
CFL-2BE	Cheminert nut 1/4"-28 for 1/8"OD tubing	Blue, collapsible ferrule, 5/pkg	1,900
CFL-2BK	Cheminert nut 1/4"-28 for 1/8"OD tubing	Black, collapsible ferrule, 5/pkg	1,900
CFL-2BR	Cheminert nut 1/4"-28 for 1/8"OD tubing	Brown, collapsible ferrule, 5/pkg	1,900
CFL-2DG	Cheminert nut 1/4"-28 for 1/8"OD tubing	Dark gray, collapsible ferrule, 5/pkg	1,900
CFL-2E	Cheminert nut 1/4"-28 for 1/8"OD tubing	Orange, collapsible ferrule, 5/pkg	1,900
CFL-2G	Cheminert nut 1/4"-28 for 1/8"OD tubing	Green, collapsible ferrule, 5/pkg	1,900

CFL-2L	Cheminert nut 1/4"-28 for 1/8"OD tubing	Lavender, collapsible ferrule, 5/pkg	1,900
CFL-2N	Cheminert nut 1/4"-28 for 1/8"OD tubing	Natural, collapsible ferrule, 5/pkg	1,900
CFL-2P	Cheminert nut 1/4"-28 for 1/8"OD tubing	Purple, collapsible ferrule, 5/pkg	1,900
CFL-2PK	Cheminert nut 1/4"-28 for 1/8"OD tubing	collapsible ferrule, PEEK, 5/pkg	4,100
CFL-2R	Cheminert nut 1/4"-28 for 1/8"OD tubing	Red, collapsible ferrule, 5/pkg	1,900
CFL-2W	Cheminert nut 1/4"-28 for 1/8"OD tubing	White, collapsible ferrule, 5/pkg	1,900
CFL-2Y	Cheminert nut 1/4"-28 for 1/8"OD tubing	Yellow, collapsible ferrule, 5/pkg	1,900
CFL-4D	Cheminert nut 1/2"-20 for 1/4" OD tubing	Delrin	940
CFL-4KF	Cheminert nut 1/2"-20 for 1/4"OD tubing	CTFE	2,700
CFL-4PPS	Cheminert nut 1/2"-20 for 1/4"OD tubing	PPS	2,400
CFLAKF	Cheminert female luer adapter to 1/4-28	1.5mm bore, CTFE	2,800
CFLAPFA	Cheminert female luer adapter to 1/4-28	1.5mm bore, PFA	2,800
CFLAPK	Cheminert female luer adapter to 1/4-28	1.5mm bore, PEEK	2,800
CFL-CB1KF	Cheminert ferrule, collapsible for 1/16" OD tubing	CTFE, 10/pkg	4,200
CFL-CB1PK	Cheminert ferrule, collapsible for 1/16" OD tubing	PEEK, 10/pkg	4,200
CFL-CB2KF	Cheminert ferrule, collapsible for 1/8" OD tubing	CTFE, 10/pkg	4,200
CFL-CB2PK	Cheminert ferrule, collapsible for 1/8" OD tubing	PEEK, 10/pkg	4,200
CFL-CB4KF-S	Cheminert bushing collapsible 1/4" OD tubing	CTFE	760
CFPA2KF	Cheminert pipe connector 1/8"NPT	1/4"-28female*F-NPT, 1.5mm bore, CTFE	6,800
CFPA2PK	Cheminert pipe connector 1/8"NPT	1/4"-28female*F-NPT, 1.5mm bore, PEEK	6,800
CFPA4KF	Cheminert pipe connector 1/4"NPT	1/4"-28female*F-NPT, 1.5mm bore, CTFE	6,800
CFPA4PK	Cheminert pipe connector 1/4"NPT	1/4"-28female*F-NPT, 1.5mm bore, PEEK	7,300
CFS-A01010-010B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.10mm, df 0.10um	44,800
CFS-A01010-020B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.10mm, df 0.20um	44,800
CFS-A01010-040B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.10mm, df 0.40um	44,800
CFS-A01018-010B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.18mm, df 0.10um	40,500
CFS-A01018-018B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.18mm, df 0.18um	40,500
CFS-A01018-040B	GC-Column, FS, ValcoBond VB-1	10m length, ID 0.18mm, df 0.40um	40,500
CFS-A01525-010B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.25mm, df 0.10um	38,300
CFS-A01525-025B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.25mm, df 0.25um	38,300
CFS-A01525-050B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.25mm, df 0.50um	38,300
CFS-A01525-100B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.25mm, df 1.00um	38,300
CFS-A01525-150B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.25mm, df 1.50um	38,300
CFS-A01532-010B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 0.10um	37,300
CFS-A01532-025B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 0.25um	37,300
CFS-A01532-032B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 0.32um	37,300
CFS-A01532-050B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 0.50um	37,300

CFS-A01532-100B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 1.00um	37,300
CFS-A01532-200B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 2.00um	37,300
CFS-A01532-300B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 3.00um	37,300
CFS-A01532-400B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 4.00um	45,300
CFS-A01532-500B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.32mm, df 5.00um	42,500
CFS-A01553-015B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.53mm, df 0.15um	42,500
CFS-A01553-050B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.53mm, df 0.50um	42,500
CFS-A01553-100B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.53mm, df 1.00um	42,500
CFS-A01553-150B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.53mm, df 1.50um	42,500
CFS-A01553-300B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.53mm, df 3.00um	42,500
CFS-A01553-500B	GC-Column, FS, ValcoBond VB-1	15m length, ID 0.53mm, df 5.00um	42,500
CFS-A02010-010B	GC-Column, FS, ValcoBond VB-1	20m length, ID 0.10mm, df 0.10um	63,600
CFS-A02010-020B	GC-Column, FS, ValcoBond VB-1	20m length, ID 0.10mm, df 0.20um	63,600
CFS-A02010-040B	GC-Column, FS, ValcoBond VB-1	20m length, ID 0.10mm, df 0.40um	63,600
CFS-A03018-010B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.18mm, df 0.10um	70,800
CFS-A03018-018B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.18mm, df 0.18um	70,800
CFS-A03018-040B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.18mm, df 0.40um	70,800
CFS-A03018-100B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.18mm, df 1.00um	70,800
CFS-A03025-010B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.25mm, df 0.10um	67,200
CFS-A03025-025B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.25mm, df 0.25um	63,000
CFS-A03025-050B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.25mm, df 0.50um	67,200
CFS-A03025-100B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.25mm, df 1.00um	67,200
CFS-A03025-150B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.25mm, df 1.50um	67,200
CFS-A03032-010B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 0.10um	65,900
CFS-A03032-025B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 0.25um	65,900
CFS-A03032-032B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 0.32um	65,900
CFS-A03032-050B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 0.50um	65,900
CFS-A03032-100B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 1.00um	65,900
CFS-A03032-200B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 2.00um	65,900
CFS-A03032-300B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 3.00um	65,900
CFS-A03032-400B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 4.00um	65,900
CFS-A03032-500B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.32mm, df 5.00um	65,900
CFS-A03053-015B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.53mm, df 0.15um	69,100
CFS-A03053-050B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.53mm, df 0.50um	69,100
CFS-A03053-100B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.53mm, df 1.00um	69,100
CFS-A03053-150B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.53mm, df 1.50um	69,100
CFS-A03053-300B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.53mm, df 3.00um	69,100

CFS-A03053-500B	GC-Column, FS, ValcoBond VB-1	30m length, ID 0.53mm, df 5.00um	69,100
CFS-A04018-018B	GC-Column, FS, ValcoBond VB-1	40m length, ID 0.18mm, df 0.18um	97,100
CFS-A04018-040B	GC-Column, FS, ValcoBond VB-1	40m length, ID 0.18mm, df 0.40um	97,100
CFS-A06025-010B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.25mm, df 0.10um	100,000
CFS-A06025-025B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.25mm, df 0.25um	100,000
CFS-A06025-050B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.25mm, df 0.50um	100,000
CFS-A06025-100B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.25mm, df 1.00um	100,000
CFS-A06025-150B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.25mm, df 1.50um	100,000
CFS-A06032-010B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 0.10um	116,000
CFS-A06032-025B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 0.25um	116,000
CFS-A06032-032B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 0.32um	116,000
CFS-A06032-050B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 0.50um	109,000
CFS-A06032-100B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 1.00um	109,000
CFS-A06032-200B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 2.00um	116,000
CFS-A06032-300B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 3.00um	113,000
CFS-A06032-400B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 4.00um	113,000
CFS-A06032-500B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.32mm, df 5.00um	113,000
CFS-A06053-100B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.53mm, df 1.00um	117,000
CFS-A06053-150B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.53mm, df 1.50um	117,000
CFS-A06053-300B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.53mm, df 3.00um	125,000
CFS-A06053-500B	GC-Column, FS, ValcoBond VB-1	60m length, ID 0.53mm, df 5.00um	123,000
CFS-B01010-010B	GC-Column, FS, ValcoBond VB-5	10m length, ID 0.10mm, df 0.10um	44,800
CFS-B01010-020B	GC-Column, FS, ValcoBond VB-5	10m length, ID 0.10mm, df 0.20um	44,800
CFS-B01018-018B	GC-Column, FS, ValcoBond VB-5	10m length, ID 0.18mm, df 0.18um	40,500
CFS-B01018-040B	GC-Column, FS, ValcoBond VB-5	10m length, ID 0.18mm, df 0.40um	40,500
CFS-B01525-010B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.25mm, df 0.10um	38,300
CFS-B01525-025B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.25mm, df 0.25um	38,300
CFS-B01525-050B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.25mm, df 0.50um	38,300
CFS-B01525-100B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.25mm, df 1.00um	38,300
CFS-B01532-010B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 0.10um	37,300
CFS-B01532-025B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 0.25um	37,300
CFS-B01532-050B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 0.50um	37,300
CFS-B01532-100B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 1.00um	37,300
CFS-B01532-200B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 2.00um	37,300
CFS-B01532-300B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 3.00um	37,300
CFS-B01532-500B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.32mm, df 5.00um	37,300
CFS-B01553-050B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 0.50um	42,500

CFS-B01553-100B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 1.00um	42,500
CFS-B01553-150B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 1.50um	42,500
CFS-B01553-200B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 2.00um	42,500
CFS-B01553-265B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 2.65um	42,500
CFS-B01553-300B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 3.00um	42,500
CFS-B01553-500B	GC-Column, FS, ValcoBond VB-5	15m length, ID 0.53mm, df 5.00um	42,500
CFS-B02010-010B	GC-Column, FS, ValcoBond VB-5	20m length, ID 0.10mm, df 0.10um	63,600
CFS-B02010-020B	GC-Column, FS, ValcoBond VB-5	20m length, ID 0.10mm, df 0.20um	63,600
CFS-B02018-018B	GC-Column, FS, ValcoBond VB-5	20m length, ID 0.18mm, df 0.18um	57,100
CFS-B02018-040B	GC-Column, FS, ValcoBond VB-5	20m length, ID 0.18mm, df 0.40um	57,100
CFS-B03018-018B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.18mm, df 0.18um	70,800
CFS-B03018-040B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.18mm, df 0.40um	70,800
CFS-B03025-010B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.25mm, df 0.10um	63,000
CFS-B03025-025B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.25mm, df 0.25um	63,000
CFS-B03025-050B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.25mm, df 0.50um	67,200
CFS-B03025-100B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.25mm, df 1.00um	63,000
CFS-B03032-010B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 0.10um	65,900
CFS-B03032-025B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 0.25um	65,900
CFS-B03032-050B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 0.50um	65,900
CFS-B03032-100B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 1um	65,900
CFS-B03032-200B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 2.00um	65,900
CFS-B03032-300B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 3.00um	65,900
CFS-B03032-500B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.32mm, df 5.00um	65,900
CFS-B03053-050B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.53mm, df .50um	69,100
CFS-B03053-100B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.53mm, df 1.00um	69,100
CFS-B03053-150B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.53mm, df 1.50um	73,700
CFS-B03053-265B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.53mm, df 2.65um	73,700
CFS-B03053-300B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.53mm, df 3.00um	69,100
CFS-B03053-500B	GC-Column, FS, ValcoBond VB-5	30m length, ID 0.53mm, df 5.00um	69,100
CFS-B04018-018B	GC-Column, FS, ValcoBond VB-5	40m length, ID 0.18mm, df 0.18um	97,100
CFS-B04018-040B	GC-Column, FS, ValcoBond VB-5	40m length, ID 0.18mm, df 0.40um	97,100
CFS-B06025-010B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.25mm, df 0.10um	100,000
CFS-B06025-025B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.25mm, df 0.25um	100,000
CFS-B06025-050B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.25mm, df 0.50um	100,000
CFS-B06025-100B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.25mm, df 1.00um	100,000
CFS-B06032-010B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.32mm, df 0.10um	116,000
CFS-B06032-025B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.32mm, df 0.25um	116,000

CFS-B06032-050B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.32mm, df 0.50um	109,000
CFS-B06032-100B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.32mm, df 1.00um	109,000
CFS-B06032-200B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.32mm, df 2.00um	109,000
CFS-B06032-300B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.32mm, df 3.00um	113,000
CFS-B06032-500B	GC-Column, VB-5 column,	VB-5 column, 60m x 0.32mm ID x 5.00df	113,000
CFS-B06053-100B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.53mm, df 1.00um	117,000
CFS-B06053-150B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.53mm, df 1.00um	117,000
CFS-B06053-200B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.53mm, df 2.00um	117,000
CFS-B06053-265B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.53mm, df 2.65um	117,000
CFS-B06053-300B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.53mm, df 3.00um	117,000
CFS-B06053-500B	GC-Column, FS, ValcoBond VB-5	60m length, ID 0.53mm, df 5.00um	123,000
CFS-C01525-025B	GC-Column, FS, ValcoBond VB-35	15m length, ID 0.25mm, df 0.25um	35,900
CFS-C01525-050B	GC-Column, FS, ValcoBond VB-35	15m length, ID 0.25mm, df 0.50um	35,900
CFS-C01532-025B	GC-Column, FS, ValcoBond VB-35	15m length, ID 0.32mm, df 0.25um	37,300
CFS-C01532-050B	GC-Column, FS, ValcoBond VB-35	15m length, ID 0.32mm, df 0.50um	37,300
CFS-C01553-050B	GC-Column, FS, ValcoBond VB-35	15m length, ID 0.53mm, df 0.50um	42,500
CFS-C01553-100B	GC-Column, FS, ValcoBond VB-35	15m length, ID 0.53mm, df 1.00um	42,500
CFS-C03025-025B	GC-Column, FS, ValcoBond VB-35	30m length, ID 0.25mm, df 0.25um	63,000
CFS-C03025-050B	GC-Column, FS, ValcoBond VB-35	30m length, ID 0.25mm, df 0.50um	63,000
CFS-C03032-025B	GC-Column, FS, ValcoBond VB-35	30m length, ID 0.32mm, df 0.25um	65,900
CFS-C03032-050B	GC-Column, FS, ValcoBond VB-35	30m length, ID 0.32mm, df 0.50um	65,900
CFS-C03053-050B	GC-Column, FS, ValcoBond VB-35	30m length, ID 0.53mm, df 0.50um	69,100
CFS-C03053-100B	GC-Column, FS, ValcoBond VB-35	30m length, ID 0.53mm, df 1.00um	69,100
CFS-C06025-025B	GC-Column, FS, ValcoBond VB-35	60m length, ID 0.25mm, df 0.25um	100,000
CFS-C06025-050B	GC-Column, FS, ValcoBond VB-35	60m length, ID 0.25mm, df 0.50um	100,000
CFS-C06032-025B	GC-Column, FS, ValcoBond VB-35	60m length, ID 0.32mm, df 0.25um	109,000
CFS-C06032-050B	GC-Column, FS, ValcoBond VB-35	60m length, ID 0.32mm, df 0.50um	109,000
CFS-C06053-050B	GC-Column, FS, ValcoBond VB-35	60m length, ID 0.53mm, df 0.50um	117,000
CFS-C06053-100B	GC-Column, FS, ValcoBond VB-35	60m length, ID 0.53mm, df 1.00um	117,000
CFS-D01525-025B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.25mm, df 0.25um	35,900
CFS-D01525-050B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.25mm, df 0.50um	35,900
CFS-D01532-025B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.32mm, df 0.25um	37,300
CFS-D01532-050B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.32mm, df 0.50um	37,300
CFS-D01532-100B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.32mm, df 1.0um	37,300
CFS-D01553-050B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.53mm, df 0.50um	42,500
CFS-D01553-083B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.53mm, df 0.83um	42,500
CFS-D01553-100B	GC-Column, FS, ValcoBond VB-50/608	15m length, ID 0.53mm, df 1.00um	42,500

CFS-D03025-015B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.25mm, df 0.15um	63,000
CFS-D03025-025B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.25mm, df 0.25um	63,000
CFS-D03025-050B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.25mm, df 0.50um	63,000
CFS-D03032-025B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.32mm, df 0.25um	65,900
CFS-D03032-050B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.32mm, df 0.50um	65,900
CFS-D03032-100B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.32mm, df 1.00um	65,900
CFS-D03053-050B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.53mm, df 0.50um	69,100
CFS-D03053-083B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.53mm, df 0.83um	69,100
CFS-D03053-100B	GC-Column, FS, ValcoBond VB-50/608	30m length, ID 0.53mm, df 1.00um	69,100
CFS-D06025-025B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.25mm, df 0.25um	100,000
CFS-D06025-050B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.25mm, df 0.50um	100,000
CFS-D06032-025B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.32mm, df 0.25um	109,000
CFS-D06032-050B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.32mm, df 0.50um	109,000
CFS-D06032-100B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.32mm, df 1.00um	109,000
CFS-D06053-050B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.53mm, df 0.50um	117,000
CFS-D06053-083B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.53mm, df 0.83um	117,000
CFS-D06053-100B	GC-Column, FS, ValcoBond VB-50/608	60m length, ID 0.53mm, df 1.00um	117,000
CFS-E01018-100A	GC-Column, FS, ValcoBond VB-624	10m length, ID 0.18mm, df 1.00um	40,500
CFS-E01525-140A	GC-Column, FS, ValcoBond VB-624	15m length, ID 0.25mm, df 1.40um	35,900
CFS-E01532-180A	GC-Column, FS, ValcoBond VB-624	15m length, ID 0.32mm, df 1.80um	37,300
CFS-E01553-300A	GC-Column, FS, ValcoBond VB-624	15m length, ID 0.53mm, df 3.00um	42,500
CFS-E02018-100A	GC-Column, FS, ValcoBond VB-624	20m length, ID 0.18mm, df 1.00um	57,100
CFS-E02520-112A	GC-Column, FS, ValcoBond VB-624	25m length, ID 0.20mm, df 1.12um	81,700
CFS-E03018-100A	GC-Column, FS, ValcoBond VB-624	30m length, ID 0.18mm, df 1.00um	73,100
CFS-E03025-140A	GC-Column, FS, ValcoBond VB-624	30m length, ID 0.25mm, df 1.40um	63,000
CFS-E03032-180A	GC-Column, FS, ValcoBond VB-624	30m length, ID 0.32mm, df 1.80um	65,900
CFS-E03053-300A	GC-Column, FS, ValcoBond VB-624	30m length, ID 0.53mm, df 3.00um	69,100
CFS-E04018-100A	GC-Column, FS, ValcoBond VB-624	40m length, ID 0.18mm, df 1.00um	97,100
CFS-E06025-140A	GC-Column, FS, ValcoBond VB-624	60m length, ID 0.25mm, df 1.40um	100,000
CFS-E06032-180A	GC-Column, FS, ValcoBond VB-624	60m length, ID 0.32mm, df 1.80um	109,000
CFS-E06053-300A	GC-Column, FS, ValcoBond VB-624	60m length, ID 0.53mm, df 3.00um	125,000
CFS-E07553-300A	GC-Column, FS, ValcoBond VB-624	75m length, ID 0.53mm, df 3.00um	135,000
CFS-F01525-025A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.25mm, df 0.25um	35,900
CFS-F01525-050A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.25mm, df 0.50um	35,900
CFS-F01532-025A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.32mm, df 0.25um	37,300
CFS-F01532-050A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.32mm, df 0.50um	37,300
CFS-F01532-100A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.32mm, df 1.00um	37,300

CFS-F01553-050A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.53mm, df 0.50um	42,500
CFS-F01553-100A	GC-Column, FS, ValcoBond VB-1701	15m length, ID 0.53mm, df 1.00um	42,500
CFS-F03025-025A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.25mm, df 0.25um	63,000
CFS-F03025-050A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.25mm, df 0.50um	63,000
CFS-F03032-025A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.32mm, df 0.25um	65,900
CFS-F03032-050A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.32mm, df 0.50um	65,900
CFS-F03032-100A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.32mm, df 1.00um	65,900
CFS-F03053-050A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.53mm, df 0.50um	69,100
CFS-F03053-100A	GC-Column, FS, ValcoBond VB-1701	30m length, ID 0.53mm, df 1.00um	69,100
CFS-F06025-025A	GC-Column, FS, ValcoBond VB-1701	60m length, ID 0.25mm, df 0.25um	100,000
CFS-F06025-050A	GC-Column, FS, ValcoBond VB-1701	60m length, ID 0.25mm, df 0.50um	100,000
CFS-F06032-025A	GC-Column, FS, ValcoBond VB-1701	60m length, ID 0.32mm, df 0.25um	109,000
CFS-F06032-050A	GC-Column, FS, ValcoBond VB-1701	60m length, ID 0.32mm, df 0.50um	109,000
CFS-F06032-100A	GC-Column, FS, ValcoBond VB-1701	60 length, ID 0.32mm, df 1.00um	109,000
CFS-F06053-050A	GC-Column, FS, ValcoBond VB-1701	60m length, ID 0.53mm, df 0.50um	125,000
CFS-F06053-100A	GC-Column, FS, ValcoBond VB-1701	60 length, ID 0.53mm, df 1.00um	125,000
CFS-G01010-010A	GC-Column, FS, ValcoBond VB-Wax	10m length, ID 0.10mm, df 0.10um	47,800
CFS-G01018-018A	GC-Column, FS, ValcoBond VB-WAX	10m length, ID 0.18mm, df 0.18um	40,500
CFS-G01525-025A	GC-Column, FS, ValcoBond VB-Wax	15m length, ID 0.25mm, df 0.25um	35,900
CFS-G01532-025A	GC-Column, FS, ValcoBond VB-WAX	15m length, ID 0.32mm, df 0.25um	37,300
CFS-G01532-050A	GC-Column, FS, ValcoBond VB-WAX	15m length, ID 0.32mm, df 0.50um	37,300
CFS-G01532-100A	GC-Column, FS, ValcoBond VB-WAX	15m length, ID 0.32mm, df 1.00um	37,300
CFS-G01553-050A	GC-Column, FS, ValcoBond VB-WAX	15m length, ID 0.53mm, df 0.50um	42,500
CFS-G01553-100A	GC-Column, FS, ValcoBond VB-Wax	VB-Wax column, 15m x 0.53mm ID x 1.00df	42,500
CFS-G02010-010A	GC-Column, FS, ValcoBond VB-WAX	20m length, ID 0.10mm, df 0.10um	63,600
CFS-G02018-018A	GC-Column, FS, ValcoBond VB-WAX	20m length, ID 0.18mm, df 0.18um	57,100
CFS-G03025-025A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.25mm, df 0.25um	67,200
CFS-G03032-025A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.32mm, df 0.25um	65,900
CFS-G03032-050A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.32mm, df 0.50um	65,900
CFS-G03032-100A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.32mm, df 1.00um	65,900
CFS-G03053-050A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.53mm, df 0.50um	69,100
CFS-G03053-100A	GC-Column, FS, ValcoBond VB-Wax	30m length, ID 0.53mm, df 1.00um	69,100
CFS-G06025-025A	GC-Column, FS, ValcoBond VB-Wax	60m length, ID 0.25mm, df 0.25um	107,000
CFS-G06032-025A	GC-Column, FS, ValcoBond VB-Wax	60m length, ID 0.32mm, df 0.25um	109,000
CFS-G06032-050A	GC-Column, FS, ValcoBond VB-Wax	60m length, ID 0.32mm, df 0.50um	109,000
CFS-G06053-100A	GC-Column, FS, ValcoBond VB-Wax	60m length, ID 0.53mm, df 1um	117,000
CFSL100FEP	Cheminert sample loop 100ul	flangeless connections 1/4"-28, FEP	2,800

CFSL100PK	Cheminert sample loop 100ul	flangeless connections 1/4"-28, PEEK	3,900
CFSL100TF	Cheminert sample loop 100ul	flangeless connections 1/4"-28, PTFE	2,800
CFSL1KFEP	Cheminert sample loop 1ml	flangeless connections 1/4"-28, FEP	3,900
CFSL1KPK	Cheminert sample loop 1ml	flangeless connections 1/4"-28, PEEK	5,800
CFSL1KTF	Cheminert sample loop 1ml	flangeless connections 1/4"-28, PTFE	3,900
CFSL20FEP	Cheminert sample loop 20ul	flangeless connections 1/4"-28, FEP	2,800
CFSL20PK	Cheminert sample loop 20ul	flangeless connections 1/4"-28, PEEK	3,900
CFSL20TF	Cheminert sample loop 20ul	flangeless connections 1/4"-28, PTFE	2,600
CFSL250FEP	Cheminert sample loop 250ul	flangeless connections 1/4"-28, FEP	2,600
CFSL250PK	Cheminert sample loop 250ul	flangeless connections 1/4"-28, PEEK	3,900
CFSL250TF	Cheminert sample loop 250ul	flangeless connections 1/4"-28, PTFE	2,600
CFSL2KFEP	Cheminert sample loop 2ml	flangeless connections 1/4"-28, FEP	4,400
CFSL2KPK	Cheminert sample loop 2ml	flangeless connections 1/4"-28, PEEK	9,100
CFSL2KTF	Cheminert sample loop 2ml	flangeless connections 1/4"-28, PTFE	4,400
CFSL500FEP	Cheminert sample loop 500ul	flangeless connections 1/4"-28, FEP	2,900
CFSL500PK	Cheminert sample loop 500ul	flangeless connections 1/4"-28, PEEK	4,400
CFSL500TF	Cheminert sample loop 500ul	flangeless connections 1/4"-28, PTFE	2,900
CFSL50FEP	Cheminert sample loop 50ul	flangeless connections 1/4"-28, FEP	2,600
CFSL50PK	Cheminert sample loop 50ul	flangeless connections 1/4"-28, PEEK	3,900
CFSL50TF	Cheminert sample loop 50ul	flangeless connections 1/4"-28, PTFE	2,600
CFS-N03025-025	GC-Column, FS, ValcoBond VB-Fluoro	30m length, ID 0.25mm, df 0.25um	81,700
CFS-N03053-100	GC-Column, FS, ValcoBond VB-Fluoro	30m length, ID 0.53mm ID, df 1.00um	91,900
CFS-PA1532-100	GC-Column, FS, ValcoPLOT HayeSep A	15m length, ID 0.32mm, df 10um	63,300
CFS-PA1553-200	GC-Column, FS, ValcoPLOT HayeSep A	15m length, ID 0.53mm, df 20um	67,600
CFS-PA3032-100	GC-Column, FS, ValcoPLOT HayeSep A	30m length, ID 0.32mm, df 10um	91,900
CFS-PA3053-200	GC-Column, FS, ValcoPLOT HayeSep A	30m length, ID 0.53mm, df 20um	97,400
CFS-PB1532-100	VPHS-B Column, FS, ValcoBond, HayeSep B	15m length, ID 0.32mm, df 10um	63,300
CFS-PB1553-200	VPHS-B Column, FS, ValcoBond, HayeSep B	15m length, ID 0.53mm, df 20um	72,200
CFS-PB3032-100	VPHS-B Column, FS, ValcoBond, HayeSep B	30m length, ID 0.32mm, df 10um	91,900
CFS-PB3053-200	GC-Column, FS, ValcoPLOT HayeSep B	30m length, ID 0.53mm, df 20um	91,300
CFS-PC1532-100	VPHS-C Column, FS, ValcoBond, HayeSep C	15m length, ID 0.32mm, df 0.10um	63,300
CFS-PC1553-200	GC-Column, FS, ValcoPLOT HayeSep C	15m length, ID 0.53mm, df 20um	72,200
CFS-PC3032-100	VPHS-C Column, FS, ValcoBond, HayeSep C	30m length, ID 0.32mm, df 10um	91,900
CFS-PC3053-200	GC-Column, FS, ValcoPLOT HayeSep C	30m length, ID 0.53mm, df 20um	91,300
CFS-PD1532-100	GC-Column, FS, ValcoPLOT HayeSep D	15m length, ID 0.32mm, df 10um	63,300
CFS-PD1553-200	GC-Column, FS, ValcoPLOT HayeSep D	15m length, ID 0.53mm, df 20um	72,200
CFS-PD3032-100	GC-Column, FS, ValcoPLOT HayeSep D	30m length, ID 0.32mm, df 10um	91,900

CFS-PD3053-200	GC-Column, FS, ValcoPLOT HayeSep D	30m length, ID 0.53mm, df 20um	91,300
CFS-PN1532-100	VPHS-N Column, FS, ValcoBond, HayeSep N	15m length, ID 0.32mm, df 10um	63,300
CFS-PN1553-200	VPHS-N Column, FS, ValcoBond, HayeSep N	15m length, ID 0.53mm, df 20um	67,600
CFS-PN3032-100	VPHS-N Column, FS, ValcoBond, HayeSep N	30m length, ID 0.32mm, df 10um	91,900
CFS-PN3053-200	GC-Column, FS, ValcoPLOT HayeSep N	30m length, ID 0.53mm, df 20um	91,300
CFS-PP1532-100	VPHS-P Column, FS, ValcoBond, HayeSep P	15 m length, ID 0.32mm, df 10um	63,300
CFS-PP1553-200	VPHS-P Column, FS, ValcoBond, HayeSep P	15m length, ID 0.53mm, df 20um	67,600
CFS-PP3032-100	VPHS-P Column, FS, ValcoBond, HayeSep P	30m length, ID 0.32mm, df 10um	91,900
CFS-PP3053-200	GC-Column, FS, ValcoPLOT HayeSep P	30m length, ID 0.53mm, df 20um	91,300
CFS-PQ1532-100	GC-Column, FS, ValcoPLOT HayeSep Q	15m length, ID 0.32mm, df 10um	54,900
CFS-PQ1553-200	GC-Column, FS, ValcoPLOT HayeSep Q	15m length, ID 0.53mm, df 20um	58,300
CFS-PQ3032-100	VPHS-Q Column, FS, ValcoPLOT, HayeSep Q	30m length, ID 0.32mm, df 10um	68,500
CFS-PQ3053-200	GC-Column, FS, ValcoPLOT HayeSep Q	30m length, ID 0.53mm, df 20um	74,000
CFS-PR1532-100	VPHS-R Column, FS, ValcoBond, HayeSep R	15m length, ID 0.32mm, df 10um	63,300
CFS-PR1553-200	VPHS-R Column, FS, ValcoBond, HayeSep R	15m length, ID 0.53mm, df 20um	67,600
CFS-PR3032-100	VPHS-R Column, FS, ValcoBond, HayeSep R	30m length, ID 0.32mm, df 10um	91,900
CFS-PR3053-200	GC-Column, FS, ValcoPLOT HayeSep R	30m length, ID 0.53mm, df 20um	91,300
CFS-PS1532-100	VPHS-S Column, FS, ValcoBond, HayeSep S	15m length, ID 0.32mm, df 10um	63,300
CFS-PS1553-200	VPHS-S Column, FS, ValcoBond, HayeSep S	15m length, ID 0.53mm, df 20um	67,600
CFS-PS3032-100	GC-Column, FS, ValcoPLOT HayeSep S	30m length, ID 0.32mm, df 10um	91,900
CFS-PS3053-200	VPHS-S Column, FS, ValcoBond, HayeSep S	30m length, ID 0.53mm, df 20um	91,300
CFS-X1553-200	VP-Molesieve Column,FS, ValcoBond, 5A Fused Silica	15m length, ID 0.53mm, df 20um	64,800
CFS-X1553-500	VP-Molesieve Column,FS, ValcoBond, 5A Fused Silica	15m length, ID 0.53mm, df 50um	70,000
CFS-X3053-200	GC-Column, FS, ValcoPLOT Molesieve 5A	30m length, ID 0.53mm, df 20um	89,100
CFS-X3053-500	GC-Column, FS, ValcoPLOT Molesieve 5A	30m length, ID 0.53mm, df 50um	98,800
CFS-Y1553-100	GC-Column, FS, ValcoPlot Alumina	15m length, ID 0.53mm, df 10um	62,900
CFS-Y3053-100	GC-Column, FS, ValcoPlot Alumina	30m length, ID 0.53mm, df 10um	68,500
CFS-Y5053-100	GC-Column, FS, ValcoPlot Alumina KCl	50m length, ID 0.53mm, df 10um	110,000
CFS-Z1553-100	GC-Column, FS, ValcoPlot Alumina, Na2SO4	15m length, ID 0.53mm, df 10um	62,900
CFS-Z3053-100	GC-Column, FS, ValcoPlot Alumina, Na2SO4	30m length, ID 0.53mm, df 10um	68,500
CFS-Z5053-100	GC-Column, FS, ValcoPlot Alumina, Na2SO4	50m length, ID 0.53mm, df 10um	110,000
CFT-110	Cheminert flanging tool	110Vac, non CE !!!	33,300
CFT1K-110	Cheminert flanging starter kit for 1/16" tubing	110Vac, non CE !!!	102,000
CFT1K-220	Cheminert flanging starter kit for 1/16" tubing	220Vac, non CE !!!	102,000
CFT-220	Cheminert flanging tool	220Vac, non CE !!!	66,500
CFT2K-110	Cheminert flanging starter kit for 1/8" tubing	110Vac, non CE !!!	102,000
CFT2K-220	Cheminert flanging starter kit for 1/8" tubing	220Vac, non CE !!!	102,000

CFT-H	Cheminert holder flanging tool		0	6,300
CFT-R	Cheminert razor blade, 10/pkg		0	1,900
CFT-TC	Cheminert tip flanging tool	for tubing ID <0,75 mm		8,700
CFT-TL	Cheminert tip flanging tool	for tubing ID <1,50 mm		4,400
CFT-TM	Cheminert tip flanging tool	for tubing ID <1,00 mm		4,400
CFT-TXC	Cheminert tip flanging tool	for tubing ID <0.25 mm		8,700
CFT-TXL	Cheminert tip flanging tool	for tubing ID <2,00 mm		8,700
CF-W1	Cheminert washers for 1/16"OD tubing	10/pkg		470
CF-W2	Cheminert washers for 1/8"OD tubing	10/pkg		470
CGC41	Cheminert glass connector	1mm bore, Acetal		13,000
CGC41KF	Cheminert glass connector	1mm bore, CTFE		13,800
CGC42	Cheminert glass connector	2mm bore, Acetal		12,200
CGC42KF	Cheminert glass connector	2mm bore, CTFE		14,700
CGCB	Cheminert glass bushing	Acetal		3,700
CGCBKF	Cheminert glass bushing	CTFE		3,700
CGCG41	Cheminert glass rod, 3-1/4" long	1mm bore		7,300
CGCG42	Cheminert glass rod, 3-1/4" long	2mm bore		7,300
CGCN	Cheminert nut, glass connector	Acetal		3,700
CGCNKF	Cheminert nut, glass connector	CTFE		3,700
CGCR	Cheminert split ring	Acetal , 5/pkg		5,600
CGCRKF	Cheminert split ring	CTFE, 5/pkg		5,600
CGFT	Tightening Tool for PEEK hex-head	6-40 nuts, black		3,100
CI4UWE.2	4 port 2-pos int vol valve, manual	1/16*.75mm, 175C/1000psi liq, .2ul, N60/E		94,700
CI4UWE.5	4 port 2-pos int vol valve, manual	1/16*.75mm, 175C/1000psi liq, .5ul, N60/E		94,700
CI4UWE1	4 port 2-pos int vol valve, manual	1/16*.75mm, 175C/1000psi liq, 1ul, N60/E		94,700
CI4UWE2	4 port 2-pos int vol valve, manual	1/16*.75mm, 175C/1000psi liq, 2ul, N60/E		94,700
CI4W.06	4 port 2-pos int/vol valve, manual	1/16*.4mm, 75C/5000psi liq, .06ul, N60/H		94,700
CI4W.1	4 port 2-pos int vol valve, manual	1/16*.4mm, 75C/5000psi liq, .1ul, N60/H		94,700
CI4W.2	4 port 2-pos int vol valve, manual	1/16*.4mm, 75C/5000psi liq, .2ul, N60/H		94,700
CI4W.5	4 port 2-pos int vol valve, manual	1/16*.4mm, 75C/5000psi liq, .5ul, N60/H		94,700
CI4WE.06	4 port 2-pos int vol valve, manual	1/16*.4mm, 175C/1000psi liq, .06ul,N60/E		94,700
CI4WE.1	4 port 2-pos int vol valve, manual	1/16*.4mm, 175C/1000psi liq, .1ul, N60/E		94,700
CI4WE.2	4 port 2-pos int vol valve, manual	1/16*.4mm, 175C/1000psi liq, .2ul,N60/E		94,700
CI4WE.5	4 port 2-pos int vol valve, manual	1/16*.4mm, 175C/1000psi liq, .5ul, N60/E		94,700
C-LFP	Loop fill port assy.		0	15,500
C-LZP1PK	Plug 1/16", long hex, high pressure	Cheminert Polymeric vlv series C1-C5, PEEK		3,100
CM	Column mandrel		0	10,200

CM1XKF	Cheminert mixing tee 1/4"-28	for 1/16" tubing, 0.75mm bore, CTFE	10,200
CM1XPK	Cheminert mixing tee 1/4"-28	for 1/16" tubing, 0.75mm bore, PEEK	20,300
CM2XKF	Cheminert mixing tee 1/4"-28	for 1/8" tubing, 1.5mm bore, CTFE	20,300
CM2XPK	Cheminert mixing tee 1/4"-28	for 1/8" tubing, 1.5mm bore, PEEK	20,300
CMH	Close mount hardware, 2-pos valve	1 or 2 holes, air or elec. act.	3,700
CMH11H	Close mount hardware	Cheminert h/p, air or elec. act.	3,700
CMH11L	Close mount hardware,	Cheminert l/p, air or elec. act.	3,700
CMH12H	Close mount hardware, 2-pos. valve	m-electric actuator	3,700
CMH12L	Close mount hardware, 2-pos. valve	Cheminert l/p, m-electric actuator	3,700
CMH13H	Close mount hardware, m-pos. valve	Cheminert h/p, m-electric actuator	3,700
CMH13L	Close mount hardware, m-pos. valve	Cheminert l/p, m-electric actuator	3,700
CMHMP	Close mount hardware, 2-pos/m-pos valve	no mounting holes, air or elec. actuator	3,700
CMLAKF	Cheminert male luer adapter to 1/4-28	1.5mm bore, CTFE	5,600
CMLAPFA	Cheminert male luer adapter to 1/4-28	1.5mm bore, PFA	2,600
CMLAPK	Cheminert male luer adapter to 1/4-28	1.5mm bore, PEEK	2,600
C-MPFTI10	Cheminert mobile phase filter	for 1/8" OD tubing, 10um Titanium frit, PTFE	3,100
C-MPFTI2	Cheminert mobile phase filter	for 1/8" OD tubing, 2um Titanium frit, PTFE	6,300
C-MPR2	Cheminert solvent reservoir 500ml	with 2-hole cap, 1/4"-28 fittings, PE	14,800
C-MPR3	Cheminert solvent reservoir 500ml	with 3-hole cap, 1/4"-28 fittings, PE	20,400
C-MZP1PK	Plug 1/16", hex, high pressure	Cheminert Polymeric vlv series C1-C5, PEEK	3,100
C-NEF.5FPK.15S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	150um, PEEK, with liners for FS 125-175um	19,500
C-NEF.5FPK.20S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	150um, PEEK, with liners for FS 175-225um	19,500
C-NEF.5FPK.25S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	150um, PEEK, with liners for FS 225-275um	19,500
C-NEF.5FPK.30S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	150um, PEEK, with liners for FS 275-325um	19,500
C-NEF.5FPK.35S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	150um, PEEK, with liners for FS 325-375um	19,500
C-NEF.5XFPK.15S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	100um, PEEK, with liners for FS 125-175um	23,400
C-NEF.5XFPK.20S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	100um, PEEK, with liners for FS 175-225um	23,400
C-NEF.5XFPK.25S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	100um, PEEK, with liners for FS 225-275um	23,400
C-NEF.5XFPK.30S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	100um, PEEK, with liners for FS 275-325um	23,400
C-NEF.5XFPK.35S1	Column end fitting, Nano 1/32" Cheminert, 1um scr	100um, PEEK, with liners for FS 325-375um	23,400
C-NERU1FPK	Union, Reducing, Int/Ext, 1/32 Cheminert	x 1/16 External, .006" bore	7,400
C-NEU.5FPK	Union, Int/Ext, 1/32" Cheminert	150um, PEEK, without liners	5,900
C-NEU.5FPK.15	Union, Int/Ext, Nano 1/32" Cheminert	150um, PEEK, with liners for FS 125-175um	15,000
C-NEU.5FPK.20	Union, Int/Ext, Nano 1/32" Cheminert	150um, PEEK, with liners for FS 175-225um	15,000
C-NEU.5FPK.25	Union, Int/Ext, Nano 1/32" Cheminert	150um, PEEK, with liners for FS 225-275um	14,100
C-NEU.5FPK.30	Union, Int/Ext, Nano 1/32" Cheminert	150um, PEEK, with liners for FS 275-325um	14,100
C-NEU.5FPK.35	Union, Int/Ext, Nano 1/32" Cheminert	150um, PEEK, with liners for FS 325-375um	15,000

C-NEU.5XFPK	Union, Int/Ext, Nano 1/32" Cheminert	100um, PEEK, without liners	6,700
C-NEU.5XFPK.15	Union, Int/Ext, Nano 1/32" Cheminert	100um, PEEK, with liners for FS 125-175um	16,800
C-NEU.5XFPK.20	Union, Int/Ext, Nano 1/32" Cheminert	100um, PEEK, with liners for FS 175-225um	16,800
C-NEU.5XFPK.25	Union, Int/Ext, Nano 1/32" Cheminert	100um, PEEK, with liners for FS 225-275um	16,800
C-NEU.5XFPK.30	Union, Int/Ext, Nano 1/32" Cheminert	100um, PEEK, with liners for FS 275-325um	16,800
C-NEU.5XFPK.35	Union, Int/Ext, Nano 1/32" Cheminert	100um, PEEK, with liners for FS 325-375um	16,800
CNFT	Tightening Tool for PEEK hex-head	1/32" nuts, green	3,300
C-NL.15L-5	Liner long, Nano 1/32" Cheminert, 27 mm	PEEK, for FS OD 125 - 175um, 5/pkg	7,600
C-NL.15S-5	Liner short, Nano 1/32" Cheminert, 10 mm	PEEK, for FS OD 125 -175um, 5/pkg	7,100
C-NL.20L-5	Liner long, Nano 1/32" Cheminert, 27 mm	PEEK, for FS OD 175 - 225um, 5/pkg	7,100
C-NL.20S-5	Liner long, Nano 1/32" Cheminert, 10 mm	PEEK, for FS OD 175 - 225um, 5/pkg	7,100
C-NL.25L-5	Liner long, Nano 1/32" Cheminert, 27 mm	PEEK, for FS OD 225 - 275 um, 5/pkg	7,100
C-NL.25S-5	Liner short, Nano 1/32" Cheminert, 10 mm	PEEK, for FS OD 225 - 275um, 5/pkg	7,100
C-NL.30L-5	Liner long, Nano 1/32" Cheminert, 27 mm	PEEK, for FS OD 275 - 325um, 5/pkg	7,100
C-NL.30S-5	Liner short, Nano 1/32" Cheminert, 10 mm	PEEK, for FS OD 275 - 325um, 5/pkg	7,100
C-NL.35L-5	Liner long, Nano 1/32" Cheminert, 27 mm	PEEK, for FS OD 325 - 375um, 5/pkg	7,100
C-NL.35S-5	Liner short, Nano 1/32" Cheminert, 10 mm	PEEK, for FS OD 325 - 375um, 5/pkg	7,100
C-NLS1.15	Liner, Nano 1/32" Cheminert, screen 1um, 27 mm	PEEK, for FS OD 125-175um	9,300
C-NLS1.20	Liner, Nano 1/32" Cheminert, screen 1um, 27 mm	PEEK, for FS OD 175 - 225 um	9,900
C-NLS1.25	Liner, Nano 1/32" Cheminert, screen 1um, 27 mm	PEEK, for FS OD 225-275um	9,900
C-NLS1.30	Liner, Nano 1/32" Cheminert, screen 1um, 27 mm	PEEK, for FS OD 275-325um	9,300
C-NLS1.35	Liner, Nano 1/32" Cheminert, screen 1um, 27 mm	PEEK, for FS OD 325-375um	5,000
CNNF1PK	Nut/Bushing, One-piece, 1/16" Cheminert	6-40, PEEK, SS retainer	1,600
C-NNFFPK	Nut/Ferrule, One-piece, 1/32" Cheminert		0 1,400
C-NNFLFPK	Nut/Ferrule, One-piece, 1/32" Cheminert	long	1,600
C-NPFPK	Plug, 1/32 Cheminert		0 2,800
C-NTFPK	Tee, Nano 1/32" Cheminert	150um, PEEK	25,800
C-NTXFPK	Tee, Nano 1/32" Cheminert	100um, PEEK	32,500
CNV1A10S1	Combo needle valve, silver colored knob	0-10ml N2 at 40psi, 1/16" int, Al/Viton	13,900
CNV1A150S1	Combo needle valve, silver colored knob	150ml N2 at 40psi, 1/16" int, Al/Viton	13,900
CNV1A250S1	Combo needle valve, silver colored knob	250ml N2 at 40psi, 1/16" int, Al/Viton	13,900
CNV1A500S1	Combo needle valve, silver colored knob	500ml N2 at 40psi, 1/16" int, Al/Viton	13,900
CNV1A50S1	Combo needle valve, silver colored knob	50ml N2 at 40psi, 1/16" int, Al/Viton	14,800
CNV1S10S1	Combo needle valve, silver colored knob	0-10ml N2 at 40psi, 1/16" int, SS/Viton	21,700
CNV1S150S1	Combo needle valve, silver colored knob	150ml N2 at 40psi, 1/16" int, SS/Viton	23,200
CNV1S250S1	Combo needle valve, silver colored knob	250ml N2 at 40psi, 1/16" int, SS/Viton	23,200
CNV1S500S1	Combo needle valve, silver colored knob	500ml N2 at 40psi, 1/16" int, SS/Viton	23,200

CNV1S50S1	Combo needle valve, silver colored knob	50ml N2 at 40psi, 1/16" int, SS/Viton	23,200
CNVEKB	Combo needle valve standard knob, black	length .62"/16mm long	980
CNVEKG	Combo needle valve standard knob, green	length .62"/16mm long	980
CNVEKLB	Combo needle valve long knob, black	length 1.25"/32mm long	1,300
CNVEKLG	Combo needle valvelong long knob, green	length 1.25"/32mm long	1,300
CNVEKLR	Combo needle valve long long knob, red	length 1.25"/32mm long	1,300
CNVEKLS	Combo needle valvelong long knob, silver	length 1.25"/32mm long	1,300
CNVEKLU	Combo needle valvelong long knob, blue	length 1.25"/32mm long	1,300
CNVEKR	Combo needle valve standard knob, red	length .62"/16mm long	980
CNVEKS	Combo needle valve standard knob, silver	length .62"/16mm long	980
CNVEKU	Combo needle valve standard knob, blue	length .62"/16mm long	980
C-NVISF	Syringe Fill Port, 1/32" Cheminert	for 0.85"/22mm long needle, 26 Gauge OD	2,400
C-NXFPK	Cross, Nano, 1/32" Cheminert	150um, PEEK	31,100
C-NXXFPK	Cross, Nano, 1/32" Cheminert	100um, PEEK	36,900
C-NYFPK	Y-assy, Nano, 1/32" Cheminert	150um, PEEK	25,800
C-NYXFPK	Y-assy, Nano 1/32" Cheminert	100um, PEEK	32,500
CP2-4841-100D	OBSOLETE, Replaced by CP2-4841-D		0
CP2-4841-100M1	OBSOLETE, Replaced by CP2-4841-F1		0
CP2-4841-100SM	OBSOLETE, Replaced by CP2-4841-S1		0
CP2-4841-D	M6 Pump only, replacement	vol. 100ul, Sapphire/TF, E3/P	230,000
CP2-4841-F1	M6 Pump, MForce controller, stepper motor	vol. 100ul, Sapphire/TF, E3/P	438,000
CP2-4841-S1	M6 Pump, stepper motor, w/o MForce controller	vol. 100ul, Sapphire/TF, E3/P	346,000
CP3-8182-625D	OBSOLETE, Replaced by CP3-8182-F1		0
CP3-8182-625M2	OBSOLETE, Replaced by CP3-8182-F2		0
CP3-8182-625SM2	OBSOLETE, Replaced by CP3-8182-F2		0
CP3-8182-D	M50 Pump only, replacement	vol. 625ul, ceramic rotor/TF	272,000
CP3-8182-F2	M50 Pump, MForce controller, dual stage stepper motc	vol. 625ul, ceramic rotor/TF	472,000
CP3-8182-S2	M50 Pump, dual stage stepper motor, w/o MForce con	vol. 625ul, ceramic rotor/TF	380,000
CP-4D	Plug 1/4" tube connection, 1/2"-20	Delrin	1,900
CP-4K	OBSOLETE, replaced by CP-4KF		0
CPA2KF	Cheminert pipe connector 1/8"NPT	1/4"-28female*M-NPT, 1.5mm bore, CTFE	6,100
CPA2PK	Cheminert pipe connector 1/8"NPT	1/4"-28female*M-NPT, 1.5mm bore, PEEK	6,100
CPA4KF	Cheminert pipe connector 1/4"NPT	1/4"-28female*M-NPT, 1.5mm bore, CTFE	6,100
CPA4PK	Cheminert pipe connector 1/4"NPT	1/4"-28female*M-NPT, 1.5mm bore, PEEK	6,100
CP-CM1-P	Controller, MicroLynx-4		0 89,300
CP-DSM	Driver, Pump M6	Motor incl. mounting hardware	78,000
CP-DSM2	Driver, Pump M50	Motor incl. mounting hardware	81,700

C-PF	Cheminert perifit 1/4"-28, kit of 6 pcs	for peristaltic tubing .5 to 2.29mm ID	12,700
C-PFL	Cheminert perifit 1/4"-28, PEEK	for peristaltic tubing 1.85 to 2.29mm ID	1,400
C-PFM	Cheminert perifit 1/4"-28, PEEK	for peristaltic tubing 1.12 to 1.65mm ID	1,300
C-PFS	Cheminert perifit 1/4"-28, PEEK	for peristaltic tubing .5 to 1.02mm ID	1,300
CPKF	Cheminert plug 1/4"-28	CTFE, 5/pkg	6,100
CPPK	Cheminert plug 1/4"-28	PEEK, 5/pkg	2,200
CR10	Clamp ring for standoff assembly	*SOAMMP m-pos m-electric actuator	2,600
CR11	Clamp ring closemount, 2-pos/m-pos vlv.	2-pos/m-pos, std. electric/air actuator	2,400
CR3	Clamp ring for standoff assembly	*SOA/*SOAMP	1,500
CR4	Clamp ring	2-pos air/electric actuator and DV valve	1,600
CR8	Clamp ring for standoff assembly	*SOA/*SOAMP, 2-pos m-electric actuator	1,800
CSD10UW	10 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, N60/E	146,000
CSD4UW	4 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, N60/E	125,000
CSD6UW	6 mpos dead-end path, manual	1/16*.4mm, 75C/5000psi liq, N60/E	133,000
CSL10	Cheminert sample loop 10ul	1/16" ends with nuts & ferrules, 316SS	3,900
CSL100	Cheminert sample loop 100ul	1/16" ends with nuts & ferrules, 316SS	5,300
CSL100TI	Cheminert sample loop 100ul	1/16" ends with nuts & ferrules, Ti	8,000
CSL10K	Cheminert sample loop 10ml	1/16" ends with nuts & ferrules, 316SS	11,800
CSL10TI	Cheminert sample loop 10ul	1/16" ends with nuts & ferrules, Ti	8,000
CSL1K	Cheminert sample loop 1ml	1/16" ends with nuts & ferrules, 316SS	5,700
CSL1KTI	Cheminert sample loop 1ml	1/16" ends with nuts & ferrules, Ti	37,600
CSL2	Cheminert sample loop 2ul	1/16" ends with nuts & ferrules, 316SS	3,900
CSL20	Cheminert sample loop 20ul	1/16" ends with nuts & ferrules, 316SS	3,900
CSL20TI	Cheminert sample loop 20ul	1/16" ends with nuts & ferrules, Ti	8,000
CSL250	Cheminert sample loop 250ul	1/16" ends with nuts & ferrules, 316SS	5,300
CSL250TI	Cheminert sample loop 250ul	1/16" ends with nuts & ferrules, Ti	12,800
CSL2K	Cheminert sample loop 2ml	1/16" ends with nuts & ferrules, 316SS	7,800
CSL5	Cheminert sample loop 5ul	1/16" ends with nuts & ferrules, 316SS	3,900
CSL50	Cheminert sample loop 50ul	1/16" ends with nuts & ferrules, 316SS	3,900
CSL500	Cheminert sample loop 500ul	1/16" ends with nuts & ferrules, 316SS	5,300
CSL500TI	Cheminert sample loop 500ul	1/16" ends with nuts & ferrules, Ti	25,500
CSL50TI	Cheminert sample loop 50ul	1/16" ends with nuts & ferrules, Ti	8,000
CSL5K	Cheminert sample loop 5ml	1/16" ends with nuts & ferrules, 316SS	8,400
CSLN10K	Cheminert sample loop 10ul	1/32" ends with nuts, SS	9,600
CSLN10KPK	Cheminert sample loop 10ul (10'000nl)	1/32" ends with nuts, PEEK	9,600
CSLN1K	Cheminert sample loop 1ul (1000nl)	1/32" ends with nuts, SS	5,700
CSLN1K5	OBSOLETE, replaced by CSLN1K		0

CSLN1KPK	Cheminert sample loop 1ul (1'000nl)	1/32" ends with nuts, PEEK	5,800
CSLN2K	Cheminert sample loop 2ul (2000nl)	1/32" ends with nuts, SS	7,300
CSLN2KPK	Cheminert sample loop 2ul (2000nl)	1/32" ends with nuts, PEEK	6,500
CSLN5K	Cheminert sample loop 5ul (5000nl)	1/32" ends with nuts, SS	7,700
CSLN5KPK	Cheminert sample loop 5ul (5000nl)	1/32" ends with nuts, PEEK	7,700
CSS-X1553-200	GC-Column, SS, ValcoPLOT Molesieve 5A	15m length, ID 0.53mm, df 20um	76,000
CSS-X3053-200	GC-Column, SS, ValcoPLOT Molesieve 5A	30m length, ID 0.53mm, df 20um	117,000
CSS-X3053-500	GC-Column, SS, ValcoPLOT Molesieve 5A	30m length, ID 0.53mm, df 50um	134,000
CST	Cheminert setting tool	for 1/4"-28 flangeless fitting	940
CTA2KF	Cheminert adapter for tubing 1/8" OD	1.5mm bore, CTFE	2,800
CTA2PK	Cheminert adapter for tubing 1/8" OD	1.5mm bore, PEEK	2,800
CTA2S6	Cheminert adapter for tubing 1/8" OD	1.5mm bore, 316SS	2,700
CTA4KF	Cheminert adapter for tubing 1/4" OD	1.5mm bore, CTFE	2,700
CTA4PK	Cheminert adapter for tubing 1/4" OD	1.5mm bore, PEEK	2,700
CTA4S6	Cheminert adapter for tubing 1/4" OD	1.5mm bore, 316SS	2,400
CTCKF	Cheminert tee 1/4"-28, 1/16" OD tubing	.25mm bore, CTFE	6,100
CTCPK	Cheminert tee 1/4"-28, 1/16" OD tubing	.25mm bore, PEEK	12,200
CTKF	Cheminert tee 1/4"-28, 1/16" OD tubing	.5mm bore, CTFE	5,400
CTLKF	Cheminert tee 1/4"-28, 1/8" OD tubing	1.5mm bore, CTFE	5,400
CTLPK	Cheminert tee 1/4"-28, 1/8" OD tubing	1.5mm bore, PEEK	10,300
CTMKF	Cheminert tee 1/4"-28, 1/16" OD tubing	.75mm bore, CTFE	5,400
CTMPK	Cheminert tee 1/4"-28, 1/16"OD tubing	.75mm bore, PEEK	11,000
CTPK	Cheminert tee 1/4"-28, 1/16" OD tubing	.5mm bore, PEEK	11,000
CU4LKF	Cheminert union 1/4"-28 to 1/2-20	1.6mm bore, 1/8" to 1/4" tube, CTFE	15,000
CU4LPK	Cheminert union 1/4"-28 to 1/2-20	1.6mm bore, 1/8" to 1/4" tube, PEEK	14,100
CUCKF	Cheminert union 1/4"-28, 1/16" OD tubing	.25mm bore, CTFE	3,900
CUCPK	Cheminert union 1/4"-28, 1/16" OD tubing	.25mm bore, PEEK	7,100
CUKF	Cheminert union 1/4"-28, 1/16" OD tubing	.5mm bore, CTFE	3,300
CULKF	Cheminert union 1/4"-28, 1/8" OD tubing	1.5mm bore, CTFE	6,300
CULPK	Cheminert union 1/4"-28, 1/8" OD tubing	1.5mm bore, PEEK	3,100
CUMKF	Cheminert union 1/4"-28, 1/16 OD tubing	.75mm bore, CTFE	3,100
CUMPK	Cheminert union 1/4"-28, 1/16" OD tubing	.75mm bore, PEEK	3,100
CUPK	Cheminert union 1/4"-28, 1/16" OD tubing	.5mm bore, PEEK	6,300
CUTPP	Cheminert union 1/4"-28, w/o fitting	butt connection, Polypropylene, 5/pkg	1,600
CVA10GS1	Combo needle valve, short green knob	10ml/min, 40psi He/N2, 1/16" int, Al/Viton	17,800
CVA10GS2	Combo needle valve, short green knob	10ml/min, 40psi He/N2, 1/8" int, Al/Viton	17,800
CVA150US1	Combo needle valve, short blue knob	150ml/min, 40psi He/N2, 1/16" int, Al/Viton	16,700

CVA150US2	Combo needle valve, short blue knob	150ml/min, 40psi He/N2, 1/8" int, Al/Viton	16,700
CVA1KYS1	Combo needle valve, short yellow knob	1 liter/min, 40psi He/N2, 1/16" int, Al/Viton	16,700
CVA1KYS2	Combo needle valve, short yellow knob	1 liter/min, 40psi He/N2, 1/8" int, Al/Viton	16,700
CVA500BS1	Combo needle valve, short black knob	500ml/min, 40psi He/N2, 1/16" int, Al/Viton	16,700
CVA500BS2	Combo needle valve, short black knob	500ml/min, 40psi He/N2, 1/8" int, Al/Viton	16,700
CVA50RS1	Combo needle valve, short red knob	50ml/min, 40psi He/N2, 1/16" int, Al/Viton	17,800
CVA50RS2	Combo needle valve, short red knob	50ml/min, 40psi He/N2, 1/8" int, Al/Viton	16,700
C-VISF-1	Syringe fillport Cheminert C22Z polymeric valve	for .75"/19mm long needle, 22Gauge OD	1,800
C-VISF-1H	Syringe fillport Cheminert C2/C3/C4 polymeric vlv	for .75"/19mm long needle, 22Gauge OD	1,800
CXCKF	Cheminert cross 1/4"-28, 1/16" OD tubing	.25mm bore, CTFE	14,700
CXCPK	Cheminert cross 1/4"-28, 1/16" OD tubing	.25mm bore, PEEK	13,800
CXKF	Cheminert cross 1/4"-28, 1/16" OD tubing	.5mm bore, CTFE	12,200
CXLKF	Cheminert cross 1/4"-28, 1/8" OD tubing	1.5mm bore, CTFE	12,200
CXLPK	Cheminert cross 1/4"-28, 1/8" OD tubing	1.5mm bore, PEEK	12,200
CXMKF	Cheminert cross 1/4"-28, 1/16" OD tubing	.75 mm bore, CTFE	12,200
CXMPK	Cheminert cross 1/4"-28, 1/16" OD tubing	.75mm bore, PEEK	12,200
CXPK	Cheminert cross 1/4"-28, 1/16" OD tubing	.5mm bore, PEEK	12,200
CZBUCKF	Cheminert bulkhead union 1/4"-28*1/16" OD tubing	.25mm bore, CTFE	8,700
CZBUCPK	Cheminert bulkhead union 1/4"-28*1/16" OD tubing	.25mm bore, PEEK	8,700
CZBUCS6	Cheminert bulkhead union 1/4"-28*1/16" OD tubing	.25mm bore, 316SS	7,100
CZBUKF	Cheminert bulkhead union 1/4"-28*1/16" OD tubing	.5mm bore, CTFE	7,100
CZBUMKF	Cheminert bulkhead union 1/4"-28*1/16" OD tubing	.75mm bore, CTFE	7,100
CZBUMPK	Cheminert bulkhead union 1/4"-28*1/16" OD tubing	.75mm bore, PEEK	7,100
CZBUMS6	Cheminert bulkhead union 1/4"-28*1/16" OD tubing	.75mm bore, 316SS	6,300
CZBUPK	Cheminert bulkhead union 1/4"-28*1/16" OD tubing	.5mm bore, PEEK	7,100
CZBUS6	Cheminert bulkhead union 1/4"-28*1/16" OD tubing	.5mm bore, 316SS	6,300
C-ZP1FPK	Plug 1/16", fingertight, high pressure	Cheminert Polymeric vlv series C1-C5, PEEK	1,900
CZSL100FEP	Cheminert sample loop 100ul	1/16" PEEK nuts & CTFE ferrules, FEP	2,800
CZSL100PK	Cheminert sample loop 100ul	1/16" PEEK nuts & ferrules, PEEK	3,900
CZSL100TF	Cheminert sample loop 100ul	1/16" PEEK nuts & ferrules, PTFE	2,800
CZSL10FEP	Cheminert sample loop 10ul	1/16" PEEK nuts & CTFE ferrules, FEP	3,900
CZSL10PK	Cheminert sample loop 10ul	1/16" PEEK nuts & ferrules, PEEK	4,800
CZSL10TF	Cheminert sample loop 10ul	1/16" PEEK nuts & ferrules, PTFE	3,900
CZSL1KFEP	Cheminert sample loop 1ml	1/16" PEEK nuts & CTFE ferrules, FEP	4,400
CZSL1KPK	Cheminert sample loop 1ml	1/16" PEEK nuts & ferrules, PEEK	7,300
CZSL1KTF	Cheminert sample loop 1ml	1/16" PEEK nuts & ferrules, PTFE	4,700
CZSL20FEP	Cheminert sample loop 20ul	1/16" PEEK nuts & CTFE ferrules, FEP	3,400

CZSL20PK	Cheminert sample loop 20ul	1/16" PEEK nuts & ferrules, PEEK	4,400
CZSL20TF	Cheminert sample loop 20ul	1/16" PEEK nuts & ferrules, PTFE	3,400
CZSL250FEP	Cheminert sample loop 250ul	1/16" PEEK nuts & CTFE ferrules, FEP	3,400
CZSL250PK	Cheminert sample loop 250ul	1/16" PEEK nuts & ferrules, PEEK	4,800
CZSL250TF	Cheminert sample loop 250ul	1/16" PEEK nuts & ferrules, PTFE	3,400
CZSL2KFEP	Cheminert sample loop 2ml	1/16" PEEK nuts & CTFE ferrules, FEP	5,900
CZSL2KPK	Cheminert sample loop 2ml	1/16" PEEK nuts & ferrules, PEEK	10,700
CZSL2KTF	Cheminert sample loop 2ml	1/16" PEEK nuts & ferrules, PTFE	5,900
CZSL2PK	Cheminert sample loop 2ul	1/16" PEEK nuts & ferrules, PEEK	4,800
CZSL500FEP	Cheminert sample loop 500ul	1/16" PEEK nuts & CTFE ferrules, FEP	3,900
CZSL500PK	Cheminert sample loop 500ul	1/16" PEEK nuts & ferrules, PEEK	5,900
CZSL500TF	Cheminert sample loop 500ul	1/16" PEEK nuts & ferrules, PTFE	3,900
CZSL50FEP	Cheminert sample loop 50ul	1/16" PEEK nuts & CTFE ferrules, FEP	2,800
CZSL50PK	Cheminert sample loop 50ul	1/16" PEEK nuts & ferrules, PEEK	3,900
CZSL50TF	Cheminert sample loop 50ul	1/16" PEEK nuts & ferrules, PTFE	2,800
CZSL5FEP	Cheminert sample loop 5ul	1/16" PEEK nuts & CTFE ferrules, FEP	3,900
CZSL5KPK	Cheminert sample loop 5ml	1/16" PEEK nuts & ferrules, PEEK	15,400
CZSL5PK	Cheminert sample loop 5ul	1/16" PEEK nuts & ferrules, PEEK	4,800
CZSL5TF	Cheminert sample loop 5ul	1/16" PEEK nuts & ferrules, PTFE	3,900
CZUCKF	Cheminert union 1/4"-28*, 1/16" OD tubing	.25mm bore, CTFE	3,700
CZUCPK	Cheminert union 1/4"-28*, 1/16" OD tubing	.25mm bore, PEEK	7,100
CZUCS6	Cheminert union 1/4"-28*, 1/16" OD tubing	.25mm bore, 316SS	7,100
CZUKF	Cheminert union 1/4"-28*, 1/16" OD tubing	.5mm bore, CTFE	6,300
CZUMKF	Cheminert union 1/4"-28*, 1/16" OD tubing	.75mm bore, CTFE	6,300
CZUMPK	Cheminert union 1/4"-28*, 1/16" OD tubing	.75mm bore, PEEK	6,300
CZUMS6	Cheminert union 1/4"-28*, 1/16" OD tubing	.75mm bore, 316SS	6,300
CZUPK	Cheminert union 1/4"-28*, 1/16" OD tubing	.5mm bore, PEEK	6,300
CZUS6	Cheminert union 1/4"-28*, 1/16" OD tubing	.5mm bore, 316SS	3,100
D10UW	10 port 2-pos valve, replacement	1/8*.75mm, 75C/5000psi liq, N60/H	89,600
D10UWE	10 port 2-pos valve, replacement	1/8*.75mm, 225C/400psi gas, N60/E	96,100
D10UWT	10 port 2-pos valve, replacement	1/8*.75mm, 330C/300psi gas, N60/T	96,100
D-2-110	Pulsed discharge detector PDECD/HID/PID	48V detector, controller, HP2, 110Vac CE	858,000
D-2-220	Pulsed discharge detector PDECD/HID/PID	48V detector, controller, HP2, 220Vac CE	916,000
D-2-I-110	Pulsed discharge detector optimized HID	48V detector, controller, HP2, 110Vac CE	866,000
D-2-I-220	Pulsed discharge detector optimized HID	48V detector, controller, HP2, 220Vac CE	866,000
D-2-IM	Pulsed discharge detector mini	heater block, 48V heaters, HP2, PD-C2	1,070,000
D-3-I-7890-110	Pulsed discharge detector HID/PID HP7890	pulser, HP electrometer, HP2-110, HPM-110	1,040,000

D-3-I-7890-220	Pulsed discharge detector HID/PID HP7890	pulsar, HP electrometer, HP2-220, HPM-220	969,000
D-3-I-HP-110	Pulsed discharge detector HID/PID HP6890	pulsar, HP electrometer, HP2-110, HPM-110	969,000
D-3-I-HP-220	Pulsed discharge detector HID/PID HP6890	pulsar, HP electrometer, HP2-220, HPM-220	969,000
D-4-I-110	Pulsed discharge detector HeID/PID	48V detector, controller, HP2, 110Vac CE	849,000
D-4-I-220	Pulsed discharge detector HeID/PID	48V detector, controller, HP2, 220Vac CE	849,000
D-4-I-HP58-110	Pulsed discharge detector HeID/PID HP5890	48V detector, controller, HP2, 110Vac CE	866,000
D-4-I-HP58-220	Pulsed discharge detector HeID/PID HP5890	48V detector, controller, HP2, 220Vac CE	812,000
D-4-I-SH14-R-110	Pulsed discharge detector HeID/PID Shimadzu 14	w/o controller, HP2-110	609,000
D-4-I-SH14-R-220	Pulsed discharge detector HeID/PID Shimadzu 14	w/o controller, HP2-220	609,000
D-4-I-SH17-R-110	Pulsed discharge detector HeID/PID Shimadzu 17	w/o controller, HP2-110, suitable for 2010 & 2014	649,000
D-4-I-SH17-R-220	Pulsed discharge detector HeID/PID Shimadzu 17	w/o controller, HP2-220, suitable for 2010 & 2014	649,000
D-4-I-TQ-R-110	Pulsed discharge detector HeID/PID for Trace GC	pulsar, HP2-110, ThermoQuest	609,000
D-4-I-TQ-R-220	Pulsed discharge detector HeID/PID for Trace GC	pulsar, HP2-220, ThermoQuest	649,000
D-4-I-VA38-R-110	Pulsed discharge detector HeID/PID Varian 3800	w/o controller, with HP2-110	649,000
D-4-I-VA38-R-220	Pulsed discharge detector HeID/PID Varian 3800	w/o controller, with HP2-220	649,000
D4UW	4 port 2-pos valve, replacement	1/8*.75mm, 75C/5000psi liq, N60/H	87,400
D4UWE	4 port 2-pos valve, replacement	1/8*.75mm, 225C/400psi gas, N60/E	80,200
D4UWT	4 port 2-pos valve, replacement	1/8*.75mm, 330C/300psi gas, N60/T	80,200
D6UW	6 port 2-pos valve, replacement	1/8*.75mm, 75C/5000psi liq, N60/H	95,400
D6UWE	6 port 2-pos valve, replacement	1/8*.75mm, 225C/400psi gas, N60/E	88,200
D6UWT	6 port 2-pos valve, replacement	1/8*.75mm, 330C/300psi gas, N60/T	88,200
D8UW	8 port 2-pos valve, replacement	1/8*.75mm, 75C/5000psi liq, N60/H	89,600
D8UWE	8 port 2-pos valve, replacement	1/8*.75mm, 225C/400psi gas, N60/E	96,100
D8UWT	8 port 2-pos valve, replacement	1/8*.75mm, 330C/300psi gas, N60/T	96,100
DC10UW	10 port 2-pos valve, replacement	1/16*.75mm, 75C/5000psi liq, N60/H	89,600
DC10UWE	10 port 2-pos valve, replacement	1/16*.75mm, 225C/400psi gas, N60/E	96,100
DC10UWT	10 port 2-pos valve, replacement	1/16*.75mm, 330C/300psi gas, N60/T	96,100
DC10W	10 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	96,100
DC10WE	10 port 2-pos valve, replacement	1/16*.4mm, 225C/400psi gas, N60/E	96,100
DC10WT	10 port 2-pos valve, replacement	1/16*.4mm, 350C/300psi gas, N60/T	96,100
DC4UW	4 port 2-pos valve, replacement	1/16*.75mm, 75C/5000psi liq, N60/H	87,400
DC4UWE	4 port 2-pos valve, replacement	1/16*.75mm, 225C/400psi gas, N60/E	80,200
DC4UWT	4 port 2-pos valve, replacement	1/16*.75mm, 330C/300psi gas, N60/T	80,200
DC4W	4 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	80,200
DC4WE	4 port 2-pos valve, replacement	1/16*.4mm, 225C/400psi gas, N60/E	80,200
DC4WT	4 port 2-pos valve, replacement	1/16*.4mm, 350C/300psi gas, N60/T	80,200
DC6UW	6 port 2-pos valve, replacement	1/16*.75mm, 75C/5000psi liq, N60/H	95,400

DC6UWE	6 port 2-pos valve, replacement	1/16*.75mm, 225C/400psi gas, N60/E	88,200
DC6UWT	6 port 2-pos valve, replacement	1/16*.75mm, 330C/300psi gas, N60/T	88,200
DC6W	6 port 2-pos valve, K-hole, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	88,200
DC6WE	6 port 2-pos valve, replacement	1/16*.4mm, 225C/400psi gas, N60/E	88,200
DC6WT	6 port 2-pos valve, replacement	1/16*.4mm, 350C/300psi gas, N60/T	88,200
DC8UW	8 port 2-pos valve, replacement	1/16*.75mm, 75C/5000psi liq, N60/H	89,600
DC8UWE	8 port 2-pos valve, replacement	1/16*.75mm, 225C/400psi gas, N60/E	96,100
DC8UWT	8 port 2-pos valve, replacement	1/16*.75mm, 330C/300psi gas, N60/T	96,100
DC8W	8 port 2-pos valve, replacement	1/16*.4mm, 75C/5000psi liq, N60/H	96,100
DC8WE	8 port 2-pos valve, replacement	1/16*.4mm, 225C/400psi gas, N60/E	96,100
DC8WT	8 port 2-pos valve, replacement	1/16*.4mm, 350C/300psi gas, N60/T	96,100
DCI4UW.2	4 port 2-pos int vol valve, replacement	1/16*.75mm, 75C/5000psi liq, .2ul, N60/H	94,700
DCI4UW.5	4 port 2-pos int vol valve, replacement	1/16*.75mm, 75C/5000psi liq, .5ul, N60/H	94,700
DCI4UW1	4 port 2-pos int vol valve, replacement	1/16*.75mm, 75C/5000psi liq, 1ul, N60/H	94,700
DCI4UW2	4 port 2-pos int vol valve, replacement	1/16*.75mm, 75C/5000psi liq, 2ul, N60/H	94,700
DCI4UWE.2	4 port 2-pos int vol valve, replacement	1/16*.75mm, 175C/1000psi liq, .2ul, N60/E	87,400
DCI4UWE.5	4 port 2-pos int vol valve, replacement	1/16*.75mm, 175C/1000psi liq, .5ul, N60/E	87,400
DCI4UWE1	4 port 2-pos int vol valve, replacement	1/16*.75mm, 175C/1000psi liq, 1ul, N60/E	87,400
DCI4UWE2	4 port 2-pos int vol valve, replacement	1/16*.75mm, 175C/1000psi liq, 2ul, N60/E	87,400
DCI4W.06	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/5000psi liq, .06ul, N60/H	87,400
DCI4W.1	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/5000psi liq, .1ul, N60/H	87,400
DCI4W.2	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/5000psi liq, .2ul, N60/H	87,400
DCI4W.5	4 port 2-pos int vol valve, replacement	1/16*.4mm, 75C/5000psi liq, .5ul, N60/H	87,400
DCI4WE.06	4 port 2-pos int vol valve, replacement	1/16*.4mm, 175C/1000psi liq, .06ul, N60/E	87,400
DCI4WE.1	4 port 2-pos int vol valve, replacement	1/16*.4mm, 175C/1000psi liq, .1ul, N60/E	87,400
DCI4WE.2	4 port 2-pos int vol valve, replacement	1/16*.4mm, 175C/1000psi liq, .2ul, N60/E	87,400
DCI4WE.5	4 port 2-pos int vol valve, replacement	1/16*.4mm, 175C/1000psi liq, .5ul, N60/E	87,400
DCSC10MWE	10 mpos common outlet path, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	118,000
DCSC12MWE	12 mpos common outlet path, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	130,000
DCSC16MWE	16 mpos common outlet path, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	130,000
DCSC6MWE	6 mpos common outlet path, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	113,000
DCSD10MWE	10 mpos dead-end path, MW, replacement	1/16*.75mm, 200C/400psi gas, N60/E	114,000
DCSD10UW	10 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, N60/E	121,000
DCSD12MWE	12 mpos dead-end path, MW, replacement	1/16*.75mm, 200C/400psi gas, N60/E	125,000
DCSD16MWE	16 mpos dead-end path, MW, replacement	1/16*.75mm, 200C/400psi gas, N60/E	125,000
DCSD4UW	4 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, N60/E	101,000
DCSD6MWE	6 mpos dead-end path, MW, replacement	1/16*.75mm, 200C/400psi gas, N60/E	102,000

DCSD6UW	6 mpos dead-end path, replacement	1/16*.4mm, 75C/5000psi liq, N60/E	116,000
DCSF10MWE	10 mpos flow-through, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	136,000
DCSF12MWE	12 mpos flow-through, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	147,000
DCSF16MWE	16 mpos flow-through, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	147,000
DCSF6MWE	6 mpos flow-through, MW, replacement	1/16*1mm, 200C/200psi gas, N60/E	123,000
DCST10MWE	10 mpos trapping path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	136,000
DCST12MWE	12 mpos trapping path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	147,000
DCST16MWE	16 mpos trapping path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	147,000
DCST4UW	4 mpos trapping path, replacement	1/16*.4mm, 75C/5000psi liq, N60/E	114,000
DCST6MWE	6 mpos trapping path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	131,000
DCST6UW	6 mpos trapping path, replacement	1/16*.4mm, 75C/5000psi liq, N60/E	122,000
DCSTF10MWE	10 mpos trap/flow path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	141,000
DCSTF12MWE	12 mpos trap/flow path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	152,000
DCSTF16MWE	16 mpos trap/flow path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	152,000
DCSTF6MWE	6 mpos trap/flow path, MW, replacement	1/16*.75mm, 200C/200psi gas, N60/E	128,000
DI4UWE.2	4 port 2-pos int vol valve, replacement	1/8*.75mm, 175C/1000psi liq, .2ul, N60/E	87,400
DI4UWE.5	4 port 2-pos int vol valve, replacement	1/8*.75mm, 175C/1000psi liq, .5ul, N60/E	87,400
DI4UWE1	4 port 2-pos int vol valve, replacement	1/8*.75mm, 175C/1000psi liq, 1ul, N60/E	87,400
DI4UWE2	4 port 2-pos int vol valve, replacement	1/8*.75mm, 175C/1000psi liq, 2ul, N60/E	87,400
DL10UW	10 port 2-pos valve, replacement	1/8*1.0mm, 75C/5000psi liq, N60/H	89,000
DL4UW	4 port 2-pos valve, replacement	1/8*1.7mm, 75C/5000psi liq, N60/H	95,400
DL6UW	6 port 2-pos valve, replacement	1/8*1.7mm, 75C/5000psi liq, N60/H	89,600
DL8UW	8 port 2-pos valve, replacement	1/8*1.3mm, 75C/5000psi liq, N60/H	112,000
DN10WE	10 port 2-pos valve, replacement	1/32*.25mm, 225C/400psi gas, N60/E	91,300
DN10WT	10 port 2-pos valve, replacement	1/32*.25mm, 350C/300psi gas, N60/T	91,300
DN4WE	4 port 2-pos valve, replacement	1/32*.25mm, 225C/400psi gas, N60/E	98,300
DN4WT	4 port 2-pos valve, replacement	1/32*.25mm, 350C/300psi gas, N60/T	98,300
DN6WE	6 port 2-pos valve, replacement	1/32*.25mm, 225C/400psi gas, N60/E	114,000
DN6WT	6 port 2-pos valve, replacement	1/32*.25mm, 350C/300psi gas, N60/T	114,000
DN8WE	8 port 2-pos valve, replacement	1/32*.25mm, 225C/400psi gas, N60/E	91,300
DN8WT	8 port 2-pos valve, replacement	1/32*.25mm, 350C/300psi gas, N60/T	91,300
DNI4WE.06	4 port 2-pos int vol valve, replacement	1/32*.25mm, 175C/1000psi liq, .06ul,N60/E	113,000
DNI4WE.1	4 port 2-pos int vol valve, replacement	1/32*.25mm, 175C/1000psi liq, .1ul,N60/E	113,000
DNI4WE.2	4 port 2-pos int vol valve, replacement	1/32*.25mm, 175C/1000psi liq, .2ul,N60/E	113,000
DNI4WE.5	4 port 2-pos int vol valve, replacement	1/32*.25mm, 175C/1000psi liq, .5ul,N60/E	113,000
DSC10MWE	10 mpos common outlet path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	118,000
DSC12MWE	12 mpos common outlet path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	130,000

DSC16MWE	16 mpos common outlet path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	130,000
DSC6MWE	6 mpos common outlet path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	113,000
DSD10MWE	10 mpos dead-end path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	114,000
DSD12MWE	12 mpos dead-end path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	125,000
DSD16MWE	16 mpos dead-end path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	134,000
DSD4UW	4 mpos dead-end path, replacement	1/8*.75mm, 75C/5000psi liq, N60/E	101,000
DSD6MWE	6 mpos dead-end path, MW, replacement	1/8*1mm, 200C/400psi gas, N60/E	102,000
DSD6UW	6 mpos dead-end path, replacement	1/8*.75mm, 75C/5000psi liq, N60/E	116,000
DSD8UW	8 mpos dead-end path, replacement	1/8*.75mm, 75C/5000psi liq, N60/E	129,000
DSF10MWE	10 mpos flow-through, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	136,000
DSF12MWE	12 mpos flow-through, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	147,000
DSF16MWE	16 mpos flow-through, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	147,000
DSF6MWE	6 mpos flow-through, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	123,000
DST10MWE	10 mpos trapping path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	136,000
DST12MWE	12 mpos trapping path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	147,000
DST16MWE	16 mpos trapping path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	147,000
DST6MWE	6 mpos trapping path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	123,000
DSTF10MWE	10 mpos trap/flow path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	141,000
DSTF12MWE	12 mpos trap/flow path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	152,000
DSTF16MWE	16 mpos trap/flow path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	152,000
DSTF6MWE	6 mpos trap/flow path, MW, replacement	1/8*1mm, 200C/200psi gas, N60/E	128,000
DV12-1110	Mini diaphragm 10 port 2-pos valve	1/32*.25mm, 175C/300psi liq, N60/Polyimide	203,000
DV12-1114-.5	Mini diaphragm 4 port 2-pos int/vol valve	1/32*.25mm, 50C/750psi liq., N60/Polyimide, .5u	181,000
DV12-1114-1	Mini diaphragm 4 port 2-pos int/vol valve	1/32*.25mm, 50C/750psi liq., N60/Polyimide, 1u	181,000
DV12-1116	Mini diaphragm 6 port 2-pos valve	1/32*.25mm, 175C/300psi liq, N60/Polyimide	174,000
DV22-2110	Mini diaphragm 10 port 2-pos valve	1/16*.4mm, 175C/300psi gas, N60/Polyimide	174,000
DV22-2114-.5	Mini diaphragm 4 port 2-pos int/vol valve	1/16*.4mm, 50C/750psi liq, N60/Polyimide, .5ul	157,000
DV22-2114-1	Mini diaphragm 4 port 2-pos int/vol valve	1/16*.4mm, 50C/750psi liq, N60/Polyimide, 1ul	157,000
DV22-2116	Mini diaphragm 6 port 2-pos valve	1/16*.4mm, 175C/300psi gas, N60/Polyimide	150,000
DV22-21D	Diaphragm, replacement, 6/10 port, Polyimide	for valve bore 0.25 and 0.40 mm	11,600
DV22-22D	Diaphragm, replacement, 6/10 port, Teflon		0 9,400
DV22-3110	Mini diaphragm 10 port 2-pos valve	1/16*.75mm, 175C/300psi gas, N60/Polyimide	182,000
DV22-3114-.5	Mini diaphragm 4 port 2-pos int/vol valve	1/16*.75mm, 50C/750psi liq, N60/Polyimide, .5u	157,000
DV22-3114-1	Mini diaphragm 4 port 2-pos int/vol valve	1/16*.75mm, 50C/750psi liq, N60/Polyimide, 1ul	157,000
DV22-3116	Mini diaphragm 6 port 2-pos valve	1/16*.75mm, 175C/300psi gas, N60/Polyimide	158,000
DV22-31D	Diaphragm, replacement, 6/10 port, Polyimide	for valve bore 0.75 mm	12,300
DV22-PURGE	Purge ring for DV22		0 11,600

DVBRKIT	Mounting kit for diaphragm valves	includes SABB, CR4 and screws	2,900
DVI-110	Digital valve interface, 110Vac	Non-CE !!!	37,600
DVI-220	Digital valve interface, 220Vac	Non-CE !!!	37,600
DVL4MWE2	4 port 2-pos valve, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	151,000
DVL6MWE2	6 port 2-pos valve, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	159,000
DVL8MWE2	8 port 2-pos valve, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	167,000
DVLSC4MWE2	4 mpos common outlet path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	169,000
DVLSC6MWE2	6 mpos common outlet path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	177,000
DVLSC8MWE2	8 mpos common outlet path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	190,000
DVLSD10MWE2	10 mpos dead-end path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	185,000
DVLSD4MWE2	4 mpos dead-end path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	165,000
DVLSD6MWE2	6 mpos dead-end path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	185,000
DVLSD8MWE2	8 mpos dead-end path, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	185,000
DVLSF4MWE2	4 mpos flow-through, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	188,000
DVLSF6MWE2	6 mpos flow-through, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	157,000
DVLSF8MWE2	8 mpos flow-through, MW, replacement	1/4*4mm, 75C/100psi gas, N60/E2	208,000
EAOR21	External adaptor 1/8" to 10-32 thread	O-ring seal, SS	4,500
EAOR22	External adaptor 1/8" to 5/16-24 thread	O-ring seal, SS	4,500
EBRU12L	Bulkhead external red. union 1/8"*1/16"	1mm bore, SS	8,000
EBRU12L6	OBSOLETE, replaced by EBRU12L		0
EBRU12T	Bulkhead external red. union 1/8"*1/16"	1/16" through bore, SS	8,000
EBRU14L	Bulkhead external red. union 1/4"*1/16"	1mm bore, SS	8,900
EBRU14T	Bulkhead external red. union 1/4"*1/16"	1/16" through bore, SS	9,400
EBRU24L	Bulkhead external red. union 1/4"*1/8"	2mm bore, SS	9,400
EBU2L	Bulkhead external union 1/8"	2mm bore, SS	3,200
EBU2T	Bulkhead external union 1/8"	1/8" through bore, SS	6,400
EBU4	Bulkhead external union 1/4"	2mm bore, SS	7,800
EBU4L	Bulkhead external union 1/4"	4.6mm bore, SS	7,800
EBU4T	Bulkhead external union 1/4"	1/4" through bore, SS	7,800
ECEF111.0	External column end fitting 1/16"	.25mm bore 1mm cone, without frit, 316SS	2,600
ECEF111.0F	External column end fitting 1/16"	.25mm bore 1mm cone, removable 2um frit, 316L	5,500
ECEF1K1	External column end fitting 1"*1/16"	.75mm bore, 20mm cone, without frit, 316SS	22,900
ECEF1K1F	External column end fitting 1"*1/16"	.75mm bore 20mm cone, removable 2um frit, 316L	23,500
ECEF211.0	External column end fitting 1/8"*1/16"	.25mm bore 1mm cone, without frit, 316SS	2,500
ECEF211.0F	External column end fitting 1/8"*1/16"	.25mm bore 1mm cone, removable 2um frit, 316L	5,200
ECEF412.1	External column end fitting 1/4"*1/16"	.4mm bore 2.1mm cone,without frit, 316SS	2,200
ECEF412.1F	External column end fitting 1/4"*1/16"	.4mm bore 2.1mm cone,removable 2um frit, 316L	2,600

ECEF413.0	External column end fitting 1/4"*1/16"	.4mm bore, 3mm cone, without frit, 316SS	5,000
ECEF413.0F	External column end fitting 1/4"*1/16"	.4mm bore 3mm cone, removable 2um frit, 316SS	5,200
ECEF414.0	External column end fitting 1/4"*1/16"	.4mm bore 4mm cone, without frit, 316SS	5,000
ECEF414.0F	External column end fitting 1/4"*1/16"	.4mm bore 4mm cone, removable 2um frit, 316SS	5,200
ECEF414.6	External column end fitting 1/4"*1/16"	.4mm bore 4.6mm cone,without frit, 316SS	2,200
ECEF414.6F	External column end fitting 1/4"*1/16"	.4mm bore 4.6mm cone,removable 2um frit,316SS	2,600
ECEF616.0	External column end fitting 3/8"*1/16"	.35mm bore 6mm cone, without frit, 316SS	5,500
ECEF616.0F	External column end fitting 3/8"*1/16"	.35mm bore 6mm cone, removable 2um frit, 316SS	6,200
ECEF617.0	External column end fitting 3/8"*1/16"	.4mm bore 7mm cone, without frit, 316SS	3,900
ECEF617.0F	External column end fitting 3/8"*1/16"	.4mm bore 7mm cone, removable 2um frit, 316SS	7,700
ECEF8110.0	External column end fitting 1/2"*1/16"	.75mm bore 10mm cone, without frit, 316SS	4,200
ECEF8110.0F	External column end fitting 1/2"*1/16"	.75mm bore 10mm cone, removable 2um frit, 316SS	4,500
ECEF819.0	External column end fitting 1/2"*1/16"	.75mm bore 9mm cone, without frit, 316SS	8,000
ECEF819.0F	External column end fitting 1/2"*1/16"	.75mm bore 9mm cone, removable 2um frit, 316SS	8,600
ED	Micro electric actuator 2-pos, closemount	medium torque 24Vdc, w.110/220Vac p-supply	122,000
ED10UW	10 port 2-pos valve, m-electric	1/8*.75mm, 75C/5000psi liq, N60/H	225,000
ED2	Micro electric actuator 2-pos/2"so	medium torque 24Vdc, w.110/220Vac p-supply	122,000
ED2CI4UWE.2	4 port 2-pos int vol valve, m-elect/2"so	1/16*.75mm,175C/1000psi liq, .2ul, N60/E	209,000
ED2CI4UWE.5	4 port 2-pos int vol valve, m-elect/2"so	1/16*.75mm,175C/1000psi liq, .5ul, N60/E	209,000
ED2CI4UWE1	4 port 2-pos int vol valve, m-elect/2"so	1/16*.75mm, 175C/1000psi liq, 1ul, N60/E	209,000
ED2CI4UWE2	4 port 2-pos int vol valve, m-elect/2"so	1/16*.75mm,175C/1000psi liq, 2ul, N60/E	209,000
ED2I4UWE.2	4 port 2-pos int vol valve, m-elect/2"so	1/8*.75mm, 175C/1000psi liq, .2ul, N60/E	209,000
ED2I4UWE.5	4 port 2-pos int vol valve, m-elect/2"so	1/8*.75mm, 175C/1000psi liq, .5ul, N60/E	209,000
ED2I4UWE1	4 port 2-pos int vol valve, m-elect/2"so	1/8*.75mm, 175C/1000psi liq, 1ul, N60/E	209,000
ED2I4UWE2	4 port 2-pos int vol valve, m-elect/2"so	1/8*.75mm, 175C/1000psi liq, 2ul, N60/E	209,000
ED410UWE	10 port 2-pos valve, m-electric/4"so	1/8*.75mm, 225C/400psi gas, N60/E	174,000
ED410UWT	10 port 2-pos valve, m-electric/4"so	1/8*.75mm, 330C/300psi gas, N60/T	174,000
ED44UWE	4 port 2-pos valve, m-electric/4"so	1/8*.75mm, 225C/400psi gas, N60/E	202,000
ED44UWT	4 port 2-pos valve, m-electric/4"so	1/8*.75mm, 330C/300psi gas, N60/T	202,000
ED46UWE	6 port 2-pos valve, m-electric/4"so	1/8*.75mm, 225C/400psi gas, N60/E	210,000
ED46UWT	6 port 2-pos valve, m-electric/4"so	1/8*.75mm, 330C/300psi gas, N60/T	210,000
ED48UWE	8 port 2-pos valve, m-electric/4"so	1/8*.75mm, 225C/400psi gas, N60/E	174,000
ED48UWT	8 port 2-pos valve, m-electric/4"so	1/8*.75mm, 330C/300psi gas, N60/T	174,000
ED4C10UWE	10 port 2-pos valve, m-electric/4"so	1/16*.75mm, 225C/400psi gas, N60/E	174,000
ED4C10UWT	10 port 2-pos valve, m-electric/4"so	1/16*.75mm, 330C/300psi gas, N60/T	218,000
ED4C4UWE	4 port 2-pos valve, m-electric/4"so	1/16*.75mm, 225C/400psi gas, N60/E	202,000
ED4C4UWT	4 port 2-pos valve, m-electric/4"so	1/16*.75mm, 330C/300psi gas, N60/T	202,000

ED4C6UWE	6 port 2-pos valve, m-electric/4"so	1/16*.75mm, 225C/400psi gas, N60/E	210,000
ED4C6UWT	6 port 2-pos valve, m-electric/4"so	1/16*.75mm, 330C/300psi gas, N60/T	210,000
ED4C8UWE	8 port 2-pos valve, m-electric/4"so	1/16*.75mm, 225C/400psi gas, N60/E	218,000
ED4C8UWT	8 port 2-pos valve, m-electric/4"so	1/16*.75mm, 330C/300psi gas, N60/T	218,000
ED4UW	4 port 2-pos valve, m-electric	1/8*.75mm, 75C/5000psi liq, N60/H	223,000
ED6UW	6 port 2-pos valve, m-electric	1/8*.75mm, 75C/5000psi liq, N60/H	217,000
ED8UW	8 port 2-pos valve, m-electric	1/8*.75mm, 75C/5000psi liq, N60/H	225,000
EDC10UW	10 port 2-pos valve, m-electric	1/16*.75mm, 75C/5000psi liq, N60/H	225,000
EDC4UW	4 port 2-pos valve, m-electric	1/16*.75mm, 75C/5000psi liq, N60/H	181,000
EDC6UW	6 port 2-pos valve, m-electric	1/16*.75mm, 75C/5000psi liq, N60/H	217,000
EDC8UW	8 port 2-pos valve, m-electric	1/16*.75mm, 75C/5000psi liq, N60/H	225,000
EDCI4UW.2	4 port 2-pos int vol valve, m-electric	1/16*.75mm, 75C/5000psi liq, .2ul, N60/H	231,000
EDCI4UW.5	4 port 2-pos int vol valve, m-electric	1/16*.75mm, 75C/5000psi liq, .5ul, N60/H	188,000
EDCI4UW1	4 port 2-pos int vol valve, m-electric	1/16*.75mm, 75C/5000psi liq, 1ul, N60/H	173,000
EDCI4UW2	4 port 2-pos int vol valve, m-electric	1/16*.75mm, 75C/5000psi liq, 2ul, N60/H	173,000
EDL10UW	10 port 2-pos valve, m-electric	1/8*1.0mm, 75C/5000psi liq, N60/H	233,000
EDL4UW	4 port 2-pos valve, m-electric	1/8*1.7mm, 75C/5000psi liq, N60/H	174,000
EDL6UW	6 port 2-pos valve, m-electric	1/8*1.7mm, 75C/5000psi liq, N60/H	225,000
EDL8UW	8 port 2-pos valve, m-electric	1/8*1.3mm, 75C/5000psi liq, N60/H	233,000
EDS	Micro electric actuator 2-pos, for so	high torque 24Vdc, w.110/220Vac p-supply	116,000
EH	Micro electric actuator 2-pos, closemount	high speed 24Vdc, w.110/220Vac p-supply	113,000
EH2	Micro electric actuator 2-pos/2"so	high speed 24Vdc, w.110/220Vac p-supply	113,000
EH4C10WE	10 port 2-pos valve, m-electric/4"so	1/16*.4mm, 225C/400psi gas, N60/E	209,000
EH4C10WT	10 port 2-pos valve, m-electric/4"so	1/16*.4mm, 350C/300psi gas, N60/T	209,000
EH4C4WE	4 port 2-pos valve, m-electric/4"so	1/16*.4mm, 225C/400psi gas, N60/E	193,000
EH4C4WT	4 port 2-pos valve, m-electric/4"so	1/16*.4mm, 350C/300psi gas, N60/T	193,000
EH4C6WE	6 port 2-pos valve, m-electric/4"so	1/16*.4mm, 225C/400psi gas, N60/E	201,000
EH4C6WT	6 port 2-pos valve, m-electric/4"so	1/16*.4mm, 350C/300psi gas, N60/T	201,000
EH4C8WE	8 port 2-pos valve, m-electric/4"so	1/16*.4mm, 225C/400psi gas, N60/E	209,000
EH4C8WT	8 port 2-pos valve, m-electric/4"so	1/16*.4mm, 350C/300psi gas, N60/T	209,000
EH4N10WT	10 port 2-pos valve, m-electric/4"so	1/32*.25mm, 350C/300psi gas, N60/T	227,000
EH4N4WT	4 port 2-pos valve, m-electric/4"so	1/32*.25mm, 350C/300psi gas, N60/T	211,000
EH4N6WT	6 port 2-pos valve, m-electric/4"so	1/32*.25mm, 350C/300psi gas, N60/T	219,000
EH4N8WT	8 port 2-pos valve, m-electric/4"so	1/32*.25mm, 350C/300psi gas, N60/T	227,000
EHS	Micro electric actuator 2-pos, for so	high speed 24Vdc, w.110/220Vac p-supply	107,000
EMH2-CE	Micro electric actuator mpos, 2"so	high speed 24Vdc, w. 110/220Vac p-supply	158,000
EMH-CE	Micro electric actuator mpos, closemount	high speed 24Vdc, w. 110/220Vac p-supply	148,000

EMHS-CE	Micro electric actuator mpos, for so	high speed 24Vdc, w. 110/220Vac p-supply	151,000
EMT2-CE	Micro electric actuator mpos, 2"so	high torque 24Vdc, w.110/220Vac p-supply	157,000
EMT2CSC10MWE	10 mpos common outlet path, MW, m-elect/2"so	1/16*1mm, 200C/200psi gas, N60/E	275,000
EMT2CSC12MWE	12 mpos common outlet path, MW, m-elect/2"so	1/16*1mm, 200C/200psi gas, N60/E	286,000
EMT2CSC16MWE	16 mpos common outlet path, MW, m-elect/2"so	1/16*1mm, 200C/200psi gas, N60/E	286,000
EMT2CSC6MWE	6 mpos common outlet path, MW, m-elect/2"so	1/16*1mm, 200C/200psi gas, N60/E	280,000
EMT2CSD10MWE	10 mpos dead-end path, MW, m-elect/2"so	1/16*.75mm, 200C/400psi gas, N60/E	271,000
EMT2CSD12MWE	12 mpos dead-end path, MW, m-elect/2"so	1/16*.75mm, 200C/400psi gas, N60/E	245,000
EMT2CSD16MWE	16 mpos dead-end path, MW, m-elect/2"so	1/16*.75mm, 200C/400psi gas, N60/E	245,000
EMT2CSD6MWE	6 mpos dead-end path, MW, m-elect/2"so	1/16*.75mm, 200C/400psi gas, N60/E	258,000
EMT2CSF10MWE	10 mpos flow-through, MW, m-elect/2"so	1/16*1mm, 200C/200psi gas, N60/E	292,000
EMT2CSF12MWE	12 mpos flow-through, MW, m-elect/2"so	1/16*1mm, 200C/200psi gas, N60/E	304,000
EMT2CSF16MWE	16 mpos flow-through, MW, m-elect/2"so	1/16*1mm, 200C/200psi gas, N60/E	304,000
EMT2CSF6MWE	6 mpos flow-through, MW, m-elect/2"so	1/16*1mm, 200C/200psi gas, N60/E	224,000
EMT2CST10MWE	10 mpos trapping path, MW, m-elect/2"so	1/16*.75mm, 200C/200psi gas, N60/E	292,000
EMT2CST12MWE	12 mpos trapping path, MW, m-elect/2"so	1/16*.75mm, 200C/200psi gas, N60/E	304,000
EMT2CST16MWE	16 mpos trapping path, MW, m-elect/2"so	1/16*.75mm, 200C/200psi gas, N60/E	304,000
EMT2CST6MWE	6 mpos trapping path, MW, m-elect/2"so	1/16*.75mm, 200C/200psi gas, N60/E	224,000
EMT2CSTF10MWE	10 mpos trap/flow path, MW, m-elect/2"so	1/16*.75mm, 200C/200psi gas, N60/E	297,000
EMT2CSTF12MWE	12 mpos trap/flow path, MW, m-elect/2"so	1/16*.75mm, 200C/200psi gas, N60/E	309,000
EMT2CSTF16MWE	16 mpos trap/flow path, MW, m-elect/2"so	1/16*.75mm, 200C/200psi gas, N60/E	309,000
EMT2CSTF6MWE	6 mpos trap/flow path, MW, m-elect/2"so	1/16*.75mm, 200C/200psi gas, N60/E	285,000
EMT2SC10MWE	10 mpos common outlet path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	275,000
EMT2SC12MWE	12 mpos common outlet path, MW,m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	286,000
EMT2SC16MWE	16 mpos common outlet path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	286,000
EMT2SC6MWE	6 mpos common outlet path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	210,000
EMT2SD10MWE	10 mpos dead-end path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	271,000
EMT2SD12MWE	12 mpos dead-end path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	245,000
EMT2SD16MWE	16 mpos dead-end path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	282,000
EMT2SD6MWE	6 mpos dead-end path, MW, m-elect/2"so	1/8*1mm, 200C/400psi gas, N60/E	258,000
EMT2SF10MWE	10 mpos flow-through, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	292,000
EMT2SF12MWE	12 mpos flow-through, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	304,000
EMT2SF16MWE	16 mpos flow-through, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	304,000
EMT2SF6MWE	6 mpos flow-through, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	224,000
EMT2ST10MWE	10 mpos trapping path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	253,000
EMT2ST12MWE	12 mpos trapping path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	304,000
EMT2ST16MWE	16 mpos trapping path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	304,000

EMT2ST6MWE	6 mpos trapping path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	224,000
EMT2STF10MWE	10 mpos trap/flow path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	297,000
EMT2STF12MWE	12 mpos trap/flow path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	309,000
EMT2STF16MWE	16 mpos trap/flow path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	309,000
EMT2STF6MWE	6 mpos trap/flow path, MW, m-elect/2"so	1/8*1mm, 200C/200psi gas, N60/E	285,000
EMT2VLSC4MWE2	4 mpos common outlet path, MW, m-elect/2"so	1/4*4mm, 75C/100psi gas, N60/E2	326,000
EMT2VLSC6MWE2	6 mpos common outlet path, MW, m-elect/2"so	1/4*4mm, 75C/100psi gas, N60/E2	334,000
EMT2VLSC8MWE2	8 mpos common outlet path, MW, m-elect/2"so	1/4*4mm, 75C/100psi gas, N60/E2	277,000
EMT2VLSD10MWE2	10 mpos dead-end path, MW, m-elect/2"so	1/4*4mm, 75C/100psi gas, N60/E2	274,000
EMT2VLSD4MWE2	4 mpos dead-end path, MW, m-elect/2"so	1/4*4mm, 75C/100psi gas, N60/E2	322,000
EMT2VLSD6MWE2	6 mpos dead-end path, MW, m-elect/2"so	1/4*4mm, 75C/100psi gas, N60/E2	330,000
EMT2VLSD8MWE2	8 mpos dead-end path, MW, m-elect/2"so	1/4*4mm, 75C/100psi gas, N60/E2	274,000
EMT2VLSF4MWE2	4 mpos flow-through, MW, m-elect/2"so	1/4*4mm, 75C/100psi gas, N60/E2	276,000
EMT2VLSF6MWE2	6 mpos flow-through, MW, m-elect/2"so	1/4*4mm, 75C/100psi gas, N60/E2	282,000
EMT2VLSF8MWE2	8 mpos flow-through, MW, m-elect/2"so	1/4*4mm, 75C/100psi gas, N60/E2	390,000
EMT-CE	Micro electric actuator mpos, closemount	high torque 24Vdc, w.110/220Vac p-supply	168,000
EMTCSD10UW	10 mpos dead-end path, m-electric	1/16*.4mm, 75C/5000psi liq, N60/E	278,000
EMTCSD4UW	4 mpos dead-end path, m-electric	1/16*.4mm, 75C/5000psi liq, N60/E	258,000
EMTCSD6UW	6 mpos dead-end path, m-electric	1/16*.4mm, 75C/5000psi liq, N60/E	266,000
EMTCST4UW	4 mpos trapping path, m-electric	1/16*.4mm, 75C/5000psi liq, N60/E	271,000
EMTCST6UW	6 mpos trapping path, m-electric	1/16*.4mm, 75C/5000psi liq, N60/E	297,000
EMTS-CE	Micro electric actuator mpos, for so	high torque 24Vdc, w.110/220Vac p-supply	151,000
EMTSD4UW	4 mpos dead-end path, m-electric	1/8*.75mm, 75C/5000psi liq, N60/E	258,000
EMTSD6UW	6 mpos dead-end path, m-electric	1/8*.75mm, 75C/5000psi liq, N60/E	266,000
EMTSD8UW	8 mpos dead-end path, m-electric	1/8*.75mm, 75C/5000psi liq, N60/E	278,000
EN.5	External nut 1/32", hex	SS	630
EN.5KN	External nut 1/32", knurled	SS	690
EN1	External nut 1/16", hex	SS	400
EN1K	External nut 1", hex	SS	4,500
EN2	External nut 1/8", hex	SS	400
EN2SI	Septum injector nut, 1/8" connection	with polyimide support and 1/4" septum	3,400
EN4	External nut 1/4", hex	SS	400
EN6	External nut 3/8", hex	SS	1,100
EN8	External nut 1/2", hex	SS	1,900
EP	Micro electric actuator 2-pos, closemount	medium torque 24Vdc, w.110/220Vac p-supply	113,000
EP2	Micro electric actuator 2-pos/2"so	medium torque 24Vdc, w.110/220Vac p-supply	113,000
EP2CI4WE.06	4 port 2-pos int vol valve, m-elect/2"so	1/16*.4mm, 175C/1000psi liq, .06ul N60/E	201,000

EP2CI4WE.1	4 port 2-pos int vol valve, m-elect/2"so	1/16*.4mm, 175C/1000psi liq, .1ul N60/E	201,000
EP2CI4WE.2	4 port 2-pos int vol valve, m-elect/2"so	1/16*.4mm, 175C/1000psi liq, .2ul N60/E	201,000
EP2CI4WE.5	4 port 2-pos int vol valve, m-elect/2"so	1/16*.4mm, 175C/1000psi liq, .5ul N60/E	201,000
EP2NI4WE.06	4 port 2-pos int vol valve, m-elect/2"so	1/32*.25mm, 175C/1000psi liq, .06ul,N60/E	219,000
EP2NI4WE.1	4 port 2-pos int vol valve, m-elect/2"so	1/32*.25mm, 175C/1000psi liq, .1ul,N60/E	219,000
EP2NI4WE.2	4 port 2-pos int vol valve, m-elect/2"so	1/32*.25mm, 175C/1000psi liq, .2ul,N60/E	219,000
EP2NI4WE.5	4 port 2-pos int vol valve, m-elect/2"so	1/32*.25mm, 175C/1000psi liq, .5ul,N60/E	219,000
EPC10W	10 port 2-pos valve, m-electric	1/16*.4mm, 75C/5000psi liq, N60/H	209,000
EPC4W	4 port 2-pos valve, m-electric hi-psi	1/16*.4mm, 75C/5000psi liq, N60/H	155,000
EPC6W	6 port 2-pos valve, m-electric hi-psi	1/16*.4mm, 75C/5000psi liq, N60/H	201,000
EPC8W	8 port 2-pos valve, m-electric hi-psi	1/16*.4mm, 75C/5000psi liq, N60/H	209,000
EPCI4W.06	4 port 2-pos int vol valve, m-elect, hi-psi	1/16*.4mm, 75C/5000psi liq, .06ul, N60/H	201,000
EPCI4W.1	4 port 2-pos int vol valve, m-elect, hi-psi	1/16*.4mm, 75C/5000psi liq, .1ul, N60/H	201,000
EPCI4W.2	4 port 2-pos int vol valve, m-elect, hi-psi	1/16*.4mm, 75C/5000psi liq, .2ul, N60/H	201,000
EPCI4W.5	4 port 2-pos int vol valve, m-elect, hi-psi	1/16*.4mm, 75C/5000psi liq, .5ul, N60/H	201,000
EPS	Micro electric actuator 2-pos, for so	medium torque 24Vdc, w.110/220Vac p-supply	107,000
EQ	Micro electric actuator 2-pos, closemount	highest speed 24Vdc, w.110/220Vac p-supply	113,000
EQ2	Micro electric actuator 2-pos/2"so	highest speed 24Vdc, w.110/220Vac p-supply	113,000
EQS	Micro electric actuator 2-pos, for so	highest speed 24Vdc, w.110/220Vac p-supply	107,000
ERU21	External reducing union 1/8"*1/16"	.75mm bore, SS	3,200
ERU21L	External reducing union 1/8"*1/16"	1mm bore, SS	6,400
ERU21T	External reducing union 1/8"*1/16"	1/16" through bore, SS	3,200
ERU41	External reducing union 1/4"*1/16"	.75mm bore, SS	7,400
ERU41T	External reducing union 1/4"*1/16"	1/16" through bore, SS	7,400
ERU42	External reducing union 1/4"*1/8"	0.75mm bore, SS	7,800
ERU42L	External reducing union 1/4"*1/8"	2mm bore, SS	7,800
ERU42T	External reducing union 1/4"*1/8"	1/8" through bore, SS	7,400
ET	Micro electric actuator 2-pos, closemount	highest torque 24Vdc, w.110/220Vac p-supply	122,000
ET2	Micro electric actuator 2-pos/2"so	highest torque 24Vdc, w.110/220Vac p-supply	122,000
ET4VL4MWE2	4 port 2-pos valve, MW, m-electric/4"so	1/4*4mm, 75C/100psi gas, N60/E2	273,000
ET4VL6MWE2	6 port 2-pos valve, MW, m-electric/4"so	1/4*4mm, 75C/100psi gas, N60/E2	243,000
ET4VL8MWE2	8 port 2-pos valve, MW, m-electric/4"so	1/4*4mm, 75C/100psi gas, N60/E2	289,000
ETS	Micro electric actuator 2-pos, for so	highest torque 24Vdc, w.110/220Vac p-supply	116,000
EU.5	External union 1/32"	.25mm bore, SS	3,900
EU.5L	External union 1/32"	.50mm bore, SS	3,900
EU.5T	External union 1/32"	1/32" through bore, SS	3,800
EU2	External union 1/8"	1mm bore, SS	4,700

EU2L	External union 1/8"	2mm bore, SS	4,700
EU2T	External union 1/8"	1/8" through bore, SS	4,700
EU4	External union 1/4"	2mm bore, SS	5,900
EU4L	External union 1/4"	4.6mm bore, SS	5,900
EU4T	External union 1/4"	1/4" through bore, SS	5,900
EUD	Universal actuator, no interface, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	120,000
EUDA	Universal actuator, RS-232/485, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	128,000
EUDB	Universal actuator, USB, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	128,000
EUDC	Universal actuator, BCD, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	128,000
EUH	Universal actuator, no interface, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	116,000
EUHA	Universal actuator, RS-232/485, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	125,000
EUHB	Universal actuator, USB, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	125,000
EUHC	Universal actuator, BCD, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	133,000
EUT	Universal actuator, no interface, no clamp ring	high torque 24Vdc, w.110/220Vac p-supply	123,000
EUTA	Universal actuator, RS-232/485, no clamp ring	high torque 24Vdc, w.110/220Vac p-supply	131,000
EUTB	Universal actuator, USB, no clamp ring	high torque 24Vdc, w.110/220Vac p-supply	140,000
EUTC	Universal actuator, BCD, no clamp ring	high torque 24Vdc, w.110/220Vac p-supply	131,000
EZA1	Ext./int. adapter 1/16"*1/16", SS		0 5,000
EZA2	Ext./int. adapter 1/8"*1/8", SS		0 5,000
EZBRU.51	Bulkhead ext/int red. union 1/16"*1/32"	.25mm bore, SS	5,800
EZBRU.51L	Bulkhead ext/int red. union 1/16"*1/32"	.5mm bore, SS	10,700
EZBRU.51T	Bulkhead ext/int red. union 1/16"*1/32"	1/32" through bore, SS	10,700
EZBRU1.5L	Bulkhead ext/int red. union 1/16"*1/32"	.5mm bore, SS	12,200
EZBRU1.5T	Bulkhead ext/int red. union 1/16"*1/32"	1/32" through bore, SS	12,200
EZBRU2.5L	Bulkhead ext/int red. union 1/8"*1/32"	.5mm bore, SS	12,200
EZBRU2.5T	Bulkhead ext/int red. union 1/8"*1/32"	1/32" through bore, SS	12,200
EZBRU21	Bulkhead ext/int red. union 1/8"*1/16"	.75mm bore, SS	3,800
EZBRU21T	Bulkhead ext/int red. union 1/8"*1/16"	1/16" through bore, SS	3,800
EZBRU41	Bulkhead ext/int red. union 1/4"*1/16"	.75mm bore, SS	8,000
EZBRU41T	Bulkhead ext/int red. union 1/4"*1/16"	1/16" through bore, SS	7,500
EZBRU42	Bulkhead ext/int red. union 1/4"*1/8"	1mm bore, SS	8,600
EZBRU42L	Bulkhead ext/int red. union 1/4"*1/8"	2mm bore, SS	8,600
EZBRU42T	Bulkhead ext/int red. union 1/4"*1/8"	1/8" through bore, SS	8,600
EZBU1	Bulkhead ext./int union 1/16"	.75mm bore, SS	4,200
EZBU1C	Bulkhead ext./int union 1/16"	.25mm bore, SS	5,100
EZBU1M	Bulkhead ext./int union 1/16"	.5mm bore, SS	5,100
EZBU1T	Bulkhead ext./int union 1/16"	1/16" through bore, SS	8,000

EZBU2	Bulkhead ext./int union 1/8"	1mm bore, SS	7,100
EZBU2L	Bulkhead ext./int union 1/8"	2mm bore, SS	7,100
EZBU2T	Bulkhead ext./int union 1/8"	1/8" through bore, SS	7,100
EZR1.5	Ext./int. reducing union 1/16"*1/32"	.25mm bore, SS	7,800
EZR1.5T	Ext./int. reducing union 1/16"*1/32"	1/32" through bore, SS	7,800
EZR2.5	Ext./int. reducing union 1/8"*1/32"	.25mm bore, SS	7,100
EZR21	Ext./int. reducing union 1/8"*1/16"	.50mm bore, SS	3,400
EZR21T	Ext./int. reducing union 1/8"*1/16"	1/16" through bore, SS	7,100
EZR41	Ext./int. reducing union 1/4"*1/16"	1mm bore, SS	7,800
EZR41T	Ext./int. reducing union 1/4"*1/16"	1/16" through bore, SS	7,800
EZR42	Ext./int. reducing union 1/4"*1/8"	1mm bore, SS	8,000
EZR42T	Ext./int. reducing union 1/4"*1/8"	1/8" through bore, SS	8,000
EZRF1.5KF-5	External reducing ferrule 1/16"*1/32"	CTFE, 5/pkg	7,100
EZRF1.5PK-5	External reducing ferrule 1/16"*1/32"	PEEK, 5/pkg	6,200
EZRF1.5TFG-5	External reducing ferrule 1/16"*1/32"	PTFE, Glass-filled 25%, 5/pkg	7,600
EZRF1.5V-5	External reducing ferrule 1/16"*1/32"	Polyimide, Valcon, 5/pkg	10,900
EZRF2.5KF-5	External reducing ferrule 1/8"*1/32"	CTFE, 5/pkg	6,200
EZRF2.5PK-5	External reducing ferrule 1/8"*1/32"	PEEK, 5/pkg	7,400
EZRF2.5TFG-5	External reducing ferrule 1/8"*1/32"	PTFE, Glass-filled 25%, 5/pkg	7,100
EZRF2.5V-5	External reducing ferrule 1/8"*1/32"	Polyimide, Valcon, 5/pkg	10,900
EZRF21KF-5	External reducing ferrule 1/8"*1/16"	CTFE, 5/pkg	7,100
EZRF21PK-5	External reducing ferrule 1/8"*1/16"	PEEK, 5/pkg	3,700
EZRF21TFG-5	External reducing ferrule 1/8"*1/16"	PTFE, Glass-filled 25%, 5/pkg	6,200
EZRF21V-5	External reducing ferrule 1/8"*1/16"	Polyimide, Valcon, 5/pkg	9,400
EZRF41KF-5	External reducing ferrule 1/4"*1/16"	CTFE, 5/pkg	9,400
EZRF41PK-5	External reducing ferrule 1/4"*1/16"	PEEK, 5/pkg	9,400
EZRF41TFG-5	External reducing ferrule 1/4"*1/16"	PTFE, Glass-filled 25%, 5/pkg	8,000
EZRF41V-5	External reducing ferrule 1/4"*1/16"	Poyimide, Valcon, 5/pkg	14,700
EZRF42KF-5	External reducing ferrule 1/4"*1/8"	CTFE, 5/pkg	9,400
EZRF42PK-5	External reducing ferrule 1/4"*1/8"	PEEK, 5/pkg	4,900
EZRF42TFG-5	External reducing ferrule 1/4"*1/8"	PTFE, Glass-filled 25%, 5/pkg	9,400
EZRF42V-5	External reducing ferrule 1/4"*1/8"	Polyimide, Valcon, 5/pkg	14,700
EZRU.51	Int./ext. reducing union 1/16"*1/32"	.25mm bore, SS	4,800
EZRU.51L	Int./ext. reducing union 1/16"*1/32"	.5mm bore, SS	8,900
EZRU.51T	Int./ext. reducing union 1/16"*1/32"	1/32" through bore, SS	8,900
EZRU1.5	Ext./int. reducing union 1/16"*1/32"	.25mm bore, SS	10,700
EZRU1.5L	Ext./int. reducing union 1/16"*1/32"	.5mm bore, SS	5,800

EZRU1.5T	Ext./int. reducing union 1/16"*1/32"	1/32" through bore, SS	10,700
EZRU2.5	Ext./int. reducing union 1/8"*1/32"	.25mm bore, SS	10,700
EZRU2.5L	Ext./int. reducing union 1/8"*1/32"	.5mm bore, SS	11,500
EZRU2.5T	Ext./int. reducing union 1/8"*1/32"	1/32" through bore, SS	11,500
EZRU21	Ext./int. reducing union 1/8"*1/16"	.75mm bore, SS	3,100
EZRU21C	Ext./int. reducing union 1/8"*1/16"	.25mm bore, SS	8,000
EZRU21T	Ext./int. reducing union 1/8"*1/16"	1/16" through bore, SS	6,100
EZRU41	Ext./Int. reducing unions 1/4"*1/16"	.75mm bore, SS	3,200
EZRU41C	Ext./Int. reducing unions 1/4"*1/16"	.25mm bore, SS	8,600
EZRU41T	Ext./Int. reducing unions 1/4"*1/16"	1/16" through bore, SS	6,400
EZRU42	Ext./int. reducing union 1/4"*1/8"	1mm bore, SS	7,100
EZRU42L	Ext./int. reducing union 1/4"*1/8"	2mm bore, SS	7,100
EZRU42T	Ext./int. reducing union 1/4"*1/8"	1/8" through bore, SS	7,100
EZU.5	Ext./int union 1/32"	.25mm bore, SS	9,800
EZU.5L	Ext./int union 1/32"	.5mm bore, SS	7,300
EZU1	Ext./int union 1/16"	.75mm bore, SS	3,200
EZU1C	Ext./int union 1/16"	.25mm bore, SS	4,500
EZU1M	Ext./int union 1/16"	.5mm bore, SS	4,500
EZU1T	Ext./int union 1/16"	1/16" through bore, SS	3,400
EZU2	Ext./int. union 1/8"	1mm bore, SS	5,000
EZU2L	Ext./int. union 1/8"	2mm bore, SS	5,000
EZU2T	Ext./int. union 1/8"	1/8" through bore, SS	5,000
FC10AS1K	Flow controller M100, standard knob	1/8" ext, 150ml N2 40psi, Aluminum/SS	39,000
FC10AS1S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 150ml N2 40psi, Aluminum/SS	44,800
FC10AS1S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 150ml N2 40psi, Aluminum/SS	47,000
FC10AS2K	Flow controller M100, standard knob	1/8" ext, 250ml N2 40psi, Aluminum/SS	39,000
FC10AS2S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 250ml N2 40psi, Aluminum/SS	44,800
FC10AS2S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 250ml N2 40psi, Aluminum/SS	44,800
FC10AS3K	Flow controller M100, standard knob	1/8" ext, 850ml N2 40psi, Aluminum/SS	39,000
FC10AS3S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 850ml N2 40psi, Aluminum/SS	44,800
FC10AS3S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 850ml N2 40psi, Aluminum/SS	47,000
FC10AS4K	Flow controller M100, standard knob	1/8" ext, 1.2l N2 40psi, Aluminum/SS	39,000
FC10AS4S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 1.2l N2 40psi, Aluminum/SS	47,800
FC10AS4S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 1.2l N2 40psi, Aluminum/SS	50,100
FC10AS5K	Flow controller M100, standard knob	1/8" ext, 4.5l N2 40psi, Aluminum/SS	39,000
FC10AS5S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 4.5l N2 40psi, Aluminum/SS	47,800
FC10AS5S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 4.5l N2 40psi, Aluminum/SS	47,000

FC10AS6K	Flow controller M100, standard knob	1/8" ext, 10.0l N2 40psi, Aluminum/SS	39,000
FC10AS6S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 10.0l N2 40psi, Aluminum/SS	44,800
FC10AS6S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 10.0l N2 40psi, Aluminum/SS	47,000
FC10AV1K	Flow controller M100, standard knob	1/8" ext, 150ml N2 40psi, Aluminum/Viton	36,900
FC10AV1S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 150ml N2 40psi, Aluminum/Viton	42,700
FC10AV1S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 150ml N2 40psi, Aluminum/Viton	43,400
FC10AV2K	Flow controller M100, standard knob	1/8" ext, 250ml N2 40psi, Aluminum/Viton	36,900
FC10AV2S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 250ml N2 40psi, Aluminum/Viton	42,700
FC10AV2S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 250ml N2 40psi, Aluminum/Viton	43,400
FC10AV3K	Flow controller M100, standard knob	1/8" ext, 850ml N2 40psi, Aluminum/Viton	36,900
FC10AV3S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 850ml N2 40psi, Aluminum/Viton	42,700
FC10AV3S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 850ml N2 40psi, Aluminum/Viton	43,400
FC10AV4K	Flow controller M100, standard knob	1/8" ext, 1.2l N2 40psi, Aluminum/Viton	36,900
FC10AV4S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 1.2l N2 40psi, Aluminum/Viton	42,700
FC10AV4S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 1.2l N2 40psi, Aluminum/Viton	43,400
FC10AV5K	Flow controller M100, standard knob	1/8" ext, 4.5l N2 40psi, Aluminum/Viton	36,900
FC10AV5S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 4.5l N2 40psi, Aluminum/Viton	42,700
FC10AV5S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 4.5l N2 40psi, Aluminum/Viton	43,400
FC10AV6K	Flow controller M100, standard knob	1/8" ext, 10.0l N2 40psi, Aluminum/Viton	36,900
FC10AV6S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 10.0l N2 40psi, Aluminum/Viton	42,700
FC10AV6S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 10.0l N2 40psi, Aluminum/Viton	44,800
FC10SS1K	Flow controller M100, standard knob	1/8" ext, 150ml N2 40psi, SS/SS	74,800
FC10SS1S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 150ml N2 40psi, SS/SS	76,600
FC10SS1S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 150ml N2 40psi, SS/SS	78,000
FC10SS2K	Flow controller M100, standard knob	1/8" ext, 250ml N2 40psi, SS/SS	74,800
FC10SS2S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 250ml N2 40psi, SS/SS	76,600
FC10SS2S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 250ml N2 40psi, SS/SS	78,000
FC10SS3K	Flow controller M100, standard knob	1/8" ext, 850ml N2 40psi, SS/SS	74,800
FC10SS3S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 850ml N2 40psi, SS/SS	76,600
FC10SS3S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 850ml N2 40psi, SS/SS	78,000
FC10SS4K	Flow controller M100, standard knob	1/8" ext, 1.2l N2 40psi, SS/SS	74,800
FC10SS4S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 1.2l N2 40psi, SS/SS	81,700
FC10SS4S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 1.2l N2 40psi, SS/SS	78,000
FC10SS5K	Flow controller M100, standard knob	1/8" ext, 4.5l N2 40psi, SS/SS	74,800
FC10SS5S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 4.5l N2 40psi, SS/SS	81,700
FC10SS5S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 4.5l N2 40psi, SS/SS	78,000
FC10SS6K	Flow controller M100, standard knob	1/8" ext, 10.0l N2 40psi, SS/SS	70,100

FC10SS6S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 10.0l N2 40psi, SS/SS	81,700
FC10SS6S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 10.0l N2 40psi, SS/SS	78,000
FC10SV1K	Flow controller M100, standard knob	1/8" ext, 150ml N2 40psi, SS/Viton	68,700
FC10SV1S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 150ml N2 40psi, SS/Viton	74,400
FC10SV1S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 150ml N2 40psi, SS/Viton	81,700
FC10SV2K	Flow controller M100, standard knob	1/8" ext, 250ml N2 40psi, SS/Viton	68,700
FC10SV2S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 250ml N2 40psi, SS/Viton	74,400
FC10SV2S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 250ml N2 40psi, SS/Viton	81,700
FC10SV3K	Flow controller M100, standard knob	1/8" ext, 850ml N2 40psi, SS/Viton	68,700
FC10SV3S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 850ml N2 40psi, SS/Viton	74,400
FC10SV3S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 850ml N2 40psi, SS/Viton	81,700
FC10SV4K	Flow controller M100, standard knob	1/8" ext, 1.2l N2 40psi, SS/Viton	68,700
FC10SV4S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 1.2l N2 40psi, SS/Viton	74,400
FC10SV4S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 1.2l N2 40psi, SS/Viton	81,700
FC10SV5K	Flow controller M100, standard knob	1/8" ext, 4.5l N2 40psi, SS/Viton	68,700
FC10SV5S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 4.5l N2 40psi, SS/Viton	74,400
FC10SV5S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 4.5l N2 40psi, SS/Viton	76,600
FC10SV6K	Flow controller M100, standard knob	1/8" ext, 10.0l N2 40psi, SS/Viton	68,700
FC10SV6S3	Flow controller M100, Spectrol 3-dial	1/8" ext, 10.0l N2 40psi, SS/Viton	74,400
FC10SV6S4	Flow controller M100, Spectrol 4-dial	1/8" ext, 10.0l N2 40psi, SS/Viton	76,600
FC22AS1K	Flow controller M202, standard knob	1/8"NPT, adjustable span, Aluminum/SS	42,700
FC22AS1S3	Flow controller M202, Spectrol 3-dial	1/8"NPT, adjustable span, Aluminum/SS	48,400
FC22AS1S4	Flow controller M202, Spectrol 4-dial	1/8"NPT, adjustable span, Aluminum/SS	50,600
FC22AV1K	Flow controller M202, standard knob	1/8"NPT, adjustable span, Aluminum/Viton	40,500
FC22AV1S3	Flow controller M202, Spectrol 3-dial	1/8"NPT, adjustable span, Aluminum/Viton	47,000
FC22AV1S4	Flow controller M202, Spectrol 4-dial	1/8"NPT, adjustable span, Aluminum/Viton	48,400
FC22SS1K	Flow controller M202, standard knob	1/8"NPT, adjustable span, SS/SS	77,300
FC22SS1S3	Flow controller M202, Spectrol 3-dial	1/8"NPT, adjustable span, SS/SS	83,100
FC22SS1S4	Flow controller M202, Spectrol 4-dial	1/8"NPT, adjustable span, SS/SS	85,300
FC22SV1K	Flow controller M202, standard knob	1/8"NPT, adjustable span, SS/Viton	80,200
FC22SV1S3	Flow controller M202, Spectrol 3-dial	1/8"NPT, adjustable span, SS/Viton	80,200
FC22SV1S4	Flow controller M202, Spectrol 4-dial	1/8"NPT, adjustable span, SS/Viton	83,100
FC30AS1K	Flow controller M300, standard knob	1/8" ext, 200ml N2 40psi, Aluminum/SS	39,000
FC30AS1S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 200ml N2 40psi, Aluminum/SS	43,400
FC30AS1S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 200ml N2 40psi, Aluminum/SS	47,000
FC30AS2K	Flow controller M300, standard knob	1/8" ext, 300ml N2 40psi, Aluminum/SS	39,000
FC30AS2S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 300ml N2 40psi, Aluminum/SS	43,400

FC30AS2S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 300ml N2 40psi, Aluminum/SS	47,000
FC30AS3K	Flow controller M300, standard knob	1/8" ext, 800ml N2 40psi, Aluminum/SS	39,000
FC30AS3S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 800ml N2 40psi, Aluminum/SS	43,400
FC30AS3S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 800ml N2 40psi, Aluminum/SS	47,000
FC30AS4K	Flow controller M300, standard knob	1/8" ext, 1.6l N2 40psi, Aluminum/SS	39,000
FC30AS4S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 1.6l N2 40psi, Aluminum/SS	43,400
FC30AS4S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 1.6l N2 40psi, Aluminum/SS	47,000
FC30AV1K	Flow controller M300, standard knob	1/8" ext, 200ml N2 40psi, Aluminum/Viton	36,900
FC30AV1S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 200ml N2 40psi, Aluminum/Viton	42,700
FC30AV1S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 200ml N2 40psi, Aluminum/Viton	43,400
FC30AV2K	Flow controller M300, standard knob	1/8" ext, 300ml N2 40psi, Aluminum/Viton	36,900
FC30AV2S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 300ml N2 40psi, Aluminum/Viton	42,700
FC30AV2S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 300ml N2 40psi, Aluminum/Viton	43,400
FC30AV3K	Flow controller M300, standard knob	1/8" ext, 800ml N2 40psi, Aluminum/Viton	36,900
FC30AV3S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 800ml N2 40psi, Aluminum/Viton	42,700
FC30AV3S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 800ml N2 40psi, Aluminum/Viton	43,400
FC30AV4K	Flow controller M300, standard knob	1/8" ext, 1.6l N2 40psi, Aluminum/Viton	36,900
FC30AV4S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 1.6l N2 40psi, Aluminum/Viton	42,700
FC30AV4S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 1.6l N2 40psi, Aluminum/Viton	43,400
FC30SS1K	Flow controller M300, standard knob	1/8" ext, 200ml N2 40psi, SS/SS	70,100
FC30SS1S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 200ml N2 40psi, SS/SS	76,600
FC30SS1S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 200ml N2 40psi, SS/SS	78,000
FC30SS2K	Flow controller M300, standard knob	1/8" ext, 300ml N2 40psi, SS/SS	70,100
FC30SS2S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 300ml N2 40psi, SS/SS	76,600
FC30SS2S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 300ml N2 40psi, SS/SS	78,000
FC30SS3K	Flow controller M300, standard knob	1/8" ext, 800ml N2 40psi, SS/SS	74,800
FC30SS3S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 800ml N2 40psi, SS/SS	76,600
FC30SS3S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 800ml N2 40psi, SS/SS	78,000
FC30SS4K	Flow controller M300, standard knob	1/8" ext, 1.6l N2 40psi, SS/SS	74,800
FC30SS4S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 1.6l N2 40psi, SS/SS	76,600
FC30SS4S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 1.6l N2 40psi, SS/SS	78,000
FC30SV1K	Flow controller M300, standard knob	1/8" ext, 200ml N2 40psi, SS/Viton	68,700
FC30SV1S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 200ml N2 40psi, SS/Viton	74,400
FC30SV1S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 200ml N2 40psi, SS/Viton	76,600
FC30SV2K	Flow controller M300, standard knob	1/8" ext, 300ml N2 40psi, SS/Viton	68,700
FC30SV2S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 300ml N2 40psi, SS/Viton	75,500
FC30SV2S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 300ml N2 40psi, SS/Viton	76,600

FC30SV3K	Flow controller M300, standard knob	1/8" ext, 800ml N2 40psi, SS/Viton	68,700
FC30SV3S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 800ml N2 40psi, SS/Viton	74,400
FC30SV3S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 800ml N2 40psi, SS/Viton	76,600
FC30SV4K	Flow controller M300, standard knob	1/8" ext, 1.6l N2 40psi, SS/Viton	68,700
FC30SV4S3	Flow controller M300, Spectrol 3-dial	1/8" ext, 1.6l N2 40psi, SS/Viton	76,600
FC30SV4S4	Flow controller M300, Spectrol 4-dial	1/8" ext, 1.6l N2 40psi, SS/Viton	76,600
FC31AV1	Flow controller M300, screwdriver adjustment	1/8" ext, 750ml N2 40psi, Aluminium/Viton	36,900
FP1Z3M21	Manifold pipe adaptor	one 1/8"F-NPT/three 1/16", 1mm bore, SS	21,900
FP1Z3M22	Manifold pipe adaptor	one 1/8"F-NPT/three 1/8", 2mm bore, SS	19,100
FP1Z3M24	Manifold pipe adaptor	one 1/8"F-NPT/three 1/4", 4.6mm bore, SS	19,100
FP1Z3M41	Manifold pipe adaptor	one 1/4"F-NPT/three 1/16", 1mm bore, SS	21,900
FP1Z3M42	Manifold pipe adaptor	one 1/4"F-NPT/three 1/8", 2mm bore, SS	19,100
FP1Z3M44	Manifold pipe adaptor	one 1/4"F-NPT/three 1/4", 4.6mm bore, SS	19,100
FP2Z3M21	Manifold pipe adaptor	two 1/8"F-NPT/three 1/16", 1mm bore, SS	25,000
FP2Z3M22	Manifold pipe adaptor	two 1/8"F-NPT/three 1/8", 2mm bore, SS	23,500
FP2Z3M24	Manifold pipe adaptor	two 1/8"F-NPT/three 1/4", 4.6mm bore, SS	23,500
FP2Z3M41	Manifold pipe adaptor	two 1/4"F-NPT/three 1/16", 1mm bore, SS	25,000
FP2Z3M42	Manifold pipe adaptor	two 1/4"F-NPT/three 1/8", 2mm bore, SS	23,500
FP2Z3M44	Manifold pipe adaptor	two 1/4"F-NPT/three 1/4", 4.6mm bore, SS	23,500
FPEA22	Female pipe adaptor 1/8"F-NPT*1/8"ext	2mm bore, SS	5,000
FPEA24	Female pipe adaptor 1/8"F-NPT*1/4"ext	4.6mm bore, SS	5,000
FPEA42	Female pipe adaptor 1/4"F-NPT*1/8"ext	2mm bore, SS	5,600
FPEA44	Female pipe adaptor 1/4"F-NPT*1/4"ext	4.6mm bore, SS	5,200
FPEA82	Female pipe adaptor 1/2"F-NPT*1/8"ext	2mm bore, SS	8,900
FPEA84	Female pipe adaptor 1/2"F-NPT*1/4"ext	4.6mm bore, SS	9,800
FPZA21	Female pipe adaptor 1/8"F-NPT*1/16"int	1mm bore, SS	5,000
FPZA22	Female pipe adaptor 1/8"F-NPT*1/8"int	1mm bore, SS	5,000
FPZA22L	Female pipe adaptor 1/8"F-NPT*1/8"int	2mm bore, SS	5,000
FPZA41	Female pipe adaptor 1/4"F-NPT*1/16"int	1mm bore, SS	2,600
FPZA42	Female pipe adaptor 1/4"F-NPT*1/8"int	1mm bore, SS	5,200
FPZA42L	Female pipe adaptor 1/4"F-NPT*1/8"int	2mm bore, SS	2,800
FPZA44L	Female pipe adaptor 1/4"F-NPT*1/4"int	4.6mm bore, SS	5,200
FPZA81	Female pipe adaptor 1/2"F-NPT*1/16"int	1mm bore, SS	8,900
FPZA82	Female pipe adaptor 1/2"F-NPT*1/8"int	1mm bore, SS	8,900
FPZA82L	Female pipe adaptor 1/2"F-NPT*1/8"int	2mm bore, SS	8,900
FPZA84L	Female pipe adaptor 1/2"F-NPT*1/4"int	4.6mm bore, SS	9,100
FRK1	Ferrule removal kit	upto 1/32" bore (0.8 mm)	3,500

FS.2-5	Fused silica adaptor 1/32"	for tubing .2mm OD, Valcon T, 5/pkg	4,900
FS.25-5	Fused silica adaptor 1/32"	for tubing .25mm OD, Valcon T, 5/pkg	4,900
FS.25PK-5	Fused silica adaptor 1/32"	for tubing .25mm OD, PEEK, 5/pkg	9,400
FS.25V1-5	Fused silica adaptor 1/32"	for tubing .25mm OD, Polyimide, Virgin, 5/pkg	14,700
FS.2PK-5	Fused silica adaptor 1/32"	for tubing .2mm OD, PEEK, 5/pkg	9,400
FS.36-5	Fused silica adaptor 1/32"	for tubing .36mm OD, Valcon T, 5/pkg	4,900
FS.36PK-5	Fused silica adaptor 1/32"	for tubing .36mm OD, PEEK, 5/pkg	9,400
FS.4-5	Fused silica adaptor 1/32"	for tubing .4mm OD, Valcon T, 5/pkg	4,600
FS.4PK-5	Fused silica adaptor 1/32"	for tubing .4mm OD, PEEK, 5/pkg	4,600
FS.4V1-5	Fused silica adaptor 1/32"	for tubing .4mm OD, Polyimide, Virgin, 5/pkg	14,700
FS.5-5	Fused silica adaptor 1/32"	for tubing .5mm OD, Valcon T, 5/pkg	4,600
FS.5PK-5	Fused silica adaptor 1/32"	for tubing .5mm OD, PEEK, 5/pkg	4,600
FS.5V1-5	Fused silica adaptor 1/32"	for tubing .5mm OD, Polyimide, Virgin, 5/pkg	14,700
FS1.2-5	Fused silica adaptor 1/16"	for tubing .2mm OD, Valcon T, 5/pkg	4,600
FS1.25-5	Fused silica adaptor 1/16"	for tubing .25mm OD, Valcon T, 5/pkg	4,600
FS1.25PK-5	Fused silica adaptor 1/16"	for tubing .25mm OD, PEEK, 5/pkg	9,400
FS1.25V1-5	Fused silica adaptor 1/16"	for tubing .25mm OD, Polyimide, Virgin, 5/pkg	14,700
FS1.2PK-5	Fused silica adaptor 1/16"	for tubing .2mm OD, PEEK, 5/pkg	9,400
FS1.2V1-5	Fused silica adaptor 1/16"	for tubing .2mm OD, Polyimide, Virgin, 5/pkg	14,700
FS1.3-5	Fused silica adaptor 1/16"	for tubing .3mm OD, Valcon T, 5/pkg	4,600
FS1.35-R10	Ferrule for fused silica union	for .25mm ID tubing, Valcon T, 10/pkg	17,400
FS1.3PK-5	Fused silica adaptor 1/16"	for tubing .3mm OD, PEEK, 5/pkg	9,400
FS1.3V1-5	Fused silica adaptor 1/16"	for tubing .3mm OD, Polyimide, Virgin, 5/pkg	14,700
FS1.4-5	Fused silica adaptor 1/16"	for tubing .4mm OD, Valcon T, 5/pkg	4,900
FS1.45-R10	Ferrule for fused silica union	for .32mm ID tubing, Valcon T, 10/pkg	17,400
FS1.4PK-5	Fused silica adaptor 1/16"	for tubing .4mm OD, PEEK, 5/pkg	4,900
FS1.4V1-5	Fused silica adaptor 1/16"	for tubing .4mm OD, Polyimide, Virgin, 5/pkg	7,400
FS1.5-5	Fused silica adaptor 1/16"	for tubing .5mm OD, Valcon T, 5/pkg	4,900
FS1.5PK-5	Fused silica adaptor 1/16"	for tubing .5mm OD, PEEK, 5/pkg	4,900
FS1.5V1-5	Fused silica adaptor 1/16"	for tubing .5mm OD, Polyimide, Virgin, 5/pkg	14,700
FS1.75-R10	Ferrule for fused silica union	for .53mm ID tubing, Valcon T, 10/pkg	17,400
FS1.8-5	Fused silica adaptor 1/16"	for tubing .8mm OD, Valcon T, 5/pkg	4,600
FS1.8PK-5	Fused silica adaptor 1/16"	for tubing .8mm OD, PEEK, 5/pkg	9,400
FS1.8V1-5	Fused silica adaptor 1/16"	for tubing .8mm OD, Polyimide, Virgin, 5/pkg	14,700
FS1.9-5	Fused silica adaptor 1/16"	for tubing .9mm OD, Valcon T, 5/pkg	9,400
FS1.9PK-5	Fused silica adaptor 1/16"	for tubing .9mm OD, PEEK, 5/pkg	9,400
FS1.9V1-5	Fused silica adaptor 1/16"	for tubing .9mm OD, Polyimide, Virgin, 5/pkg	14,700

FS11.0-5	Fused silica adaptor 1/16"	for tubing 1mm OD, Valcon T, 5/pkg	4,600
FS11.0PK-5	Fused silica adaptor 1/16"	for tubing 1mm OD, PEEK, 5/pkg	9,400
FS11.0V1-5	Fused silica adaptor 1/16"	for tubing 1mm OD, Polyimide, Virgin, 5/pkg	7,400
FS1L.15PK-5	Liner fused silica adaptor 1/16"	for tubing .15mm OD, PEEK, 5/pkg	15,200
FS1L.2-5	Liner fused silica adaptor 1/16"	for tubing .2mm OD, Polyimide, Valcon, 5/pkg	15,200
FS1L.2PK-5	Liner fused silica adaptor 1/16"	for tubing .2mm OD, PEEK, 5/pkg	15,200
FS1L.4-5	Liner fused silica adaptor 1/16"	for tubing .4mm OD, Polyimide, Valcon, 5/pkg	8,000
FS1L.4PK-5	Liner fused silica adaptor 1/16"	for tubing .4mm OD, PEEK, 5/pkg	15,200
FS1L.5-5	Liner fused silica adaptor 1/16"	for tubing .5mm OD, Polyimide, Valcon, 5/pkg	8,000
FS1L.5PK-5	Liner fused silica adaptor 1/16"	for tubing .5mm OD, PEEK, 5/pkg	15,200
FS1L.8-5	Liner fused silica adaptor 1/16"	for tubing .8mm OD, Polyimide, Valcon, 5/pkg	8,000
FS1L.8PK-5	Liner fused silica adaptor 1/16"	for tubing .8mm OD, PEEK, 5/pkg	16,200
FS1L1.0-5	Liner fused silica adaptor 1/16"	for tubing 1mm OD, Polyimide, Valcon, 5/pkg	16,200
FS1L1.0PK-5	Liner fused silica adaptor 1/16"	for tubing 1mm OD, PEEK, 5/pkg	16,200
FS1R.15PK-5	Fused silica adaptor 1/16", removable	for tubing .15mm OD, PEEK, 5/pkg	26,000
FS1R.2-5	Fused silica adaptor 1/16", removable	for tubing .2mm OD, Polyimide, Valcon, 5/pkg	26,000
FS1R.2PK-5	Fused silica adaptor 1/16", removable	for tubing .2mm OD, PEEK, 5/pkg	26,000
FS1R.4-5	Fused silica adaptor 1/16", removable	for tubing .4mm OD, Polyimide, Valcon, 5/pkg	13,000
FS1R.4PK-5	Fused silica adaptor 1/16", removable	for tubing .4mm OD, PEEK, 5/pkg	26,000
FS1R.5-5	Fused silica adaptor 1/16", removable	for tubing .5mm OD, Polyimide, Valcon, 5/pkg	13,000
FS1R.5PK-5	Fused silica adaptor 1/16", removable	for tubing .5mm OD, PEEK, 5/pkg	26,000
FS1R.8-5	Fused silica adaptor 1/16", removable	for tubing .8mm OD, Polyimide, Valcon, 5/pkg	13,000
FS1R.8PK-5	Fused silica adaptor 1/16", removable	for tubing .8mm OD, PEEK, 5/pkg	26,000
FS1R1.0-5	Fused silica adaptor 1/16", removable	for tubing 1mm OD, Polyimide, Valcon, 5/pkg	26,000
FS1R1.0PK-5	Fused silica adaptor 1/16", removable	for tubing 1mm OD, PEEK, 5/pkg	26,000
FSL.25-5	Liner fused silica adaptor 1/32"	for tubing .25mm OD, Polyimide, Valcon, 5/pkg	16,200
FSL.4-5	Liner fused silica adaptor 1/32"	for tubing .4mm OD, Polyimide, Valcon, 5/pkg	15,200
FSL.5-5	Liner fused silica adaptor 1/32"	for tubing .5mm OD, Polyimide, Valcon, 5/pkg	15,200
FSMUA1.5	Fused silica make-up adapter 1/16"*1/32"	89mm long, .75mm bore, SS	30,100
FSMUAS1.5	Fused silica make-up adapter 1/16"*1/32"	38mm long, .75mm bore, SS	30,100
FSMUAS1.5L	Fused silica make-up adapter 1/16"*1/32"	38mm long, 1.0mm bore, SS	30,100
FSMUAS1.5M	Fused silica make-up adapter 1/16"*1/32"	38mm long, .5mm bore, SS	33,900
FSR.25-5	Fused silica adaptor 1/32"	for tubing .25mm OD, Polyimide, Valcon, 5/pkg	23,200
FSR.3-5	Fused silica adaptor 1/32", removable	for tubing .3mm OD, Polyimide, Valcon, 5/pkg	24,400
FSR.4-5	Fused silica adaptor 1/32"	for tubing .4mm OD, Polyimide, Valcon, 5/pkg	23,200
FSR.5-5	Fused silica adaptor 1/32"	for tubing .5mm OD, Polyimide, Valcon, 5/pkg	24,700
FSZA-HP	Nut self compensating for HP5890/6890	with split/splitless seal disk	19,100

FSZNA-HP	Nut self compensating for HP5890/6890	SS	12,200
F-TCF	Tube connector for air actuator	compressed fitting, 1/8 ftg to 10-32 thread	470
GH-LNR-CIS4-B-5	Reduced breakdown liner, Gerstel CIS-4/PTV	Baffled, 5/pkg	40,500
GH-LNR-DGS4-5	Reduced breakdown liner, Agilent/Finnigan	4mm double gooseneck, 5/pkg	40,500
GH-LNR-GS2-5	Reduced breakdown liner, 2mm gooseneck	Agilent/Finnigan/Varian CP-1177, 5/pkg	34,100
GH-LNR-GS4-5	Reduced breakdown liner, 4mm gooseneck	Agilent/Finnigan/Varian CP-1177, 5/pkg	50,700
GH-LNR-HP2-5	Reduced breakdown liner, Agilent/Finnigan	2mm straight, splitless, 5/pkg	28,900
GH-LNR-HP4-5	Reduced breakdown liner, Agilent/Finnigan	4mm straight, splitless, 5/pkg	28,900
GH-LNR-VAR2-5	Reduced breakdown liner, Varian CP-1177	2mm gooseneck, 5/pkg	34,100
GH-LNR-VAR3.4-5	Reduced breakdown liner, Varian 1078/9	3.4mm gooseneck, 5/pkg	23,700
GH-LNR-VAR4-5	Reduced breakdown liner, Varian CP-1177	4mm gooseneck, 5/pkg	28,900
GH-LNR-VARGS2-5	Reduced breakdown liner, Varian 1078/9	2mm gooseneck, 5/pkg	50,700
HA1-110	Heater assembly for single valve	65W/120Vac	15,900
HA1-220	Heater assembly for single valve	65W/220Vac	15,900
HA1T-110	Heater assembly for single valve	100W/110Vac	29,700
HA1T-220	Heater assembly for single valve	100W/220Vac	29,700
HA2-110	Heater assembly for two valves	125W/110Vac	15,900
HA2-220	Heater assembly for two valves	125W/220Vac	15,900
HA3-110	Heater assembly for three valves	150W/110Vac	26,800
HA3-220	Heater assembly for three valves	150W/220Vac	26,800
HA6-110	Heater assembly for six valves	300W/110Vac	41,900
HA6-220	Heater assembly for six valves	300W/220Vac	41,900
HB	Heater block standard for single valve	w/o heater cartridge	11,600
HB1N	Heater block for single NW type valve	w/o heater cartridge	11,600
HBS	Heater block low mass for single valve	w/o heater cartridge	8,700
HCE1-110	Heated column enclosure, 1 col. mandrel	4"x4.25"x3.63"d, 65W/110Vac	37,600
HCE1-220	Heated column enclosure, 1 col. mandrel	4"x4.25"x3.63"d, 65W/220Vac	41,900
HCE1X	Heated column enclosure, 1 col. mandrel	4"x4.25"x3.63"d, without heater cartridge	34,000
HCE2-110	Heated column enclosure, 2 col. mandrel	8"x5.25"x4"d, 65W/110Vac	45,500
HCE2-220	Heated column enclosure, 2 col. mandrel	8"x5.25"x4"d, 65W/220Vac	49,900
HCE2X	Heated column enclosure, 2 col. mandrel	8"x5.25"x4"d, without heater cartridge	42,700
HCEB-110	Heated column enclosure, 1 col. mandrel	4.25"x5.13"x3.63"d, 65W/110Vac	37,600
HCEB-220	Heated column enclosure, 1 col. mandrel	4.25"x5.13"x3.63"d, 65W/220Vac	41,900
HCEBX	Heated column enclosure, 1 col. mandrel	4.25"x5.13"x3.63"d, without heater cartridge	34,000
HCEC-110	Heated column enclosure, 1 col. mandrel	8"x8"x6"d, 65W/110Vac	56,400
HCEC-220	Heated column enclosure, 1 col. mandrel	8"x8"x6"d, 65W/220Vac	56,400
HCECX	Heated column enclosure, 1 col. mandrel	8"x8"x6"d, without heater cartridge	58,500

HKS	Hex key set		0	1,900
HP2-110	Helium purifier, Model 2	24VDC , input 110/230Vac US power cable		125,000
HP2-220	Helium purifier, Model 2	24VDC, input 110/230Vac EUR power cable		125,000
HPM-110	Helium purifier, Mini version	24VDC , input 110/230Vac US power cable		75,200
HPM-220	Helium purifier, Mini version	24VDC, input 110/230Vac, power cable		75,200
HSSA	High speed switching assembly,	for use with solenoid valves or DVI		18,200
HVE2-110	Heated valve enclosure for 2 valves	8"x5.25"x4", 125W/110Vac, Non-CE !!!		45,500
HVE2-220	Heated valve enclosure for 2 valves	8"x5.25"x4", 125W/220Vac, Non-CE !!!		45,500
HVE2X	Heated valve enclosure for 2 valves	8"x5.25"x4", no heater cartridge		42,700
HVE3-110	Heated valve enclosure for 3 valves	13.5"x5.75"x4", 150W/110Vac, Non-CE !!!		55,700
HVE3-220	Heated valve enclosure for 3 valves	13.5"x5.75"x4", 150W/220Vac, Non-CE !!!		55,700
HVE3X	Heated valve enclosure for 3 valves	13.5"x5.75"x4", no heater cartridge		52,800
HVE6-110	Heated valve enclosure for 6 valves	13.75"x8"x6", 300W/110Vac, Non-CE !!!		83,100
HVE6-220	Heated valve enclosure for 6 valves	13.75"x8"x6", 300W/220Vac, Non-CE !!!		83,100
HVE6X	Heated valve enclosure for 6 valves	13.75"x8"x6", no heater cartridge		78,000
HVEA-110	Heated valve enclosure for 1 valve	4"x4.25"x3.63", 65W/110Vac, Non-CE !!!		37,600
HVEA-220	Heated valve enclosure for 1 valve	4"x4.25"x3.63", 65W/220Vac, Non-CE !!!		37,600
HVEAN-110	Heated valve enclosure for NW valve	4"x4.25"x3.63", 65W/110Vac, Non-CE !!!		37,600
HVEAN-220	Heated valve enclosure for NW valve	4"x4.25"x3.63", 65W/220Vac, Non-CE !!!		40,100
HVEANX	Heated valve enclosure for NW valve	4"x4.25"x3.63", no heater cartridge		34,700
HVEAX	Heated valve enclosure for 1 valve	4"x4.25"x3.63", no heater cartridge		34,700
HVEB-110	Heated valve enclosure for 1 valve	4.25"x5.13"x3.63"65W/110Vac, Non-CE !!!		37,600
HVEB-220	Heated valve enclosure for 1 valve	4.25"x5.13"x3.63", 65W/220Vac, Non-CE !!!		37,600
HVEBN-110	Heated valve enclosure for NW valve	4.25"x5.13"x3.63", 65W/110Vac, Non-CE !!!		37,600
HVEBN-220	Heated valve enclosure for NW valve	4.25"x5.13"x3.63", 65W/220Vac, Non-CE !!!		37,600
HVEBNX	Heated valve enclosure for NW valve	4.25"x5.13"x3.63", no heater cartridge		34,700
HVEBX	Heated valve enclosure for 1 valve	4.25"x5.13"x3.63", no heater cartridge		34,700
HVEC-110	Heated valve enclosure for 1 valve	8"x8"x6" 100W/110Vac, Non-CE !!!		55,700
HVEC-220	Heated valve enclosure for 1 valve	8"x8"x6" 100W/220Vac, Non-CE !!!		55,700
HVECX	Heated valve enclosure for 1 valve	8"x8"x6", no heater cartridge		52,800
HWSC-SC8-6	Screw, 8-32*3/8" long	socket cap SS		80
HWSC-SC8-8B	Screw, 8-32*1/2" long	socket cap, black oxide, SS.		80
HWSC-SC8-8TDH	Screw, 8-32*1/2" long	socket cap SS, turned down head SS		80
I-21014-01	Thermocouple wire assy	ITC typ "K"		3,700
I-21208-05	Heater cartridge, repl. for HVEC	100W/110Vac		7,300
I-21208-06	Heater cartridge, repl. for HVEC	100W/220Vac		8,000
I-21208-32	Heater cartridge for HVEA/HVEB	65W/120Vac, Non-CE!		6,500

I-21208-33	Heater cartridge repl. for HVEA/HVEB	65W/220Vac, Non-CE!	6,500
I-22697	Interface cable RS-232, 6 feet	for 2-pos/mpos micro electric actuator	4,500
I-22897-02	Interface cable RS-232, 2 output	for 2-pos/mpos micro electric actuator	11,500
I-22897-03	Interface cable RS-232, 3 output	for 2-pos/mpos micro electric actuator	13,300
I-22897-04	Interface cable RS-232, 4 output	for 2-pos/mpos micro electric actuator	14,800
I-22897-05	Interface cable RS-232, 5 output	for 2-pos/mpos micro electric actuator	16,800
I-22897-06	Interface cable RS-232, 6 output	for 2-pos/mpos micro electric actuator	18,200
I-22897-08	Interface cable RS-232, 8 output	for 2-pos/mpos micro electric actuator	22,300
I-23062	Communication cable, multidrop, 22" long	for 2-pos/mpos micro elec. act., RS232 / RS485	5,100
I-23572HP2	Getter assembly, replacement for HP2	helium purifier	62,200
I-23572NP2	Getter assembly, replacement for NP2	nitrogen purifier	62,200
I4UWE.2	4 port 2-pos int vol valve, manual	1/8*.75mm, 175C/1000psi liq, .2ul, N60/E	94,700
I4UWE.5	4 port 2-pos int vol valve, manual	1/8*.75mm, 175C/1000psi liq, .5ul, N60/E	94,700
I4UWE1	4 port 2-pos int vol valve, manual	1/8*.75mm, 175C/1000psi liq, 1ul, N60/E	94,700
I4UWE2	4 port 2-pos int vol valve, manual	1/8*.75mm, 175C/1000psi liq, 2ul, N60/E	94,700
ITC10399-110	Instrumentation temperature controller	0-399 deg. C, 10A/110Vac, Non-CE!	61,400
ITC10399-220	Instrumentation temperature controller	0-399 deg. C, 10A/220Vac, Non-CE!	61,400
IZERA1.5	Int./Ext. reducer/adaptor 1/16"*1/32"	1mm bore, SS	7,100
IZERA1.5C	Int./Ext. reducer/adaptor 1/16"*1/32"	.25mm bore, SS	8,000
IZERA1.5M	Int./Ext. reducer/adaptor 1/16"*1/32"	.5mm bore, SS	7,400
IZN1-10	Nut 1/16", 15.9mm (.625") long,	SS, 10/pkg	4,700
IZR1.5	Internal reducer 1/16"*1/32"	.25mm bore, SS	3,400
IZR1.5F	Internal reducer 1/16"*1/32"	.25mm bore, 2 um frit, SS	8,600
IZR1.5L	Internal reducer 1/16"*1/32"	.50mm bore, SS	3,100
IZR1.5LF	Internal reducer 1/16"*1/32"	.50mm bore, 2 um frit, SS	7,700
IZR1.5T	Internal reducer 1/16"*1/32"	1/32" through bore, SS	3,100
IZR21	Internal reducer 1/8"*1/16"	.50mm bore, SS	2,100
IZR21C	Internal reducer 1/8"*1/16"	.25mm bore, SS	2,400
IZR21CF	Internal reducer 1/8"*1/16"	.25mm bore, 2 um frit, SS	6,400
IZR21F	Internal reducer 1/8"*1/16"	.50mm bore, 2 um frit, SS	6,200
IZR21L	Internal reducer 1/8"*1/16"	1mm bore, SS	2,100
IZR21LF	Internal reducer 1/8"*1/16"	1mm bore, 2 um frit, SS	2,900
IZR21T	Internal reducer 1/8"*1/16"	1/16 through bore, SS	1,800
IZR41	Internal reducer 1/4"*1/16"	1mm bore, SS	4,500
IZR41F	Internal reducer 1/4"*1/16"	1mm bore, 2 um frit, SS	6,100
IZR42	Internal reducer 1/4"*1/8"	1mm bore, SS	4,500
IZR42F	Internal reducer 1/4"*1/8"	1mm bore, 2 um frit, SS	6,100

IZR42L	Internal reducer 1/4"*1/8"	2mm bore, SS		4,500
IZR42LF	Internal reducer 1/4"*1/8"	2mm bore, 2 um frit, SS		6,100
JR-201540	Easy-Flange, kit in plastic case		0	31,300
JR-26501	Coupler, red, PEEK, universal 0.13 mm ID		0	3,600
JR-26502	Coupler, yellow, PEEK, universal 0.17 mm ID		0	3,600
JR-26503	Coupler, blue, PEEK, universal 0.25 mm ID		0	3,600
JR-26504	Coupler, orange, PEEK, universal 0.50 mm ID		0	3,600
JR-32178	Filter, PE, mobile phase No-Met 20 um, 1/8"		0	2,700
JR-32179	Filter, PE, mobile phase replacement, No-Met 20 um		0	370
JR-357090-5	Tubing Elbow 90°, 5/pkg		0	1,200
JR-357180-5	Tubing Elbow 180°, 5/pkg		0	1,300
JR-35P	PEEK Starter Kit		0	46,000
JR-367008-10	Filter, SS, mobile phase 10 um	fittings for 1/8" tubing		2,700
JR-367008-2	Filter, SS, mobile phase 2 um	fittings for 1/8" tubing		2,700
JR-367008-20	Filter, SS, mobile phase 20 um	fittings for 1/8" tubing		2,700
JR-367016-10	Filter, SS, mobile phase 10 um	fittings for 1/16" tubing		2,700
JR-367016-2	Filter, SS, mobile phase 2 um	fittings for 1/16" tubing		2,700
JR-367016-20	Filter, SS, mobile phase 20 um	fittings for 1/16" tubing		2,700
JR-55010-5	Color-It, blue, fingertight adapter	5/pkg		580
JR-55011-5	Color-It, yellow, fingertight adapter	5/pkg		580
JR-55012-5	Color-It, green, fingertight adapter	5/pkg		580
JR-55013-5	Color-It, black, fingertight adapter	5/pkg		580
JR-55014-5	Color-It, white, fingertight adapter	5/pkg		580
JR-55015-5	Color-It, red, fingertight adapter	5/pkg		580
JR-55016-12	Color-It fingertight adapter multi-color	assorted 2 pcs. each color, 12/pkg		1,400
JR-55020-5	Fitting,natural, PEEK, one-piece, 10-32	5/pkg		3,200
JR-55021-5	Fitting, black, PEEK, one-piece, 10-32	5/pkg		3,200
JR-55022-5	Fitting, red, PEEK, one-piece, 10-32	5/pkg		3,200
JR-55023-5	Fitting, yellow, PEEK, one-piece, 10-32	5/pkg		3,200
JR-55024-5	Fitting, blue, PEEK, one-piece, 10-32	5/pkg		3,200
JR-55025-5	Fitting, green, PEEK, one-piece, 10-32	5/pkg		3,200
JR-5508-5	Fitting, PEEK, 1/16"OD tubing	one-piece fingertight hex-head, 10-32, 5/pkg		6,000
JR-797	Tool, Clean-Cut Tubing Cutter		0	2,400
JR-798	Tool, replacement blade for JR-797		0	320
JR-9000-0520	Filter, PTFE, Last Drop 2.5 um	tripod stepped tubing connector		3,200
JR-9000-0530	Filter, SS, Last Drop 2 um	tripod stepped tubing connector		3,200
JR-9000-0602	Filter/Sparger, PTFE, Last Drop 2.5 um filter	10 um sparger		9,900

JR-9000-0640	Filter/Sparger, SS, Last Drop 2 um filter	10 um sparger		9,900
JR-9001-5	Tubing Clip, 5/pkg		0	1,700
JR-S-11001	VICI-Cap GL45, 2 ports		0	6,000
JR-S-11002	VICI-Cap GL45, 3 ports		0	6,300
JR-S-11003	VICI-Cap GL45, 4 ports		0	6,700
JR-T-5804-M3	Tubing, PEEK, 1/16" x 0.100 mm ID, black striped	3 m/pkg		5,500
JR-T-5999-M3	Tubing, PEEK, 1/16" x 0.13 mm ID, red striped	3m/pkg		3,900
JR-T-6000-M3	Tubing, PEEK, 1/16" x 0.18 mm ID, yellow striped	3m/pkg		3,900
JR-T-6001-M3	Tubing, PEEK, 1/16" x 0.25 mm ID, blue striped	3m/pkg		3,900
JR-T-6002-M3	Tubing, PEEK, 1/16" x 0.50 mm ID, orange striped	3m/pkg		3,900
JR-T-60031-M3	Tubing, PEEK, 1/16" x 1.00 mm ID, grey striped	3m/pkg		3,900
JR-T-6003-M3	Tubing, PEEK, 1/16" x 0.75 mm ID, green striped	3m/pkg		3,300
JR-T-98013	Tubing, PEEK, precut kit 1/16" x 0.13 mm		0	5,800
JR-T-98017	Tubing, PEEK, precut kit 1/16" x 0.18 mm		0	5,800
JR-T-98025	Tubing, PEEK, precut kit 1/16" x 0.25 mm		0	5,400
JR-T-98050	Tubing, PEEK, precut kit 1/16" x 0.50 mm		0	5,400
JR-T-98075	Tubing, PEEK, precut kit 1/16" x 0.75 mm		0	5,400
JR-T-98200	Tubing, PEEK, precut super kit 1/16"		0	22,100
JR-TD-5804-M3	Tubing, Dual Layer PEEK, 1/16" x 100 um ID,	solid black outside, natural inside, 3m/pkg		5,500
JR-TD-6007-M3	Tubing, Dual Layer PEEK, 1/16" x 0.13 mm ID,	solid red outside, natural inside, 3m/pkg		4,000
JR-TD-6008-M3	Tubing, Dual Layer PEEK, 1/16" x 0.18 mm ID,	solid yellow outside, natural inside, 3m/pkg		4,000
JR-TD-6009-M3	Tubing, Dual Layer PEEK, 1/16" x 0.25 mm ID,	solid blue outside, natural inside, 3m/pkg		4,000
JR-TD-6010-M3	Tubing, Dual Layer PEEK, 1/16" x 0.50 mm ID,	solid orange outside, natural inside, 3m/pkg		4,000
JR-TD-6011-M3	Tubing, Dual Layer PEEK, 1/16" x 0.75 mm ID,	solid green outside, natural inside, 3m/pkg		4,000
LZN.5-10	Nut 1/32", 11mm long, SS, 10/pkg		0	5,500
LZN.5FPK-10	Nut 1/32", fingertight, 13.7mm long	PEEK, 10/pkg		6,200
LZN1-10	Nut 1/16", 19mm long, SS, 10/pkg		0	4,700
LZN1PK-10	Nut 1/16", hex, 22mm long	PEEK, 10/pkg		5,400
LZN2-10	Nut 1/8", 21mm long, SS, 10/pkg		0	8,400
LZN4-10	Nut 1/4", 28mm long, SS, 10/pkg		0	12,300
LZNF1KF-5	Nut 1/16", No Twist hex long, PEEK	with CTFE ferrule, 5/pkg		12,300
LZNF1PK-5	Nut 1/16", No Twist hex long, PEEK	with PEEK ferrule, 5/pkg		28,200
LZNF1PKG-5	Nut 1/16", No Twist hex long, PEEK	with glass-filled PEEK ferrule, 5/pkg		12,300
LZP.5FPK	Plug 1/32", fingertight, PEEK		0	1,800
LZP1	Plug 1/16", 28.8mm long	SS		1,100
LZP1H	Plug 1/16", 25.7 mm long, high pressure	SS		1,600
LZP1PK	Plug 1/16", long hex, PEEK		0	3,100

LZP2	Plug 1/8", 35.6 mm long	SS		1,100
LZP2H	Plug 1/8", 21mm long, high pressure	SS		3,100
MR	Mirror		0	3,100
MRX.5PK	Micro volume replacement ring 1/32"	for union, tee, cross, PEEK		5,200
MRX.5S6	Micro volume replacement ring 1/32"	for union, tee, cross, 316SS		5,200
MRX1PK	Micro volume replacement ring 1/16"	for union, tee, cross, PEEK		5,200
MRX1S6	Micro volume replacement ring 1/16"	for union, tee, cross, 316SS		5,200
MRY.5PK	Micro volume replacement ring 1/32"	for Y, PEEK		5,200
MRY.5S6	Micro volume replacement ring 1/32"	for Y, 316SS		5,200
MRY1PK	Micro volume replacement ring 1/16"	for Y, PEEK		5,200
MRY1S6	Micro volume replacement ring 1/16"	for Y, 316SS		5,200
MS-P100-1	Helium Purifier	1/8" brass caps, Part No. P100-1		33,300
MS-P100-2	Helium Purifier	1/4" brass caps, Part No. P100-2		33,300
MS-P200-1	Hydrogen Purifier	1/8" brass caps, Part No. P200-1		33,300
MS-P200-2	Hydrogen Purifier	1/4" brass caps, Part No. P200-2		33,300
MS-P300-1	Nitrogen Purifier	1/8" brass caps, Part No. P300-1		33,300
MS-P300-2	Nitrogen Purifier	1/4" brass caps, Part No. P300-2		33,300
MS-P310-1	Nitrogen Purifier for LC/MS applications	1/8" brass caps, Part No. P310-1		33,300
MS-P310-2	Nitrogen Purifier for LC/MS applications	1/4" brass caps, Part No. P310-2		33,300
MS-P350-1	Nitrogen Purifier for nitrogen generators	1/8" brass caps, Part No. P350-1		33,300
MS-P350-2	Nitrogen Purifier for nitrogen generators	1/4" brass caps, Part No. P350-2		33,300
MS-P400-1	Air Purifier	1/8" brass caps, Part No. P400-1		33,300
MS-P400-2	Air Purifier	1/4" brass caps, Part No. P400-2		35,500
MS-P500-1	Methane Purifier/CI	1/8" brass caps, Part No. P500-1		31,800
MS-P500-2	Methane Purifier/CI	1/4" brass caps, Part No. P500-2		31,800
MS-P600-1	Carbon Dioxide (gas) Purifier with	1/8" brass caps, Part No. P600-1		35,500
MS-P600-2	Carbon Dioxide (gas) Purifier with	1/4" brass caps, Part No. P600-2		35,500
MS-P700-1	Carbon Dioxide (liquid) Purifier with	1/8" brass caps, Part No. P700-1		35,500
MS-P700-2	Carbon Dioxide (liquid) Purifier with	1/4" brass caps, Part No. P700-2		35,500
MS-T100-1	Moisture Trap	1/8" brass caps, Part No. T100-1		35,500
MS-T100-2	Moisture Trap	1/4" brass caps, Part No. T100-2		35,500
MS-T200-1	Hydrocarbon Trap	1/8" brass caps, Part No. T200-1		35,500
MS-T200-2	Hydrocarbon Trap	1/4" brass caps, Part No. T200-2		35,500
MS-T300-1	Oxygen Trap	1/8" brass caps, Part No. T300-1		35,500
MS-T300-2	Oxygen Trap	1/4" brass caps, Part No. T300-2		35,500
MS-T400-1	Sulfur/Halocarbon Trap, length 12"	1/8" brass caps, Part No. T400-1		31,800
MS-T400-2	Sulfur/Halocarbon Trap, length 12"	1/4" brass caps, Part No. T400-2		31,800

MS-T401-1	Sulfur/Halocarbon Trap, length 24"	1/8" brass caps, Part No. T401-1	38,600
MS-T401-2	Sulfur/Halocarbon Trap, length 22.5"	1/4" brass caps, Part No. T401-2	38,600
MS-T700-1	Mercury Trap	1/8" brass caps, Part No. T700-1	38,600
MS-T700-2	Mercury Trap	1/4" brass caps, Part No. T700-2	38,600
MT.5CHC	Micro volume tee-assy 1/32"	.25mm bore, HC	23,800
MT.5CKF	Micro volume tee-assy 1/32"	.25mm bore, CTFE	14,800
MT.5CPK	Micro volume tee-assy 1/32"	.25mm bore, PEEK	14,800
MT.5CS6	Micro volume tee-assy 1/32"	.25mm bore, 316SS	14,800
MT.5CTI	Micro volume tee-assy 1/32"	.25mm bore, Titanium	26,000
MT.5XCHC	Micro volume tee-assy 1/32"	.15mm bore, HC	29,300
MT.5XCKF	Micro volume tee-assy 1/32"	.15mm bore, CTFE	18,200
MT.5XCPK	Micro volume tee-assy 1/32"	.15mm bore, PEEK	18,200
MT.5XCS6	Micro volume tee-assy 1/32"	.15mm bore, 316SS	11,000
MT.5XCTI	Micro volume tee-assy 1/32"	.15mm bore, Titanium	28,900
MT1CHC	Micro volume tee-assy 1/16"	.25mm bore, HC	21,900
MT1CKF	Micro volume tee-assy 1/16"	.25mm bore, CTFE	13,200
MT1CPK	Micro volume tee-assy 1/16"	.25mm bore, PEEK	13,200
MT1CS6	Micro volume tee-assy 1/16"	.25mm bore, 316SS	7,000
MT1CTI	Micro volume tee-assy 1/16"	.25mm bore, Titanium	23,800
MT1XCHC	Micro volume tee-assy 1/16"	.15mm bore, HC	26,000
MT1XCKF	Micro volume tee-assy 1/16"	.15mm bore, CTFE	17,900
MT1XCPK	Micro volume tee-assy 1/16"	.15mm bore, PEEK	8,400
MT1XCS6	Micro volume tee-assy 1/16"	.15mm bore, 316SS	9,100
MT1XCTI	Micro volume tee-assy 1/16"	.15mm bore, Titanium	29,300
MU.5CHC	Micro volume union-assy 1/32"	.25mm bore, HC	21,900
MU.5CKF	Micro volume union-assy 1/32"	.25mm bore, CTFE	13,200
MU.5CPK	Micro volume union-assy 1/32"	.25mm bore, PEEK	13,200
MU.5CS6	Micro volume union-assy 1/32"	.25mm bore, 316SS	13,200
MU.5CTI	Micro volume union-assy 1/32"	.25mm bore, Titanium	23,800
MU.5XCHC	Micro volume union-assy 1/32"	.15mm bore, HC	25,300
MU.5XCKF	Micro volume union-assy 1/32"	.15mm bore, CTFE	14,800
MU.5XCPK	Micro volume union-assy 1/32"	.15mm bore, PEEK	14,800
MU.5XCS6	Micro volume union-assy 1/32"	.15mm bore, 316SS	17,900
MU.5XCTI	Micro volume union-assy 1/32"	.15mm bore, Titanium	26,000
MU1CHC	Micro volume union-assy 1/16"	.25mm bore, HC	18,800
MU1CKF	Micro volume union-assy 1/16"	.25mm bore, CTFE	11,300
MU1CPK	Micro volume union-assy 1/16"	.25mm bore, PEEK	11,300

MU1CS6	Micro volume union-assy 1/16"	.25mm bore, 316SS	11,300
MU1CTI	Micro volume union-assy 1/16"	.25mm bore, Titanium	22,200
MU1XCHC	Micro volume union-assy 1/16"	.15mm bore, HC	23,500
MU1XCKF	Micro volume union-assy 1/16"	.15mm bore, CTFE	14,100
MU1XCPK	Micro volume union-assy 1/16"	.15mm bore, PEEK	13,200
MU1XCS6	Micro volume union-assy 1/16"	.15mm bore, 316SS	11,800
MU1XCTI	Micro volume union-assy 1/16"	.15mm bore, Titanium	25,300
MX.5CHC	Micro volume cross-assy 1/32"	.25mm bore, HC	26,000
MX.5CKF	Micro volume cross-assy 1/32"	.25mm bore, CTFE	20,000
MX.5CPK	Micro volume cross-assy 1/32"	.25mm bore, PEEK	21,300
MX.5CS6	Micro volume cross-assy 1/32"	.25mm bore, 316SS	22,200
MX.5CTI	Micro volume cross-assy 1/32"	.25mm bore, Titanium	13,800
MX.5XCHC	Micro volume cross-assy 1/32"	.15mm bore, HC	17,000
MX.5XCKF	Micro volume cross-assy 1/32"	.15mm bore, CTFE	24,400
MX.5XCPK	Micro volume cross-assy 1/32"	.15mm bore, PEEK	24,400
MX.5XCS6	Micro volume cross-assy 1/32"	.15mm bore, 316SS	25,300
MX.5XCTI	Micro volume cross-assy 1/32"	.15mm bore, Titanium	33,300
MX1CHC	Micro volume cross-assy 1/16"	.25mm bore, HC	25,900
MX1CKF	Micro volume cross-assy 1/16"	.25mm bore, CTFE	18,200
MX1CPK	Micro volume cross-assy 1/16"	.25mm bore, PEEK	18,200
MX1CS6	Micro volume cross-assy 1/16"	.25mm bore, 316SS	18,200
MX1CTI	Micro volume cross-assy 1/16"	.25mm bore, Titanium	26,000
MX1XCHC	Micro volume cross-assy 1/16"	.15mm bore, HC	30,400
MX1XCKF	Micro volume cross-assy 1/16"	.15mm bore, CTFE	22,200
MX1XCPK	Micro volume cross-assy 1/16"	.15mm bore, PEEK	22,200
MX1XCS6	Micro volume cross-assy 1/16"	.15mm bore, 316SS	23,800
MX1XCTI	Micro volume cross-assy 1/16"	.15mm bore, Titanium	33,900
MY.5CHC	Micro volume Y-assy 1/32"	.25mm bore, HC	23,800
MY.5CKF	Micro volume Y-assy 1/32"	.25mm bore, CTFE	15,200
MY.5CPK	Micro volume Y-assy 1/32"	.25mm bore, PEEK	16,200
MY.5CS6	Micro volume Y-assy 1/32"	.25mm bore, 316SS	14,800
MY.5CTI	Micro volume Y-assy 1/32"	.25mm bore, Titanium	26,000
MY.5XCHC	Micro volume Y-assy 1/32"	.15mm bore, HC	29,300
MY.5XCKF	Micro volume Y-assy 1/32"	.15mm bore, CTFE	18,200
MY.5XCPK	Micro volume Y-assy 1/32"	.15mm bore, PEEK	18,200
MY.5XCS6	Micro volume Y-assy 1/32"	.15mm bore, 316SS	22,200
MY.5XCTI	Micro volume Y-assy 1/32"	.15mm bore, Titanium	15,500

MY1CHC	Micro volume Y-assy 1/16"	.25mm bore, HC	22,200
MY1CKF	Micro volume Y-assy 1/16"	.25mm bore, CTFE	13,200
MY1CPK	Micro volume Y-assy 1/16"	.25mm bore, PEEK	13,200
MY1CS6	Micro volume Y-assy 1/16"	.25mm bore, 316SS	13,200
MY1CTI	Micro volume Y-assy 1/16"	.25mm bore, Titanium	23,800
MY1XCHC	Micro volume Y-assy 1/16"	.15mm bore, HC	26,000
MY1XCKF	Micro volume Y-assy 1/16"	.15mm bore, CTFE	17,900
MY1XCPK	Micro volume Y-assy 1/16"	.15mm bore, PEEK	17,900
MY1XCS6	Micro volume Y-assy 1/16"	.15mm bore, 316SS	18,200
MY1XCTI	Micro volume Y-assy 1/16"	.15mm bore, Titanium	29,300
MZN1-10	Nut 1/16", 13mm long, SS, 10/pkg		0 4,300
MZN1PK-10	Nut 1/16", hex, 15.7mm long	PEEK, 10/pkg	4,700
MZNF1KF-5	Nut 1/16", No Twist hexmedium, PEEK	with CTFE ferrule, 5/pkg	13,000
MZNF1PK-5	Nut 1/16", No Twist hex medium, PEEK	with PEEK ferrule, 5/pkg	13,000
MZNF1PKG-5	Nut 1/16", No Twist hex medium, PEEK	with glass-filled PEEK ferrule, 5/pkg	13,800
MZP1PK	Plug 1/16", hex, PEEK		0 1,600
NP2-110	Nitrogen purifier, Model 2	24VDC , input 110/230Vac US power cable	125,000
NP2-220	Nitrogen purifier, Model 2	24VDC , input 110/230Vac EUR power cable	125,000
NPM-110	Nitrogen purifier, Mini version	24VDC , input 110/230Vac US power cable	75,200
NPM-220	Nitrogen purifier, Mini version	24VDC , input 110/230Vac , power cable	75,200
OEW-1	Open end wrench 3/16"x1/4"	for 1/32" and 1/16" fittings, catalog No. OEW	910
OEW-2	Open end wrench 3/8"x7/16"	for 1/8" fittings	1,900
OEW-3	Open end wrench 1/2"x9/16"	for 1/4" fittings	1,900
OR	O-ring set, incl. lubricant	standard 2-pos air actuator	2,200
ORMP	O-ring set, incl. lubricant	standard mpos air actuator	2,500
ORT	O-ring set, incl. lubricant	high temperature 2-pos air actuator	2,500
ORTMP	O-ring set, incl. lubricant	high temperature mpos air actuator	3,100
PCL412	Precolumn 1/4"*2cm, 4.6mm ID	incl. insert, nut and ferrule, 2um frit, SS	8,800
PCL415	Precolumn 1/4"*5cm, 4.6mm ID	incl. insert, nut and ferrule, 2um frit, SS	12,200
PCS412F	Precolumn system 1/4"*2cm	incl. insert, body and 2um frit, SS	14,100
PCS415F	Precolumn system 1/4"*5cm	incl. insert, body and 2um frit, SS	8,400
PD-D2-IM	Pulsed discharge detector assembly	HID, Mini, 48V, CE	506,000
PEA22	Male pipe adaptor 1/8"M-NPT*1/8"ext	2mm bore, SS	4,500
PEA24	Male pipe adaptor 1/8"M-NPT*1/4"ext	4.6mm bore, SS	4,500
PEA42	Male pipe adaptor 1/4"M-NPT*1/8"ext	2mm bore, SS	4,500
PEA44	Male pipe adaptor 1/4"M-NPT*1/4"ext	4.6mm bore, SS	4,500
PEA82	Male pipe adaptor 1/2"M-NPT*1/8"ext	2mm bore, SS	7,800

PEA84	Male pipe adaptor 1/2"M-NPT*1/4"ext	4.6mm bore, SS	7,700
PFAF	Position feedback adapter	for air actuator	23,200
PFC2	Position feedback	Chem inert C2 and C3 series 6/10 port	13,000
PFC4	Position feedback	to flat plate valve C4	13,000
PFW36	Position feedback for 2-pos manual valve	W type 8 and 10 port, 36 deg	13,000
PFW60	Position feedback for 2-pos manual valve	W type 6 port and int. 4 port, 60 deg	13,000
PFW90	Position feedback for 2-pos manual valve	W type 4 port, 90 deg	13,000
PM	Pencil magnet	for W and UW rotor seals	760
PR50A15E2	Combo pressure regulator, 0-15psi	1/8" ext, Aluminum/SS	38,600
PR50A15Z1	Combo pressure regulator, 0-15psi	1/16" int, Aluminum/SS	38,600
PR50A15Z2	Combo pressure regulator, 0-15psi	1/8" int, Aluminum/SS	38,600
PR50A30E2	Combo pressure regulator, 0-30psi	1/8" ext, Aluminum/SS	38,600
PR50A30Z1	Combo pressure regulator, 0-30psi	1/16" int, Aluminum/SS	38,600
PR50A30Z2	Combo pressure regulator, 0-30psi	1/8" int, Aluminium/SS	38,600
PR50A60E2	Combo pressure regulator, 0-60psi	1/8" ext, Aluminum/SS	38,600
PR50A60Z1	Combo pressure regulator, 0-60psi	1/16" int, Aluminum/SS	36,200
PR50A60Z2	Combo pressure regulator, 0-60psi	1/8" int, Aluminium/SS	36,200
PR51A15E2	Pressure regulator, 0-15psi	1/8" ext, Aluminum/SS	33,900
PR51A15Z1	Pressure regulator, 0-15psi	1/16" int, Aluminum/SS	33,900
PR51A15Z2	Pressure regulator, 0-15psi	1/8" int, Aluminum/SS	33,900
PR51A30E2	Pressure regulator, 0-30psi	1/8" ext, Aluminum/SS	33,900
PR51A30Z1	Pressure regulator, 0-30psi	1/16" int, Aluminum/SS	33,900
PR51A30Z2	Pressure regulator, 0-30psi	1/8" int, Aluminium/SS	33,900
PR51A60E2	Pressure regulator, 0-60psi	1/8" ext, Aluminum/SS	33,900
PR51A60Z1	Pressure regulator, 0-60psi	1/16" int, Aluminum/SS	33,900
PR51A60Z2	Pressure regulator, 0-60psi	1/8" int, Aluminium/SS	33,900
PS-050023	Gas syringe A-2, 25 ul	RN, .029"x.005"x2", bevel open end	10,200
PS-050024	Gas syringe A-2, 50 ul	RN, .029"x.005"x2", bevel open end	10,200
PS-050025	Gas syringe A-2, 100 ul	RN, .029"x.005"x2", bevel open end	10,600
PS-050031	Gas syringe A-2, 250 ul	RN, .029"x.012"x2", bevel open end	10,600
PS-050032	Gas syringe A-2, 500 ul	RN, .029"x.012"x2", bevel open end	10,600
PS-050033	Gas syringe A-2, 1 ml	RN, .029"x.012"x2", bevel open end	10,900
PS-050034	Gas syringe A-2, 2 ml	RN, .029"x.012"x2", bevel open end	10,900
PS-050035	Gas syringe A-2, 5 ml	RN, .029"x.012"x2", bevel open end	12,200
PS-050036	Gas syringe A-2, 10 ml	RN, .029"x.012"x2", bevel open end	12,200
PS-050043	OBSOLETE	Replaced by PS-050043-LL	0
PS-050043-LL	Gas syringe A-2, 25 ul,	RN, .028"x.005"x2", bevel open end, luer lock	10,900

PS-050044	OBSOLETE	Replaced by PS-050044-LL	0
PS-050044-LL	Gas syringe A-2, 50 ul,	RN, .028"x.005"x2", bevel open end, luer lock	10,900
PS-050045	OBSOLETE	Replaced by PS-050045-LL	0
PS-050045-LL	Gas syringe A-2, 100 ul,	RN, .028"x.005"x2", bevel open end, luer lock	12,100
PS-050051	OBSOLETE	Replaced by PS-050051-LL	0
PS-050051-LL	Gas syringe A-2, 250 ul	RN, .029"x.012"x2", bevel open end, luer lock	12,100
PS-050052	OBSOLETE	Replaced by PS-050052-LL	0
PS-050052-LL	Gas syringe A-2, 500 ul	RN, .029"x.012"x2", bevel open end, luer lock	12,100
PS-050053	OBSOLETE	Replaced by PS-050053-LL	0
PS-050053-LL	Gas syringe A-2, 1 ml	RN, .029"x.012"x2", bevel open end, luer lock	12,400
PS-050054	OBSOLETE	Replaced by PS-050054-LL	0
PS-050054-LL	Gas syringe A-2, 2 ml	RN, .029"x.012"x2", bevel open end, luer lock	12,400
PS-050055	OBSOLETE	Replaced by PS-050055-LL	0
PS-050055-LL	Gas syringe A-2, 5 ml	RN, .029"x.012"x2", bevel open end, luer lock	12,300
PS-050056	OBSOLETE	Replaced by PS-050056-LL	0
PS-050056-LL	Gas syringe A-2, 10 ml	RN, .029"x.012"x2", bevel open end, luer lock	12,300
PS-123050	Needles removable C-160, CG-130	.019"x.005"x2.25", bevel open end, 3/pkg	4,100
PS-123050R	Needles removable C-160,	22GAx2", blunt tip, open end, V/C/Rh, 3/pkg	4,100
PS-160021	Liquid syringe C-160, 5 ul	FN, .019"x.005"x2", bevel open end	4,400
PS-160021R	Liquid syringe C-160, 5 ul	FN, 22GAx2", blunt tip open end, V/C/Rh	4,400
PS-160022	Liquid syringe C-160, 10 ul	FN, .019"x.005"x2", bevel open end	3,600
PS-160022R	Liquid syringe C-160, 10 ul	FN, 22GAx2", blunt tip open end, V/C/Rh	3,600
PS-160023	Liquid syringe C-160, 25 ul	FN, .019"x.005"x2", bevel open end	3,900
PS-160023R	Liquid syringe C-160, 25 ul	FN, 22GAx2", blunt tip open end, V/C/Rh	3,900
PS-160024	Liquid syringe C-160, 50 ul	FN, .019"x.005"x2", bevel open end	4,400
PS-160024R	Liquid syringe C-160, 50 ul	FN, 22GAx2", blunt tip open end, V/C/Rh	4,400
PS-160025	Liquid syringe C-160, 100 ul	FN, 019"x.005"x2", bevel open end	4,800
PS-160025R	Liquid syringe C-160, 100 ul	FN, 22GAx2", blunt tip open end, V/C/Rh	4,800
PS-160221	Liquid syringe C-160, 5 ul	RN, .019"x.005"x2.25", bevel open end	6,700
PS-160221R	Liquid syringe C-160, 5 ul	RN, 22GAx2", blunt tip open end, V/C/Rh	6,700
PS-160222	Liquid syringe C-160, 10 ul	RN, .019"x.005"x2.25", bevel open end	4,700
PS-160222R	Liquid syringe C-160, 10 ul	RN, 22GAx2", blunt tip open end, V/C/Rh	4,700
PS-160223	Liquid syringe C-160, 25 ul	RN, .019"x.005"x2.25", bevel open end	5,600
PS-160223R	Liquid syringe C-160, 25 ul	RN, 22GAx2", blunt tip open end, V/C/Rh	5,200
PS-160224	Liquid syringe C-160, 50 ul	RN, .019"x.005"x2.25", bevel open end	5,500
PS-160224R	Liquid syringe C-160, 50 ul	RN, 22GAx2", blunt tip open end, V/C/Rh	5,500
PS-160225	Liquid syringe C-160, 100 ul	RN, .019"x.005"x2.25", bevel open end	6,000

PS-160225R	Liquid syringe C-160, 100 ul	RN, 22GAx2", blunt tip open end, V/C/Rh		6,000
PS-614158	Mininert valve, 13mm-425, 12/pkg		0	11,200
PS-614160	Mininert valve, 15mm-425, 12/pkg		0	12,200
PS-614161	Mininert valve, 18mm-400, 12/pkg		0	12,800
PS-614163	Mininert valve, 24mm-400, 12/pkg		0	13,300
PS-614170	Mininert valve, 20mm-400, 12/pkg		0	12,800
PS-614250	Mininert valve, crimp-top, 12/pkg	for 13 mm ID glassware		15,100
PS-631201	Mininert valve, termination	1/4"-28 male to Mininert		3,700
PS-631202	Mininert valve, termination	1/8" male NPT to Mininert		3,700
PS-631203	Mininert valve, termination	1/4"-28 female to Mininert		3,700
PS-631204	Mininert valve, termination	1/8" female NPT to Mininert		4,700
PS-631205	Mininert valve, in-line	1/4"-28 male to 1/4"-28 male		4,700
PS-631206	Mininert valve, in-line	1/4"-28 female to 1/4"-28 female		4,400
PS-644350	Mininert needle seal septa, 50/pkg		0	4,200
PS-644850	Septum installation tool		0	3,500
PS-654050	Mininert syringe valve	for C or D syringe		3,000
PS-654051	Mininert syringe valve	for luer-tip		3,100
PS-660100	Valve, 3-port, manual, T-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail		12,200
PS-660110	Valve, 4-port, manual, T-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail		12,200
PS-660200	Valve, 2-port, manual, 180-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail		10,700
PS-660210	Valve, 4-port, manual, 180-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail		12,200
PS-660300	Valve, 2-port, manual, 90-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail		10,700
PS-660310	Valve, 3-port, manual, 90-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail		12,200
PS-660320	Valve, 4-port, manual, 90-flow, w/o nuts,ferrules	200psi, .06" bore, 1/4-28 fitting detail		12,200
PS-943050	Needles RN p-lok A-2, C	.028"x.005"x2", bevel open end, 3/pkg		3,600
PS-943051	Needles RN p-lok A-2, C, D	.029"x.012"x2", bevel open end, 3/pkg		3,600
PS-943052	Needles RN p-lok A-2, C, D	.029"x.012"x2", side-port taper, 3/pkg		4,800
PS-943060	Needles RN luer A-2, C, Magnum	.028"x.006"x2", bevel open end, 3/pkg		3,600
PS-943061	Needles RN luer A-2, D	.028"x.012"x2", bevel open end, 3/pkg		3,400
PS-943062	Needles RN luer A-2, C, D, Magnum	.028"x.012"x2", side port taper, 3/pkg		4,800
PV	Pin vise and drill index .34-1mm		0	8,900
PZA21	Male pipe adaptor 1/8"M-NPT*1/16"int	1mm bore, SS		2,200
PZA21T	Male pipe adaptor 1/8"M-NPT*1/16"int	1/16" through bore, SS		2,200
PZA22	Male pipe adaptor 1/8"M-NPT*1/8"int	1mm bore, SS		2,200
PZA41	Male pipe adaptor 1/4"M-NPT*1/16"int	1mm bore, SS		2,200
PZA42	Male pipe adaptor 1/4"M-NPT*1/8"int	1mm bore, 316SS		4,500
PZA42L	Male pipe adaptor 1/4" M-NPT*1/8"int	2mm bore, 316SS		1,900

PZA44L	Male pipe adaptor 1/4"M-NPT*1/4"int	4.6mm bore, SS	4,500
PZA81	Male pipe adaptor 1/2"M-NPT*1/16"int	1mm bore, SS	7,800
PZA82	Male pipe adaptor 1/2"M-NPT*1/8"int	1mm bore, SS	7,800
PZA82L	Male pipe adaptor 1/2" M-NPT*1/8"int	2mm bore, SS	7,300
PZA84L	Male pipe adaptor 1/2"M-NPT*1/4"int	4.6mm bore, SS	7,300
RAD	Right angle drive, close mount		0 36,200
RF1.5KF-5	Standard reducing ferrule 1/16"*1/32"	CTFE, 5/pkg	5,600
RF1.5PK-5	Standard reducing ferrule 1/16"*1/32"	PEEK, 5/pkg	5,600
RF1.5TFG-5	Standard reducing ferrule 1/16"*1/32"	PTFE, Glass-filled 25%, 5/pkg	5,600
RF1.5V-5	Standard reducing ferrule 1/16"*1/32"	Polyimide, Valcon, 5/pkg	8,700
RF2.5KF-5	Standard reducing ferrule 1/8"*1/32"	CTFE, 5/pkg	5,600
RF2.5PK-5	Standard reducing ferrule 1/8"*1/32"	PEEK, 5/pkg	5,600
RF2.5TFG-5	Standard reducing ferrule 1/8"*1/32"	PTFE, Glass-filled 25%, 5/pkg	5,600
RF2.5V-5	Standard reducing ferrule 1/8"*1/32"	Polyimide, Valcon, 5/pkg	8,000
RF21KF-5	Standard reducing ferrule 1/8"*1/16"	CTFE, 5/pkg	5,500
RF21PK-5	Standard reducing ferrule 1/8"*1/16"	PEEK, 5/pkg	2,600
RF21TFG-5	Standard reducing ferrule 1/8"*1/16"	PTFE, Glass-filled 25%, 5/pkg	5,500
RF21V-5	Standard reducing ferrule 1/8"*1/16"	Polyimide, Valcon, 5/pkg	4,600
RF41KF-5	Standard reducing ferrule 1/4"*1/16"	CTFE, 5/pkg	6,200
RF41PK-5	Standard reducing ferrule 1/4"*1/16"	PEEK, 5/pkg	6,200
RF41TFG-5	Standard reducing ferrule 1/4"*1/16"	PTFE, Glass-filled 25%, 5/pkg	6,200
RF41V-5	Standard reducing ferrule 1/4"*1/16"	Polyimide, Valcon, 5/pkg	12,300
RF42KF-5	Standard reducing ferrule 1/4"*1/8"	CTFE, 5/pkg	6,200
RF42PK-5	Standard reducing ferrule 1/4"*1/8"	PEEK, 5/pkg	7,100
RF42TFG-5	Standard reducing ferrule 1/4"*1/8"	PTFE, Glass-filled 25%, 5/pkg	6,200
RF42V-5	Standard reducing ferrule 1/4"*1/8"	Polyimide, Valcon, 5/pkg	12,300
SD4UW	4 mpos dead-end path, manual	1/8*.75mm, 75C/5000psi liq, N60/E	125,000
SD6UW	6 mpos dead-end path, manual	1/8*.75mm, 75C/5000psi liq, N60/E	133,000
SD8UW	8 mpos dead-end path, manual	1/8*.75mm, 75C/5000psi liq, N60/E	146,000
SEAL1-HP	Seal disk split/splitless for HP5890	SS	9,100
SFEC42	HPLC precolumn replacement cartridge 250 ul	1/4" OD*4mm ID, 2cm long, SS/PAEK/Ti	6,100
SFECH412	HPLC precolumn cartridge assy. fingertight 250 ul	1/4"OD*4mm ID, 2cm long, SS	17,500
SFV	Prime/Purge valve, manual	3*1/16".50 mm bore, 100C/10'000psi, SS	27,800
SFVHT	Prime/Purge valve, manual, high temp.	3*1/16".50 mm bore, 300C/6'000psi, SS	40,100
SFVHT4	Prime/Purge valve, manual/4" knob, high temp.	3*1/16".50 mm bore, 300C/6'000psi, SS	40,100
SFVL	Prime/Purge valve, manual	3*1/16".75 mm bore, 100C/10'000psi, SS	31,100
SFVLHT	Prime/Purge valve, manual, high temp.	3*1/16".75 mm bore, 300C/6'000psi, SS	46,300

SFVLHT4	Prime/Purge valve, manual/4"knob, high temp.	3*1/16".75 mm bore, 300C/6'000psi, SS	52,800
SFVO	On/Off valve, manual	2*1/16".50 mm bore, 100C/10'000psi liq, SS	27,000
SFVOHT	On/Off valve, manual, high temperature/pressure	2*1/16".50 mm bore, 300C/6000psi, SS	34,700
SFVOHT4	On/Off valve, manual, high temp/pressure/4"so	2*1/16".50 mm bore, 300C/6000psi, SS	43,200
SFVOL	On/Off valve, manual	2*1/16".75 mm bore, 100C/10'000psi, SS	31,100
SFVOLHT	On/Off valve, manual, high temp.	2*1/16".75 mm bore, 300C/6'000psi, SS	46,300
SFVOLHT4	On/Off valve, manual/4" knob, high temp.	2*1/16".75 mm bore, 300C/6'000psi, SS	52,800
SI4G	Replacement septa for septum injector, 350C	1/4" OD low bleed, 10/pkg	2,800
SL100CSTP	Sample loop 100ul, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	3,800
SL100CSTUW	Sample loop 100ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	3,800
SL100CUW	Sample loop 100ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	3,900
SL100CW	Sample loop 100ul, W type valve	1/16" ends with nuts & ferrules, 316SS	3,900
SL100NW	Sample loop 100ul, W type valve	1/32" ends with nuts & ferrules, 316SS	4,700
SL100STP	Sample loop 100ul, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	4,700
SL100UW	Sample loop 100ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	4,700
SL10CSTUW	Sample loop 10ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	3,800
SL10CUW	Sample loop 10ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	3,900
SL10CW	Sample loop 10ul, W type valve	1/16" ends with nuts & ferrules, 316SS	3,900
SL10KCSTP	Sample loop 10ml, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	11,900
SL10KCSTUW	Sample loop 10ml, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	11,900
SL10KCUW	Sample loop 10ml, UW type valve	1/16" ends with nuts & ferrules, 316SS	11,800
SL10KCW	Sample loop 10ml, W type valve	1/16" ends with nuts & ferrules, 316SS	11,800
SL10KSTP	Sample loop 10ml, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	9,100
SL10KUW	Sample loop 10ml, UW type valve	1/8" ends with nuts & ferrules, 316SS	9,600
SL10NW	Sample loop 10ul, W type valve	1/32" ends with nuts & ferrules, 316SS	4,400
SL10UW	Sample loop 10ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	6,100
SL15CSTUW	Sample loop 15ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	3,800
SL15CUW	Sample loop 15ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	3,900
SL15CW	Sample loop 15ul, W type valve	1/16" ends with nuts & ferrules, 316SS	3,900
SL15NW	Sample loop 15ul, W type valve	1/32" ends with nuts & ferrules, 316SS	4,400
SL15UW	Sample loop 15ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	6,100
SL1KCSTP	Sample loop 1ml, mpos ST/MT P-type valve	1/16" ends with nuts & ferrules, 316SS	6,200
SL1KCSTUW	Sample loop 1ml, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	6,200
SL1KCUW	Sample loop 1ml, UW type valve	1/16" ends with nuts & ferrules, 316SS	6,100
SL1KCW	Sample loop 1ml, W type valve	1/16" ends with nuts & ferrules, 316SS	6,100
SL1KSTP	Sample loop 1ml, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	5,200
SL1KUW	Sample loop 1ml, UW type valve	1/8" ends with nuts & ferrules, 316SS	4,800

SL20CSTUW	Sample loop 20ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	3,800
SL20CUW	Sample loop 20ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	3,900
SL20CW	Sample loop 20ul, W type valve	1/16" ends with nuts & ferrules, 316SS	3,900
SL20KUW	Sample loop 20 ml, UW type valve	1/8" ends with nuts & ferrules, 316SS	17,000
SL20NW	Sample loop 20ul, W type valve	1/32" ends with nuts & ferrules, 316SS	4,400
SL20UW	Sample loop 20ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	6,100
SL250CSTP	Sample loop 250ul, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	4,100
SL250CSTUW	Sample loop 250ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	4,700
SL250CUW	Sample loop 250ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	4,700
SL250CW	Sample loop 250ul, W type valve	1/16" ends with nuts & ferrules, 316SS	4,700
SL250NW	Sample loop 250ul, W type valve	1/32" ends with nuts & ferrules, 316SS	5,000
SL250STP	Sample loop 250ul, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	4,700
SL250UW	Sample loop 250ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	4,700
SL25CSTUW	Sample loop 25ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	4,100
SL25CUW	Sample loop 25ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	3,900
SL25CW	Sample loop 25ul, W type valve	1/16" ends with nuts & ferrules, 316SS	3,900
SL25NW	Sample loop 25ul, W type valve	1/32" ends with nuts & ferrules, 316SS	4,400
SL25UW	Sample loop 25ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	6,100
SL2CW	Sample loop 2ul, W type valve	1/16" ends with nuts & ferrules, 316SS	3,900
SL2KCSTP	Sample loop 2ml, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	7,900
SL2KCSTUW	Sample loop 2ml, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	7,900
SL2KCUW	Sample loop 2ml, UW type valve	1/16" with nuts & ferrules, 316SS	7,300
SL2KCW	Sample loop 2ml, W type valve	1/16" ends with nuts & ferrules, 316SS	7,300
SL2KSTP	Sample loop 2ml, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	5,800
SL2KUW	Sample loop 2ml, UW type valve	1/8" ends with nuts & ferrules, 316SS	5,200
SL2NW	Sample loop 2ul, W type valve	1/32" ends with nuts & ferrules, 316SS	4,400
SL3CUW	Sample loop 3ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	3,900
SL500CSTP	Sample loop 500ul, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	5,200
SL500CSTUW	Sample loop 500ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	5,200
SL500CUW	Sample loop 500ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	5,000
SL500CW	Sample loop 500ul, W type valve	1/16" ends with nuts & ferrules, 316SS	5,000
SL500NW	Sample loop 500ul, W type valve	1/32" ends with nuts & ferrules, 316SS	6,400
SL500STP	Sample loop 500ul, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	5,000
SL500UW	Sample loop 500ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	4,800
SL50CSTP	Sample loop 50ul, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	4,100
SL50CSTUW	Sample loop 50ul, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	4,100
SL50CUW	Sample loop 50ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	3,900

SL50CW	Sample loop 50ul, W type valve	1/16" ends with nuts & ferrules, 316SS	3,700
SL50NW	Sample loop 50ul, W type valve	1/32" ends with nuts & ferrules, 316SS	4,700
SL50UW	Sample loop 50ul, UW type valve	1/8" ends with nuts & ferrules, 316SS	6,100
SL5CUW	Sample loop 5ul, UW type valve	1/16" ends with nuts & ferrules, 316SS	3,700
SL5CW	Sample loop 5ul, W type valve	1/16" ends with nuts & ferrules, 316SS	3,700
SL5KCSTP	Sample loop 5ml, mpos ST/MW P-type valve	1/16" ends with nuts & ferrules, 316SS	8,600
SL5KCSTUW	Sample loop 5ml, mpos ST UW-type valve	1/16" ends with nuts & ferrules, 316SS	8,600
SL5KCUW	Sample loop 5ml, UW type valve	1/16" ends with nuts & ferrules, 316SS	8,400
SL5KCW	Sample loop 5ml, W type valve	1/16" ends with nuts & ferrules, 316SS	8,400
SL5KSTP	Sample loop 5ml, mpos ST/MW P-type valve	1/8" ends with nuts & ferrules, 316SS	7,000
SL5KUW	Sample loop 5ml, UW type valve	1/8" ends with nuts & ferrules, 316SS	6,400
SL5NW	Sample loop 5ul, W type valve	1/32" ends with nuts & ferrules, 316SS	4,400
SOMAP	Manual adaptor for standoff	incl. MHA and SVH	4,800
SOMAPPF	Manual adaptor with Position feedback	for standoff incl. MHA and SVH	10,700
SOMAW	Manual adaptor for standoff	incl. MHA and WK	4,700
SOUTH	Handle for use with standoff	2-pos. UW-type valve	3,200
SPSS40	OBSOLETE	Ultra High Pressure Injection System, 40K psi liq	0
SSA10UW	Rotor seal 10 port 2-pos UW-valve	1/8*.75mm, 75C/5000psi liq, H	11,500
SSA10UWE	Rotor seal 10 port 2-pos UW-valve	1/8*.75mm, 225C/400psi gas, E	12,200
SSA10UWT	Rotor seal 10 port 2-pos UW-valve	1/8*.75mm, 330C/300psi gas, T	12,200
SSA4UW	Rotor seal 4 port 2-pos UW-valve	1/8*.75mm, 75C/5000psi liq, H	12,200
SSA4UWE	Rotor seal 4 port 2-pos UW-valve	1/8*.75mm, 225C/400psi gas, E	11,500
SSA4UWT	Rotor seal 4 port 2-pos UW-valve	1/8*.75mm, 330C/300psi gas, T	11,500
SSA6UW	Rotor seal 6 port 2-pos UW-valve	1/8*.75mm, 75C/5000psi liq, H	11,500
SSA6UWE	Rotor seal 6 port 2-pos UW-valve	1/8*.75mm, 225C/400psi gas, E	11,500
SSA6UWT	Rotor seal 6 port 2-pos UW-valve	1/8*.75mm, 330C/300psi gas, T	11,500
SSA8UW	Rotor seal 8 port 2-pos UW-valve	1/8*.75mm, 75C/5000psi liq, H	11,500
SSA8UWE	Rotor seal 8 port 2-pos UW-valve	1/8*.75mm, 225C/400psi gas, E	11,500
SSA8UWT	Rotor seal 8 port 2-pos UW-valve	1/8*.75mm, 330C/300psi gas, T	11,500
SSAC10UW	Rotor seal 10 port 2-pos UW-valve	1/16*.75mm, 75C/5000psi liq, H	11,500
SSAC10UWE	Rotor seal 10 port 2-pos UW-valve	1/16*.75mm, 225C/400psi gas, E	11,500
SSAC10UWT	Rotor seal 10 port 2-pos UW-valve	1/16*.75mm, 330C/300psi gas, T	11,500
SSAC10W	Rotor seal 10 port 2-pos W-valve	1/16*.4mm, 75C/5000psi liq, H	11,500
SSAC10WE	Rotor seal 10 port 2-pos W-valve	1/16*.4mm, 225C/400psi gas, E	11,500
SSAC10WT	Rotor seal 10 port 2-pos W-valve	1/16*.4mm, 350C/300psi gas, T	11,500
SSAC4UW	Rotor seal 4 port 2-pos UW-valve	1/16*.75mm, 75C/5000psi liq, H	11,500
SSAC4UWE	Rotor seal 4 port 2-pos UW-valve	1/16*.75mm, 225C/400psi gas, E	12,200

SSAC4UWT	Rotor seal 4 port 2-pos UW-valve	1/16*.75mm, 330C/300psi gas, T	11,500
SSAC4W	Rotor seal 4 port 2-pos W-valve	1/16*.4mm, 75C/5000psi liq, H	11,500
SSAC4WE	Rotor seal 4 port 2-pos W-valve	1/16*.4mm, 225C/400psi gas, E	11,500
SSAC4WT	Rotor seal 4 port 2-pos W-valve	1/16*.4mm, 350C/300psi gas, T	11,500
SSAC6UW	Rotor seal 6 port 2-pos UW-valve	1/16*.75mm, 75C/5000psi liq, H	11,500
SSAC6UWE	Rotor seal 6 port 2-pos UW-valve	1/16*.75mm, 225C/400psi gas, E	11,500
SSAC6UWT	Rotor seal 6 port 2-pos UW-valve	1/16*.75mm, 330C/300psi gas, T	11,500
SSAC6W	Rotor seal, 6 port 2-pos W-valve	1/16*.4mm, 75C/5000psi liq, H	11,500
SSAC6WE	Rotor seal 6 port 2-pos W-valve	1/16*.4mm, 225C/400psi gas, E	11,500
SSAC6WT	Rotor seal 6 port 2-pos W-valve	1/16*.4mm, 350C/300psi gas, T	11,500
SSAC8UW	Rotor seal 8 port 2-pos UW-valve	1/16*.75mm, 75C/5000psi liq, H	11,500
SSAC8UWE	Rotor seal 8 port 2-pos UW-valve	1/16*.75mm, 225C/400psi gas, E	11,500
SSAC8UWT	Rotor seal 8 port 2-pos UW-valve	1/16*.75mm, 330C/300psi gas, T	11,500
SSAC8W	Rotor seal 8 port 2-pos W-valve	1/16*.4mm, 75C/5000psi liq, H	11,500
SSAC8WE	Rotor seal 8 port 2-pos W-valve	1/16*.4mm, 225C/400psi gas, E	11,500
SSAC8WT	Rotor seal 8 port 2-pos valve	1/16*.4mm, 350C/300psi gas, T	11,500
SSACI4UW.2	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 75C/5000psi liq, .2ul, H	11,500
SSACI4UW.5	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 75C/5000psi liq, .5ul, H	11,500
SSACI4UW1	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 75C/5000psi liq, 1ul, H	11,500
SSACI4UW2	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 75C/5000psi liq, 2ul, H	11,500
SSACI4UWE.2	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 175C/1000psi liq, .2ul, E	11,500
SSACI4UWE.5	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 175C/1000psi liq, .5ul, E	11,500
SSACI4UWE1	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 175C/1000psi liq, 1ul, E	11,500
SSACI4UWE2	Rotor seal 4 port 2-pos int vol UW-valve	1/16*.75mm, 175C/1000psi liq, 2ul, E	11,500
SSACI4W.06	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 75C/5000psi liq, .06ul, H	11,500
SSACI4W.1	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 75C/5000psi liq, .1ul, H	11,500
SSACI4W.2	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 75C/5000psi liq, .2ul, H	11,500
SSACI4W.5	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 75C/5000psi liq, .5ul, H	11,500
SSACI4WE.06	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 175C/1000psi liq, .06ul, E	11,500
SSACI4WE.1	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 175C/1000psi liq, .1ul, E	11,500
SSACI4WE.2	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 175C/1000psi liq, .2ul, E	11,500
SSACI4WE.5	Rotor seal 4 port 2-pos int vol W-valve	1/16*.4mm, 175C/1000psi liq, .5ul, E	12,200
SSACSC10MWE	Rotor seal 10 mpos common outlet MW valve	1/16*1mm, 200C/200psi gas, N60/E	17,300
SSACSC12MWE	Rotor seal 12 mpos common outlet MW valve	1/16*1mm, 200C/200psi gas, N60/E	16,200
SSACSC16MWE	Rotor seal 16 mpos common outlet MW valve	1/16*1mm, 200C/200psi gas, N60/E	17,700
SSACSC6MWE	Rotor seal 6 mpos common outlet MW valve	1/16*1mm, 200C/200psi gas, N60/E	16,200
SSACSD10MWE	Rotor seal 10 mpos dead-end path MW-valve	1/16*.75mm, 200C/400psi gas, E	16,200

SSACSD10UW	Rotor seal 10 mpos dead-end path UW-valve	1/16*.4mm, 75C/5000psi liq, E	16,200
SSACSD12MWE	Rotor seal 12 mpos dead-end path MW-valve	1/16*.75mm, 200C/400psi gas, E	16,200
SSACSD16MWE	Rotor seal 16 mpos dead-end path MW-valve	1/16*.75mm, 200C/400psi gas, E	16,200
SSACSD4UW	Rotor seal 4 mpos dead-end path UW-valve	1/16*.4mm, 75C/5000psi liq, E	16,200
SSACSD6MWE	Rotor seal 6 mpos dead-end path MW-valve	1/16*.75mm, 200C/400psi gas, E	16,200
SSACSD6UW	Rotor seal 6 mpos dead-end path UW-valve	1/16*.4mm, 75C/5000psi liq, E	16,200
SSACSF10MWE	Rotor seal 10 mpos flow-through MW-valve	1/16*1mm, 200C/200psi gas, E	17,700
SSACSF12MWE	Rotor seal 12 mpos flow-through MW-valve	1/16*1mm, 200C/200psi gas, E	17,700
SSACSF16MWE	Rotor seal 16 mpos flow-through MW-valve	1/16*1mm, 200C/200psi gas, E	17,700
SSACSF6MWE	Rotor seal 6 mpos flow-through MW-valve	1/16*1mm, 200C/200psi gas, E	17,700
SSACST10MWE	Rotor seal 10 mpos trapping path MW-valve	1/16*.75mm, 200C/200psi gas, E	17,700
SSACST12MWE	Rotor seal 12 mpos trapping path MW-valve	1/16*.75mm, 200C/200psi gas, E	17,700
SSACST16MWE	Rotor seal 16 mpos trapping path MW-valve	1/16*.75mm, 200C/200psi gas, E	17,700
SSACST4UW	Rotor seal 4 mpos trapping-path UW-valve	1/16*.4mm, 75C/5000psi liq, E	17,300
SSACST6MWE	Rotor seal 6 mpos trapping path MW-valve	1/16*.75mm, 200C/200psi gas, E	17,300
SSACST6UW	Rotor seal 6 mpos trapping-path UW-valve	1/16*.4mm, 75C/5000psi liq, E	16,200
SSACSTF10MWE	Rotor seal 10 mpos trap/flow path MW-valve	1/16*.75mm, 200C/200psi gas, E	17,700
SSACSTF12MWE	Rotor seal 12 mpos trap/flow path MW-valve	1/16*.75mm, 200C/200psi gas, E	17,700
SSACSTF16MWE	Rotor seal 16 mpos trap/flow path MW-valve	1/16*.75mm, 200C/200psi gas, E	18,800
SSACSTF6MWE	Rotor seal 6 mpos trap/flow path MW-valve	1/16*.75mm, 200C/200psi gas, E	16,200
SSAI4UWE.2	Rotor seal 4 port 2-pos int vol UW-valve	1/8*.75mm, 175C/1000psi liq, .2ul, E	11,500
SSAI4UWE.5	Rotor seal 4 port 2-pos int vol UW-valve	1/8*.75mm, 175C/1000psi liq, .5ul, E	11,500
SSAI4UWE1	Rotor seal 4 port 2-pos int vol UW-valve	1/8*.75mm, 175C/1000psi liq, 1ul, E	11,500
SSAI4UWE2	Rotor seal 4 port 2-pos int vol UW-valve	1/8*.75mm, 175C/1000psi liq, 2ul, E	11,500
SSAL10UW	Rotor seal 10 port 2-pos UW-valve	1/8*1.0mm, 75C/5000psi liq, H	16,200
SSAL4UW	Rotor seal 4 port 2-pos UW-valve	1/8*1.7mm, 75C/5000psi liq, H	16,200
SSAL6UW	Rotor seal 6 port 2-pos UW-valve	1/8*1.7mm, 75C/5000psi liq, H	16,200
SSAL8UW	Rotor seal 8 port 2-pos UW-valve	1/8*1.3mm, 75C/5000psi liq, H	16,200
SSAN10WE	Rotor seal 10 port 2-pos W-valve	1/32*.25mm, 225C/400psi gas, E	11,500
SSAN10WT	Rotor seal 10 port 2-pos W-valve	1/32*.25mm, 300C/300psi gas, T	11,500
SSAN4WE	Rotor seal 4 port 2-pos W-valve	1/32*.25mm, 225C/400psi gas, E	11,500
SSAN4WT	Rotor seal 4 port 2-pos W-valve	1/32*.25mm, 350C/300psi gas, T	11,500
SSAN6WE	Rotor seal 6 port 2-pos W-valve	1/32*.25mm, 250C/400psi gas, E	11,500
SSAN6WT	Rotor seal 6 port 2-pos W-valve	1/32*.25mm, 350C/300psi gas, T	11,500
SSAN8WE	Rotor seal 8 port 2-pos W-valve	1/32*.25mm, 225C/400psi gas, E	11,500
SSAN8WT	Rotor seal 8 port 2-pos W-valve	1/32*.25mm, 350C/300psi gas, T	11,500
SSANI4WE.06	Rotor seal 4 port 2-pos int vol W-valve	1/32*.25mm, 175C/1000psi liq, .06ul, E	11,500

SSANI4WE.1	Rotor seal 4 port 2-pos int vol W-valve	1/32*.25mm, 175C/1000psi liq, .1ul, E	11,500
SSANI4WE.2	Rotor seal 4 port 2-pos int vol W-valve	1/32*.25mm, 175C/1000psi liq, .2ul, E	11,500
SSANI4WE.5	Rotor seal 4 port 2-pos int vol W-valve	1/32*.25mm, 175C/1000psi liq, .5 ul, E	11,500
SSASC10MWE	Rotor seal 10 mpos common outlet MW valve	1/8*1mm, 200C/200psi gas, E	16,200
SSASC12MWE	Rotor seal 12 mpos common outlet MW valve	1/8*1mm, 200C/200psi gas, E	16,200
SSASC16MWE	Rotor seal 16 mpos common outlet MW valve	1/8*1mm, 200C/200psi gas, E	17,700
SSASC6MWE	Rotor seal 6 mpos common outlet MW valve	1/8*1mm, 200C/200psi gas, E	16,200
SSASD10MWE	Rotor seal 10 mpos dead-end path MW-valve	1/8*1mm, 200C/200psi gas, E	16,200
SSASD12MWE	Rotor seal 12 mpos dead-end path MW-valve	1/8*1mm, 200C/200psi gas, E	16,200
SSASD16MWE	Rotor seal 16 mpos dead-end path MW-valve	1/8*1mm, 200C/200psi gas, E	16,200
SSASD4UW	Rotor seal 4 mpos dead-end path UW-valve	1/8*.75mm, 75C/5000psi liq, E	16,200
SSASD6MWE	Rotor seal 6 mpos dead-end path MW-valve	1/8*1mm, 200C/400psi gas, E	16,200
SSASD6UW	Rotor seal 6 mpos dead-end path UW-valve	1/8*.75mm, 75C/5000psi liq, E	16,200
SSASD8UW	Rotor seal 8 mpos dead-end path UW-valve	1/8*.75mm, 75C/5000psi liq, E	16,200
SSASF10MWE	Rotor seal 10 mpos flow-through MW-valve	1/8*1mm, 200C/200psi gas, E	17,700
SSASF12MWE	Rotor seal 12 mpos flow-through MW-valve	1/8*1mm, 200C/200psi gas, E	17,700
SSASF16MWE	Rotor seal 16 mpos flow-through MW-valve	1/8*1mm, 200C/200psi gas, E	17,700
SSASF6MWE	Rotor seal 6 mpos flow-through MW-valve	1/8*1mm, 200C/200psi gas, E	16,200
SSAST10MWE	Rotor seal 10 mpos trapping path MW-valve	1/8*1mm, 200C/200psi gas, E	16,200
SSAST12MWE	Rotor seal 12 mpos trapping path MW-valve	1/8*1mm, 200C/200psi gas, E	17,700
SSAST16MWE	Rotor seal 16 mpos trapping path MW-valve	1/8*1mm, 200C/200psi gas, E	17,700
SSAST6MWE	Rotor seal 6 mpos trapping path MW-valve	1/8*1mm, 200C/200psi gas, E	16,200
SSASTF10MWE	Rotor seal 10 mpos trap/flow path MWvalve	1/8*1mm, 200C/200psi gas, E	17,700
SSASTF12MWE	Rotor seal 12 mpos trap/flow path MWvalve	1/8*1mm, 200C/200psi gas, E	17,700
SSASTF16MWE	Rotor seal 16 mpos trap/flow path MWvalve	1/8*1mm, 200C/200psi gas, E	17,700
SSASTF6MWE	Rotor seal 6 mpos trap/flow path MW-valve	1/8*1mm, 200C/200psi gas, E	16,200
SSAVL4MWE2	Rotor seal 4 port 2 pos MW-valve	1/4*4mm, 75C/100psi gas, E2	26,600
SSAVL6MWE2	Rotor seal 6 port 2 pos MW-valve	1/4*4mm, 75C/100psi gas, E2	26,600
SSAVL8MWE2	Rotor seal 8 port 2 pos MW-valve	1/4*4mm, 75C/100psi gas, E2	26,600
SSAVLSC4MWE2	Rotor seal 4 mpos common outlet MW valve	1/4*4mm, 75C/100psi gas, E2	28,900
SSAVLSC6MWE2	Rotor seal 6 mpos common outlet MW valve	1/4*4mm, 75C/100psi gas, E2	28,900
SSAVLSC8MWE2	Rotor seal 8 mpos common outlet MW valve	1/4*4mm, 75C/100psi gas, E2	28,900
SSAVLSD10MWE2	Rotor seal 10 mpos dead-end path MW-valve	1/4*4mm, 75C/100psi gas, E2	28,900
SSAVLSD4MWE2	Rotor seal 4 mpos dead-end path MW-valve	1/4*4mm, 75C/100psi gas, E2	28,900
SSAVLSD6MWE2	Rotor seal 6 mpos dead-end path MW-valve	1/4*4mm, 75C/100psi gas, E2	28,900
SSAVLSD8MWE2	Rotor seal 8 mpos dead-end path MW-valve	1/4*4mm, 75C/100psi gas, E2	28,900
SSAVLSF4MWE2	Rotor seal 4 mpos flow-through MW-valve	1/4*4mm, 75C/100psi gas, E2	28,900

SSAVLSF6MWE2	Rotor seal 6 mpos flow-through MW-valve	1/4*4mm, 75C/100psi gas, E2	28,900
SSAVLSF8MWE2	Rotor seal 8 mpos flow-through MW-valve	1/4*4mm, 75C/100psi gas, E2	28,900
SWH3	Socket wrench handle 3/16"	for 1/32" nuts	3,100
SWH4	Socket wrench handle 1/4"	for 1/16" nuts	1,600
T100C10-10	Tube-kit 1/16", .010"/.25mm	100 cm long, 316SS, 10/pkg	16,200
T100C10-100	Tube-kit 1/16", .010"/.25mm	100 cm long, 316SS, 100/pkg	143,000
T100C10-50	Tube-kit 1/16", .010"/.25mm	100 cm long, 316SS, 50/pkg	74,400
T100C10D	Tube-kit 1/16", .010"/.25mm	100 cm long, 316SS, 2/pkg	3,600
T100C20-10	Tube-kit 1/16", .020"/.50mm	100 cm long, 316SS, 10/pkg	16,200
T100C20-100	Tube-kit 1/16", .020"/.50mm	100 cm long, 316SS, 100/pkg	143,000
T100C20-50	Tube-kit 1/16", .020"/.50mm	100 cm long, 316SS, 50/pkg	74,400
T100C20D	Tube-kit 1/16", .020"/.50mm	100 cm long, 316SS, 2/pkg	3,600
T100C30-10	Tube-kit 1/16", .030"/.75mm	100 cm long, 316SS, 10/pkg	16,200
T100C30-100	Tube-kit 1/16", .030"/.75mm	100 cm long, 316SS, 100/pkg	143,000
T100C30-50	Tube-kit 1/16", .030"/.75mm	100 cm long, 316SS, 50/pkg	74,400
T100C30D	Tube-kit 1/16", .030"/.75mm	100 cm long, 316SS, 2/pkg	3,600
T100C40-10	Tube-kit 1/16", .040"/1.0mm	100 cm long, 316SS, 10/pkg	16,200
T100C40-100	Tube-kit 1/16", .040"/1.0mm	100 cm long, 316SS, 100/pkg	143,000
T100C40-50	Tube-kit 1/16", .040"/1.0mm	100 cm long, 316SS, 50/pkg	74,400
T100C40D	Tube-kit 1/16", .040"/1.0 mm	100 cm long, 316SS, 2/pkg	3,600
T100N10-10	Tube-kit 1/32", .010"/.25mm	100 cm long, 316SS, 10/pkg	17,500
T100N10-100	Tube-kit 1/32", .010"/.25mm	100 cm long, 316SS, 100/pkg	163,000
T100N10-50	Tube-kit 1/32", .010"/.25mm	100 cm long, 316SS, 50/pkg	90,600
T100N10D	Tube-kit 1/32", .010"/.25mm	100 cm long, 316SS, 2/pkg	4,100
T100N20-10	Tube-kit 1/32", .020"/.50mm	100 cm long, 316SS, 10/pkg	17,500
T100N20-100	Tube-kit 1/32", .020"/.50mm	100 cm long, 316SS, 100/pkg	163,000
T100N20-50	Tube-kit 1/32", .020"/.50mm	100 cm long, 316SS, 50/pkg	90,600
T100N20D	Tube-kit 1/32", .020"/.50mm	100 cm long, 316SS, 2/pkg	4,100
T10C10-10	Tube-kit 1/16", .010"/.25mm	10 cm long, 316SS, 10/pkg	6,500
T10C10-100	Tube-kit 1/16", .010"/.25mm	10 cm long, 316SS, 100/pkg	53,900
T10C10-50	Tube-kit 1/16", .010"/.25mm	10 cm long, 316SS, 50/pkg	28,900
T10C10D	Tube-kit 1/16", .010"/.25mm	10 cm long, 316SS, 2/pkg	1,400
T10C20-10	Tube-kit 1/16", .020"/.50mm	10 cm long, 316SS, 10/pkg	6,500
T10C20-100	Tube-kit 1/16", .020"/.50mm	10 cm long, 316SS, 100/pkg	53,900
T10C20-50	Tube-kit 1/16", .020"/.50mm	10 cm long, 316SS, 50/pkg	28,900
T10C20D	Tube-kit 1/16", .020"/.50mm	10 cm long, 316SS, 2/pkg	1,400
T10C30-10	Tube-kit 1/16", .030"/.75mm	10 cm long, 316SS, 10/pkg	6,500

T10C30-100	Tube-kit 1/16", .030"/.75mm	10 cm long, 316SS, 100/pkg	53,900
T10C30-50	Tube-kit 1/16", .030"/.75mm	10 cm long, 316SS, 50/pkg	28,900
T10C30D	Tube-kit 1/16", .030"/.75mm	10 cm long, 316SS, 2/pkg	1,400
T10C40-10	Tube-kit 1/16", .040"/1.0mm	10 cm long, 316SS, 10/pkg	6,500
T10C40-100	Tube-kit 1/16", .040"/1.0mm	10 cm long, 316SS, 100/pkg	53,900
T10C40-50	Tube-kit 1/16", .040"/1.0mm	10 cm long, 316SS, 50/pkg	28,900
T10C40D	Tube-kit 1/16", .040"/1.0mm	10 cm long, 316SS, 2/pkg	1,400
T10C5-10	Tube-kit 1/16", .005"/.12mm	10 cm long, 316SS, 10/pkg	6,500
T10C5-100	Tube-kit 1/16", .005"/.12mm	10 cm long, 316SS, 100/pkg	53,900
T10C5-50	Tube-kit 1/16", .005"/.12mm	10 cm long, 316SS, 50/pkg	28,900
T10C5D	Tube-kit 1/16", .005"/.12mm	10 cm long, 316SS, 2/pkg	1,400
T10N10-10	Tube-kit 1/32", .010"/.25mm	10 cm long, 316SS, 10/pkg	7,000
T10N10-100	Tube-kit 1/32", .010"/.25mm	10 cm long, 316SS, 100/pkg	60,700
T10N10-50	Tube-kit 1/32", .010"/.25mm	10 cm long, 316SS, 50/pkg	34,100
T10N10D	Tube-kit 1/32", .010"/.25mm	10 cm long, 316SS, 2/pkg	1,500
T10N20-10	Tube-kit 1/32", .020"/.50mm	10 cm long, 316SS, 10/pkg	7,000
T10N20-100	Tube-kit 1/32", .020"/.50mm	10 cm long, 316SS, 100/pkg	60,700
T10N20-50	Tube-kit 1/32", .020"/.50mm	10 cm long, 316SS, 50/pkg	34,100
T10N20D	Tube-kit 1/32", .020"/.50mm	10 cm long, 316SS, 2/pkg	1,500
T10N5-10	Tube-kit 1/32", .005"/.12mm	10 cm long, 316SS, 10/pkg	7,000
T10N5-100	Tube-kit 1/32", .005"/.12mm	10 cm long, 316SS, 100/pkg	60,700
T10N5-50	Tube-kit 1/32", .005"/.12mm	10 cm long, 316SS, 50/pkg	34,100
T10N5D	Tube-kit 1/32", .005"/.12mm	10 cm long, 316SS, 2/pkg	1,600
T20C10-10	Tube-kit 1/16", .010"/.25mm	20 cm long, 316SS, 10/pkg	7,300
T20C10-100	Tube-kit 1/16", .010"/.25mm	20 cm long, 316SS, 100/pkg	66,800
T20C10-50	Tube-kit 1/16", .010"/.25mm	20 cm long, 316SS, 50/pkg	38,900
T20C10D	Tube-kit 1/16", .010"/.25mm	20 cm long, 316SS, 2/pkg	1,600
T20C20-10	Tube-kit 1/16", .020"/.50mm	20 cm long, 316SS, 10/pkg..	7,800
T20C20-100	Tube-kit 1/16", .020"/.50mm	20 cm long, 316SS, 100/pkg	71,200
T20C20-50	Tube-kit 1/16", .020"/.50mm	20 cm long, 316SS, 50/pkg	38,900
T20C20D	Tube-kit 1/16", .020"/.50mm	20 cm long, 316SS, 2/pkg	1,600
T20C30-10	Tube-kit 1/16", .030"/.75mm	20 cm long, 316SS, 10/pkg	7,800
T20C30-100	Tube-kit 1/16", .030"/.75mm	20 cm long, 316SS, 100/pkg	71,200
T20C30-50	Tube-kit 1/16", .030"/.75mm	20 cm long, 316SS, 50/pkg	38,900
T20C30D	Tube-kit 1/16", .030"/.75mm	20 cm long, 316SS, 2/pkg	1,600
T20C40-10	Tube-kit 1/16", .040"/1.0mm	20 cm long, 316SS, 10/pkg	7,800
T20C40-100	Tube-kit 1/16", .040"/1.0mm	20 cm long, 316SS, 100/pkg	71,200

T20C40-50	Tube-kit 1/16", .040"/1.0mm	20 cm long, 316SS, 50/pkg	38,900
T20C40D	Tube-kit 1/16", .040"/1.0mm	20 cm long, 316SS, 2/pkg	1,600
T20C5-10	Tube-kit 1/16", .005"/.12mm	20 cm long, 316SS, 10/pkg	7,800
T20C5-100	Tube-kit 1/16", .005"/.12mm	20 cm long, 316SS, 100/pkg	71,200
T20C5-50	Tube-kit 1/16", .005"/.12mm	20 cm long, 316SS, 50/pkg	38,900
T20C5D	Tube-kit 1/16", .005"/.12mm	20 cm long, 316SS, 2/pkg	1,600
T20N10-10	Tube-kit 1/32", .010"/.25mm	20 cm long, 316SS, 10/pkg	8,400
T20N10-100	Tube-kit 1/32", .010"/.25mm	20 cm long, 316SS, 100/pkg	78,600
T20N10-50	Tube-kit 1/32", .010"/.25mm	20 cm long, 316SS, 50/pkg	43,800
T20N10D	Tube-kit 1/32", .010"/.25mm	20 cm long, 316SS, 2/pkg	1,800
T20N20-10	Tube-kit 1/32", .020"/.50mm	20 cm long, 316SS, 10/pkg	8,400
T20N20-100	Tube-kit 1/32", .020"/.50mm	20 cm long, 316SS, 100/pkg	78,600
T20N20-50	Tube-kit 1/32", .020"/.50mm	20 cm long, 316SS, 50/pkg	43,800
T20N20D	Tube-kit 1/32", .020"/.50mm	20 cm long, 316SS, 2/pkg	1,800
T20N5-10	Tube-kit 1/32", .005"/.12mm	20 cm long, 316SS, 10/pkg	8,400
T20N5-100	Tube-kit 1/32", .005"/.12mm	20 cm long, 316SS, 100/pkg	75,900
T20N5-50	Tube-kit 1/32", .005"/.12mm	20 cm long, 316SS, 50/pkg	43,800
T20N5D	Tube-kit 1/32", .005"/.12mm	20 cm long, 316SS, 2/pkg	1,800
T30C10-10	Tube-kit 1/16", .010"/.25mm	30 cm long, 316SS, 10/pkg	8,400
T30C10-100	Tube-kit 1/16", .010"/.25mm	30 cm long, 316SS, 100/pkg	72,100
T30C10-50	Tube-kit 1/16", .010"/.25mm	30 cm long, 316SS, 50/pkg	42,100
T30C10D	Tube-kit 1/16", .010"/.25mm	30 cm long, 316SS, 2/pkg	1,900
T30C20-10	Tube-kit 1/16", .020"/.50mm	30 cm long, 316SS, 10/pkg	8,400
T30C20-100	Tube-kit 1/16", .020"/.50mm	30 cm long, 316SS, 100/pkg	72,100
T30C20-50	Tube-kit 1/16", .020"/.50mm	30 cm long, 316SS, 50/pkg	42,100
T30C20D	Tube-kit 1/16", .020"/.50mm	30 cm long, 316SS, 2/pkg	1,900
T30C30-10	Tube-kit 1/16", .030"/.75mm	30 cm long, 316SS, 10/pkg	8,400
T30C30-100	Tube-kit 1/16", .030"/.75mm	30 cm long, 316SS, 100/pkg	72,100
T30C30-50	Tube-kit 1/16", .030"/.75mm	30 cm long, 316SS, 50/pkg	42,100
T30C30D	Tube-kit 1/16", .030"/.75mm	30 cm long, 316SS, 2/pkg	1,900
T30C40-10	Tube-kit 1/16", .040"/1.0mm	30 cm long, 316SS, 10/pkg	8,400
T30C40-100	Tube-kit 1/16", .040"/1.0mm	30 cm long, 316SS, 100/pkg	76,900
T30C40-50	Tube-kit 1/16", .040"/1.0mm	30 cm long, 316SS, 50/pkg	42,100
T30C40D	Tube-kit 1/16", .040"/1.0mm	30 cm long, 316SS, 2/pkg	1,900
T30C5-10	Tube-kit 1/16", .005"/.12mm	30 cm long, 316SS, 10/pkg	8,400
T30C5-100	Tube-kit 1/16", .005"/.12mm	30 cm long, 316SS, 100/pkg	76,900
T30C5-50	Tube-kit 1/16", .005"/.12mm	30 cm long, 316SS, 50/pkg	42,100

T30C5D	Tube-kit 1/16", .005"/.12mm	30 cm long, 316SS, 2/pkg	1,900
T30N10-10	Tube-kit 1/32", .010"/.25mm	30 cm long, 316SS, 10/pkg	9,600
T30N10-100	Tube-kit 1/32", .010"/.25mm	30 cm long, 316SS, 100/pkg	81,900
T30N10-50	Tube-kit 1/32", .010"/.25mm	30 cm long, 316SS, 50/pkg	47,800
T30N10D	Tube-kit 1/32", .010"/.25mm	30 cm long, 316SS, 2/pkg	2,200
T30N20-10	Tube-kit 1/32", .020"/.50mm	30 cm long, 316SS, 10/pkg	9,600
T30N20-100	Tube-kit 1/32", .020"/.50mm	30 cm long, 316SS, 100/pkg	81,900
T30N20-50	Tube-kit 1/32", .020"/.50mm	30 cm long, 316SS, 50/pkg	47,800
T30N20D	Tube-kit 1/32", .020"/.50mm	30 cm long, 316SS, 2/pkg	1,900
T30N5-10	Tube-kit 1/32", .005"/.12mm	30 cm long, 316SS, 10/pkg	9,600
T30N5-100	Tube-kit 1/32", .005"/.12mm	30 cm long, 316SS, 100/pkg	87,400
T30N5-50	Tube-kit 1/32", .005"/.12mm	30 cm long, 316SS, 50/pkg	47,800
T30N5D	Tube-kit 1/32", .005"/.12mm	30 cm long, 316SS, 2/pkg	1,900
T50C10-10	Tube-kit 1/16", .010"/.25mm	50 cm long, 316SS, 10/pkg	10,100
T50C10-100	Tube-kit 1/16", .010"/.25mm	50 cm long, 316SS, 100/pkg	91,600
T50C10-50	Tube-kit 1/16", .010"/.25mm	50 cm long, 316SS, 50/pkg	49,900
T50C10D	Tube-kit 1/16", .010"/.25mm	50 cm long, 316SS, 2/pkg	1,900
T50C20-10	Tube-kit 1/16", .020"/.50mm	50 cm long, 316SS, 10/pkg	10,100
T50C20-100	Tube-kit 1/16", .020"/.50mm	50 cm long, 316SS, 100/pkg	92,500
T50C20-50	Tube-kit 1/16", .020"/.50mm	50 cm long, 316SS, 50/pkg	49,900
T50C20D	Tube-kit 1/16", .020"/.50mm	50 cm long, 316SS, 2/pkg	1,900
T50C30-10	Tube-kit 1/16", .030"/.75mm	50 cm long, 316SS, 10/pkg	10,100
T50C30-100	Tube-kit 1/16", .030"/.75mm	50 cm long, 316SS, 100/pkg	92,500
T50C30-50	Tube-kit 1/16", .030"/.75mm	50 cm long, 316SS, 50/pkg	49,900
T50C30D	Tube-kit 1/16", .030"/.75mm	50 cm long, 316SS, 2/pkg	1,900
T50C40-10	Tube-kit 1/16", .040"/1.0mm	50 cm long, 316SS, 10/pkg	10,100
T50C40-100	Tube-kit 1/16", .040"/1.0mm	50 cm long, 316SS, 100/pkg	92,500
T50C40-50	Tube-kit 1/16", .040"/1.0mm	50 cm long, 316SS, 50/pkg	53,200
T50C40D	Tube-kit 1/16", .040"/1.0mm	50 cm long, 316SS, 2/pkg	1,900
T50C5-10	Tube-kit 1/16", .005"/.12mm	50 cm long, 316SS, 10/pkg	10,100
T50C5-100	Tube-kit 1/16", .005"/.12mm	50 cm long, 316SS, 100/pkg	86,700
T50C5-50	Tube-kit 1/16", .005"/.12mm	50 cm long, 316SS, 50/pkg	49,900
T50C5D	Tube-kit 1/16", .005"/.12mm	50 cm long, 316SS, 2/pkg	1,900
T50N10-10	Tube-kit 1/32", .010"/.25mm	50 cm long, 316SS, 10/pkg	11,500
T50N10-100	Tube-kit 1/32", .010"/.25mm	50 cm long, 316SS, 100/pkg	98,700
T50N10-50	Tube-kit 1/32", .010"/.25mm	50 cm long, 316SS, 50/pkg	53,900
T50N10D	Tube-kit 1/32", .010"/.25mm	50 cm long, 316SS, 2/pkg	2,200

T50N20-10	Tube-kit 1/32", .020"/.50mm	50 cm long, 316SS, 10/pkg	11,500
T50N20-100	Tube-kit 1/32", .020"/.50mm	50 cm long, 316SS, 100/pkg	98,700
T50N20-50	Tube-kit 1/32", .020"/.50mm	50 cm long, 316SS, 50/pkg	53,900
T50N20D	Tube-kit 1/32", .020"/.50mm	50 cm long, 316SS, 2/pkg	2,200
T50N5-10	Tube-kit 1/32", .005"/.12mm	50 cm long, 316SS, 10/pkg	11,500
T50N5-100	Tube-kit 1/32", .005"/.12mm	50 cm long, 316SS, 100/pkg	98,700
T50N5-50	Tube-kit 1/32", .005"/.12mm	50 cm long, 316SS, 50/pkg	57,500
T50N5D	Tube-kit 1/32", .005"/.12mm	50 cm long, 316SS, 2/pkg	2,200
T5C10-10	Tube-kit 1/16", .010"/.25mm	5 cm long, 316SS, 10/pkg	6,200
T5C10-100	Tube-kit 1/16", .010"/.25mm	5 cm long, 316SS, 100/pkg	47,900
T5C10-50	Tube-kit 1/16", .010"/.25mm	5 cm long, 316SS, 50/pkg	27,600
T5C10D	Tube-kit 1/16", .010"/.25mm	5 cm long, 316SS, 2/pkg	1,300
T5C20-10	Tube-kit 1/16", .020"/.50mm	5 cm long, 316SS, 10/pkg	6,200
T5C20-100	Tube-kit 1/16", .020"/.50mm	5 cm long, 316SS, 100/pkg	47,900
T5C20-50	Tube-kit 1/16", .020"/.50mm	5 cm long, 316SS, 50/pkg	27,600
T5C20D	Tube-kit 1/16", .020"/.50mm	5 cm long, 316SS, 2/pkg	1,300
T5C30-10	Tube-kit 1/16", .030"/.75mm	5cm long, 316SS, 10/pkg	6,200
T5C30-100	Tube-kit 1/16", .030"/.75mm	5 cm long, 316SS, 100/pkg	47,900
T5C30-50	Tube-kit 1/16", .030"/.75mm	5 cm long, 316SS, 50/pkg	27,600
T5C30D	Tube-kit 1/16", .030"/.75mm	5 cm long, 316SS, 2/pkg	1,300
T5C40-10	Tube-kit 1/16", .040"/1.0mm	5 cm long, 316SS, 10/pkg	6,200
T5C40-100	Tube-kit 1/16", .040"/1.0mm	5 cm long, 316SS, 100/pkg	47,900
T5C40-50	Tube-kit 1/16", .040"/1.0mm	5 cm long, 316SS, 50/pkg	25,900
T5C40D	Tube-kit 1/16", .040"/1.0mm	5 cm long, 316SS, 2/pkg	1,300
T5C5-10	Tube-kit 1/16", .005"/.12mm	5 cm long, 316SS, 10/pkg	6,200
T5C5-100	Tube-kit 1/16", .005"/.12mm	5 cm long, 316SS, 100/pkg	47,900
T5C5-50	Tube-kit 1/16", .005"/.12mm	5 cm long, 316SS, 50/pkg	25,900
T5C5D	Tube-kit 1/16", .005"/.12mm	5 cm long, 316SS, 2/pkg	1,300
T5N10-10	Tube-kit 1/32", .010"/.25mm	5 cm long, 316SS, 10/pkg	6,800
T5N10-100	Tube-kit 1/32", .010"/.25mm	5 cm long, 316SS, 100/pkg	58,300
T5N10-50	Tube-kit 1/32", .010"/.25mm	5 cm long, 316SS, 50/pkg	28,900
T5N10D	Tube-kit 1/32", .010"/.25mm	5 cm long, 316SS, 2/pkg	1,400
T5N20-10	Tube-kit 1/32", .020"/.50mm	5 cm long, 316SS, 10/pkg	6,800
T5N20-100	Tube-kit 1/32", .020"/.50mm	5 cm long, 316SS, 100/pkg	58,300
T5N20-50	Tube-kit 1/32", .020"/.50mm	5 cm long, 316SS, 50/pkg	28,900
T5N20D	Tube-kit 1/32", .020"/.50mm	5 cm long, 316SS, 2/pkg	1,400
T5N5-10	Tube-kit 1/32", .005"/.12mm	5 cm long, 316SS, 10/pkg	6,800

T5N5-100	Tube-kit 1/32", .005"/.12mm	5 cm long, 316SS, 100/pkg	58,300
T5N5-50	Tube-kit 1/32", .005"/.12mm	5 cm long, 316SS, 50/pkg	28,900
T5N5D	Tube-kit 1/32", .005"/.12mm	5 cm long, 316SS, 2/pkg	1,400
TCD2-C-110	TCD2 controller	110Vac	367,000
TCD2-C-220	TCD2 controller	220Vac	367,000
TCD2-NIFE-110	TCD2 detector with controller	Nickel-Iron filaments, 110Vac	528,000
TCD2-NIFE-220	TCD2 detector with controller	Nickel-Iron filaments, 220Vac	528,000
TCD2-NIFED-110	TCD2 detector w/o controller	NIFE filaments, 110Vac	177,000
TCD2-NIFED-220	TCD2 detector w/o controller	NIFE filaments, 220Vac	177,000
TCEF1.5.5C	Tee column end fitting 1/16"*1/32"*1/32"	.25mm in/out, .25mm side, 1mm cone, SS	22,200
TCEF1.5.5T	Tee column end fitting 1/16"*1/32"*1/32"	.9mm in/out, .25mm side, 1mm cone, SS	22,200
TCEF111	Tee column end fitting 1/16"*1/16"*1/16"	.25mm in/out, .25mm side, 1mm cone, SS	14,800
TCEF211	Tee column end fitting 1/8"*1/16"*1/16"	.50mm in/out, .50mm side, 1mm cone, SS	14,800
TCEF211T	Tee column end fitting 1/8"*1/16"*1/16"	1.65mm in/out, .4mm side, 1mm cone, SS	14,800
TCEF411	Tee column end fitting 1/4"*1/16"*1/16"	.75mm in/out, .75mm side, 4.6mm cone, SS	14,800
TCEF411C	Tee column end fitting 1/4"*1/16"*1/16"	.25mm in/out, .25mm side, 4.6mm cone, SS	17,900
TCEF411T	Tee column end fitting 1/4"*1/16"*1/16"	1.65mm in/out, .75mm side, 4.6mm cone, SS	14,800
TCEF421	Tee column end fitting 1/4"*1/8"*1/16"	.75mm in/out, .75mm side, 4.6mm cone, SS	14,800
TCEF611	Tee column end fitting 3/8"*1/16"*1/16"	.75mm in/out, .75mm side, 6mm cone, SS	18,200
TCEF611T	Tee column end fitting 3/8"*1/16"*1/16"	1.65mm in/out, .75mm side, 6mm cone, SS	18,200
TCEF811	Tee column end fitting 1/2"*1/16"*1/16"	.75mm in/out, .75mm side, 9mm cone, SS	22,200
TCEF811T	Tee column end fitting 1/2"*1/16"*1/16"	1.65mm in/out, .75mm side, 9mm cone, SS	22,200
TEFNI.101	Tubing electroformed.360um OD	.001"/25um ID, Nickel	0
TEFNI.102	Tubing electroformed.360um OD	.002"/50um ID, Nickel	0
TEFNI.104	Tubing electroformed.360um OD	.004"/100um ID, Nickel	0
TEFNI.105	Tubing electroformed.360um OD	.005"/125um ID, Nickel	0
TEFNI.110	Tubing electroformed.360um OD	.010"/250um ID, Nickel	0
TEFNI.502	Tubing electroformed.1/32"OD	.002"/.05mm ID, Nickel	0
TEFNI.504	Tubing electroformed.1/32"OD	.004"/.1mm ID, Nickel	0
TEFNI.505	Tubing electroformed.1/32"OD	.005"/.12mm ID, Nickel	0
TEFNI.507	Tubing electroformed.1/32"OD	.007"/.18mm ID, Nickel	0
TEFNI.510	Tubing electroformed.1/32"OD	.010"/.25mm ID, Nickel	0
TEFNI.512	Tubing electroformed.1/32"OD	.0126"/.32mm ID, Nickel	0
TEFNI.515	Tubing electroformed.1/32"OD	.015"/.38mm ID Nickel	0
TEFNI.520	Tubing electroformed.1/32"OD	.020"/.5mm ID, Nickel	0
TEFNI120	Tubing electroformed.1/16"OD	.020"/.5mmID, Nickel	0
TEFNI130	Tubing electroformed.1/16"OD	.030"/.75mmID, Nickel	0

TEFNI140	Tubing electroformed. 1/16"OD	.040"/1mm ID, Nickel		0
TEMPLATE1	Template for flow diagrams		0	510
TFEP110-10M	Tubing 1/16" OD, .010"/.25mm ID	FEP, 10m/pkg		7,700
TFEP110-25M	Tubing 1/16" OD, .010"/.25mm ID	FEP, 25m/pkg		19,200
TFEP110-5M	Tubing 1/16" OD, .010"/.25mm ID	FEP, 5m/pkg		4,100
TFEP120-10M	Tubing 1/16" OD, .020"/.5mm ID	FEP, 10m/pkg		7,700
TFEP120-25M	Tubing 1/16" OD, .020"/.5mm ID	FEP, 25m/pkg		19,200
TFEP120-5M	Tubing 1/16" OD, .020"/.5mm ID	FEP, 5m/pkg		4,100
TFEP130-10M	Tubing 1/16" OD, .030"/.75mm ID	FEP, 10m/pkg		7,700
TFEP130-25M	Tubing 1/16" OD, .030"/.75mm ID	FEP, 25m/pkg		19,200
TFEP130-5M	Tubing 1/16" OD, .030"/.75mm ID	FEP, 5m/pkg		4,100
TFEP260-10M	Tubing 1/8" OD, .060"/1.52mm ID	FEP, 10m/pkg		9,600
TFEP260-25M	Tubing 1/8" OD, .060"/1.52mm ID	FEP, 25m/pkg		25,500
TFEP260-5M	Tubing 1/8" OD, .060"/1.52mm ID	FEP, 5m/pkg		4,800
THC110	Tubing 1/16" OD, .010"/.25mm ID, HC		0	7,100
THC120	Tubing 1/16" OD, .020"/.50mm ID, HC		0	7,100
THC130	Tubing 1/16" OD, .030"/.75mm ID, HC		0	7,100
THC140	Tubing 1/16" OD, .040"/1.00mm ID, HC		0	7,100
THC270	Tubing 1/8" OD, .070"/1.77mm ID, HC		0	10,700
THC285	Tubing 1/8" OD, .085"/2.16mm ID, HC		0	10,700
TINCO261	Tubing 1/8" OD, .061"/1.55mm ID	Inconel 600		5,100
TINCO282	Tubing 1/8" OD, .082"/2.1mm ID	Inconel 600		5,100
TNFS800360010	Tubing, electroformed Nickel over Fused-Silica	800um x 360um x 10um		0
TNFS800360015	Tubing, electroformed Nickel over Fused-Silica	800um x 360um x 15um		0
TNFS800360020	Tubing, electroformed Nickel over Fused-Silica	800um x 360um x 20um		0
TNFS800360025	Tubing, electroformed Nickel over Fused-Silica	800um x 360um x 25um		0
TNFS800360050	Tubing, electroformed Nickel over Fused-Silica	800um x 360um x 50um		0
TNFS800360100	Tubing, electroformed Nickel over Fused-Silica	800um x 360um x 100um		0
TNFS800360180	Tubing, electroformed Nickel over Fused-Silica	800um x 360um x 180um		0
TNFS800360250	Tubing, electroformed Nickel over Fused-Silica	800um x 360um x 250um		0
TNI.510	Tubing 1/32" OD, .010"/.25mm ID, Nickel		0	5,100
TNI.520	Tubing 1/32" OD, .020"/.5mm ID, Nickel		0	5,100
TNI105	Tubing 1/16" OD, .005"/.12mm ID, Nickel		0	5,100
TNI120	Tubing 1/16" OD, .020"/.5mm ID, Nickel		0	5,100
TNI130	Tubing 1/16" OD, .030"/.75mm ID, Nickel		0	5,100
TNI140	Tubing 1/16" OD, .040"/1mm ID, Nickel		0	5,100
TNI285	Tubing 1/8" OD, .085"/2.15mm ID, Nickel		0	5,100

TNPK16001140050	Tubing, electroformed Nickel over PEEK	1/16" (1600um) x 1140um x 50um ID	0
TNPK16001140075	Tubing, electroformed Nickel over PEEK	1/16" (1600um) x 1140um x 75um ID	0
TNPK16001140100	Tubing, electroformed Nickel over PEEK	1/16" OD x 100um ID	0
TNPK160011401015	Tubing, electroformed Nickel over PEEK	1/16" OD x 1015um ID	0
TNPK16001140125	Tubing, electroformed Nickel over PEEK	1/16" OD x 125um ID	0
TNPK16001140180	Tubing, electroformed Nickel over PEEK	1/16" OD x 180um ID	0
TNPK16001140250	Tubing, electroformed Nickel over PEEK	1/16" OD x 250um ID	0
TNPK16001140305	Tubing, electroformed Nickel over PEEK	1/16" OD x 305um ID	0
TNPK16001140510	Tubing, electroformed Nickel over PEEK	1/16" OD x 510um ID	0
TNPK16001140760	Tubing, electroformed Nickel over PEEK	1/16" OD x 760 um ID (0.030")	0
TNPK800360050	Tubing, electroformed Nickel over PEEK	800um OD (1/32") x 50 um ID (0.002")	0
TNPK800360075	Tubing, electroformed Nickel over PEEK	800um OD (1/32") x 75 um ID (0.003")	0
TNPK800360100	Tubing, electroformed Nickel over PEEK	800um OD (1/32") x 100 um ID (0.004")	0
TNPK800360125	Tubing, electroformed Nickel over PEEK	800um OD (1/32") x 125 um ID (0.005")	0
TNPK800360180	Tubing, electroformed Nickel over PEEK	800um OD (1/32") x 180 um ID (0.007")	0
TNPK800360205	Tubing, electroformed Nickel over PEEK	800um OD (1/32") x 205 um ID (0.008")	0
TNPK800404250	Tubing, electroformed Nickel over PEEK	800um OD (1/32") x 250 um ID (0.010")	0
TNPK800510305	Tubing, electroformed Nickel over PEEK	800um OD (1/32") x 305 um ID (0.012")	0
TNPK800535380	Tubing, electroformed Nickel over PEEK	800um OD (1/32") x 380 um ID (0.015")	0
TNPK800660510	Tubing, electroformed Nickel over PEEK	800um OD (1/32") x 510 um ID (0.020")	0
TPK.102	Tubing 360um OD, .002"/50um ID	PEEK	1,900
TPK.104	Tubing 360um OD, .004"/100um ID	PEEK	2,200
TPK.105	Tubing 360um OD, .005"/125um ID	PEEK	2,200
TPK.106	Tubing 360um OD, .006"/150um ID	PEEK	2,200
TPK.502-10M	Tubing 1/32" OD, .0025"/63um ID	PEEK, 10m/pkg	14,300
TPK.502-25M	Tubing 1/32" OD, .0025"/63um ID	PEEK, 25m/pkg	35,800
TPK.502-5M	Tubing 1/32" OD, .0025"/63um ID	PEEK, 5m/pkg	7,700
TPK.505-10M	Tubing 1/32" OD, .005"/125um	PEEK, 10m/pkg	14,300
TPK.505-25M	Tubing 1/32" OD, .005"/125um	PEEK, 25m/pkg	35,800
TPK.505-5M	Tubing 1/32" OD, .005"/125um	PEEK, 5m/pkg	7,700
TPK.510-10M	Tubing 1/32" OD, .010"/.25mm	PEEK, 10m/pkg	12,500
TPK.510-25M	Tubing 1/32" OD, .010"/.25mm	PEEK, 25m/pkg	33,200
TPK.510-5M	Tubing 1/32" OD, .010"/.25mm	PEEK, 5m/pkg	6,300
TPK.515-10M	Tubing 1/32" OD, .015"/.38mm	PEEK, 10m/pkg	12,500
TPK.515-25M	Tubing 1/32" OD, .015"/.38mm	PEEK, 25m/pkg	33,200
TPK.515-5M	Tubing 1/32" OD, .015"/.38mm	PEEK, 5m/pkg	6,300
TPK106-10M	Tubing 1/16" OD, .006"/.15mm ID	PEEK, 10m/pkg	14,300

TPK106-25M	Tubing 1/16" OD, .006"/.15mm ID	PEEK, 25m/pkg		38,200
TPK106-5M	Tubing 1/16" OD, .006"/.15mm ID	PEEK, 5m/pkg		7,700
TPK110-10M	Tubing 1/16" OD, .010"/.25mm ID	PEEK, 10m/pkg		12,000
TPK110-25M	Tubing 1/16" OD, .010"/.25mm ID	PEEK, 25m/pkg		30,000
TPK110-5M	Tubing 1/16" OD, .010"/.25mm ID	PEEK, 5m/pkg		6,400
TPK120-10M	Tubing 1/16" OD, .020"/.5mm ID	PEEK, 10m/pkg		14,100
TPK120-25M	Tubing 1/16" OD, .020"/.5mm ID	PEEK, 25m/pkg		32,900
TPK120-5M	Tubing 1/16" OD, .020"/.5mm ID	PEEK, 5m/pkg		7,100
TPK130-10M	Tubing 1/16" OD, .030"/.75mm ID	PEEK, 10m/pkg		14,100
TPK130-25M	Tubing 1/16" OD, .030"/.75mm ID	PEEK, 25m/pkg		32,900
TPK130-5M	Tubing 1/16" OD, .030"/.75mm ID	PEEK, 5m/pkg		7,100
TPK260-10M	Tubing 1/8" OD, .060"/1.52mm ID	PEEK, 10m/pkg		19,100
TPK260-25M	Tubing 1/8" OD, .060"/1.52mm ID	PEEK, 25m/pkg		47,700
TPK260-5M	Tubing 1/8" OD, .060"/1.52mm ID	PEEK, 5m/pkg		9,600
TSS.505	Tubing 1/32" OD, .005"/.12mm, 316SS		0	1,800
TSS.507	Tubing 1/32" OD, .007"/.18mm, 316SS		0	1,800
TSS.510	Tubing 1/32" OD, .010"/.25mm, 316SS		0	1,500
TSS.520	Tubing 1/32" OD, .020"/.5mm ID, 316SS		0	1,500
TSS105	Tubing 1/16" OD, .005"/.12mm ID, 316SS		0	1,800
TSS110	Tubing 1/16" OD, .010"/.25mm ID, 316SS		0	1,700
TSS115	Tubing 1/16" OD, .015"/.38mm ID, 316SS		0	1,700
TSS120	Tubing 1/16" OD, .020"/.5mm ID, 316SS		0	1,700
TSS126	Tubing 1/16" OD, .026"/.66mm ID, 316SS		0	1,700
TSS130	Tubing 1/16" OD, .030"/.75mm ID, 316SS		0	1,700
TSS140	Tubing 1/16" OD, .040"/1mm ID, 316SS		0	1,700
TSS230	Tubing 1/8" OD, .030"/.75mm ID, 316SS		0	2,300
TSS240	Tubing 1/8" OD, .040"/1mm ID, 316SS		0	2,300
TSS260	Tubing 1/8" OD, .060"/1.50mm ID,		0	2,300
TSS267	Tubing 1/8" OD, .067"/1.7mm ID, 316SS		0	2,300
TSS285	Tubing 1/8" OD, .085"/2.15mm ID, 316SS		0	2,300
TTF106-10M	Tubing 1/16" OD, .006"/.15mm ID	PTFE, 10m/pkg		7,300
TTF106-25M	Tubing 1/16" OD, .006"/.15mm ID	PTFE, 25m/pkg		18,100
TTF106-5M	Tubing 1/16" OD, .006"/.15mm ID	PTFE, 5m/pkg		3,700
TTF110-10M	Tubing 1/16" OD, .010"/.25mm ID	PTFE, 10m/pkg		7,300
TTF110-25M	Tubing 1/16" OD, .010"/.25mm ID	PTFE, 25m/pkg		18,100
TTF110-5M	Tubing 1/16" OD, .010"/.25mm ID	PTFE, 5m/pkg		3,700
TTF115-10M	Tubing 1/16" OD, .015"/.38mm ID	PTFE, 10m/pkg		7,300

TTF115-25M	Tubing 1/16" OD, .015"/.38mm ID	PTFE, 25m/pkg	18,100
TTF115-5M	Tubing 1/16" OD, .015"/.38mm ID	PTFE, 5m/pkg	3,700
TTF120-10M	Tubing 1/16" OD, .020"/.5mm ID	PTFE, 10m/pkg	7,300
TTF120-25M	Tubing 1/16" OD, .020"/.5mm ID	PTFE, 25m/pkg	18,100
TTF120-5M	Tubing 1/16" OD, .020"/.5mm ID	PTFE, 5m/pkg	3,700
TTF130-10M	Tubing 1/16" OD, .030"/.75mm ID	PTFE, 10m/pkg	7,300
TTF130-25M	Tubing 1/16" OD, .030"/.75mm ID	PTFE, 25m/pkg	18,100
TTF130-5M	Tubing 1/16" OD, .030"/.75mm ID	PTFE, 5m/pkg	3,700
TTF230-10M	Tubing 1/8" OD, .030"/.75mm ID	PTFE, 10m/pkg	9,600
TTF230-25M	Tubing 1/8" OD, .030"/.75mm ID	PTFE, 25m/pkg	25,500
TTF230-5M	Tubing 1/8" OD, .030"/.75mm ID	PTFE, 5m/pkg	4,800
TTF260-10M	Tubing 1/8" OD, .060"/1.52mm ID	PTFE, 10m/pkg	9,600
TTF260-25M	Tubing 1/8" OD, .060"/1.52mm ID	PTFE, 25m/pkg	25,500
TTF260-5M	Tubing 1/8" OD, .060"/1.52mm ID	PTFE, 5m/pkg	4,800
TTF285-10M	Tubing 1/8" OD, .085"/2.15mm ID	PTFE, 10m/pkg	9,600
TTF285-25M	Tubing 1/8" OD, .085"/2.15mm ID	PTFE, 25m/pkg	25,500
TTF285-5M	Tubing 1/8" OD, .085"/2.15mm ID	PTFE, 5m/pkg	4,800
TTZ110-10M	Tubing 1/16" OD, .010"/.25mm ID	ETFE, 10m/pkg	12,000
TTZ110-25M	Tubing 1/16" OD, .010"/.25mm ID	ETFE, 25m/pkg	30,000
TTZ110-5M	Tubing 1/16" OD, .010"/.25mm ID	ETFE, 5m/pkg	6,000
TTZ120-10M	Tubing 1/16" OD, .020"/.5mm ID	ETFE, 10m/pkg	12,000
TTZ120-25M	Tubing 1/16" OD, .020"/.5mm ID	ETFE, 25m/pkg	30,000
TTZ120-5M	Tubing 1/16" OD, .020"/.5mm ID	ETFE, 5m/pkg	6,000
TTZ130-10M	Tubing 1/16" OD, .030"/.75mm ID	ETFE, 10m/pkg	12,000
TTZ130-25M	Tubing 1/16" OD, .030"/.75mm ID	ETFE, 25m/pkg	32,000
TTZ130-5M	Tubing 1/16" OD, .030"/.75mm ID	ETFE, 5m/pkg	6,400
TTZ260-10M	Tubing 1/8" OD, .060"/1.52mm ID	ETFE, 10m/pkg	16,800
TTZ260-25M	Tubing 1/8" OD, .060"/1.52mm ID	ETFE, 25m/pkg	44,700
TTZ260-5M	Tubing 1/8" OD, .060"/1.52mm ID	ETFE, 5m/pkg	8,400
UMD	Universal actuator, modular, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	0
UMDA	Universal actuator, modular, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	0
UMDB	Universal actuator, modular, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	0
UMDC	Universal actuator, modular, no clamp ring	medium torque 24Vdc, w.110/220Vac p-supply	0
UMH	Universal actuator, modular, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	0
UMHA	Universal actuator, modular, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	0
UMHB	Universal actuator, modular, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	0
UMHC	Universal actuator, modular, no clamp ring	high speed 24Vdc, w.110/220Vac p-supply	0

UMT	Universal actuator, modular, no clamp ring	high torque 24Vdc, w.110/220Vac p-supply	0
UMTA	Universal actuator, modular, no clamp ring	high torque 24Vdc, w.110/220Vac p-supply	0
UMTB	Universal actuator, modular, no clamp ring	high torque 24Vdc, w.110/220Vac p-supply	0
UMTC	Universal actuator, modular, no clamp ring	high torque 24Vdc, w.110/220Vac p-supply	0
V-EMPMCR-HP1100	Remote cable VICI micro E mpos. actuator	4/6 pos to HP1100, 1200, 1260, G1351A interface	11,500
V-EMPMCR-HP1100-1	Remote cable VICI micro E mpos. actuator	8/10 pos to HP1100, 1200, 1260, G1351A interface	8,800
V-EMPMCR-HP6890	BCD cable VICI micro E mpos. actuator	(26 pin connector) to HP 6890	15,200
V-EMPMCR-HP6890N	BCD cable VICI micro E mpos. actuator, length 2 m	(26 pin connector) to HP 6890N/7890	17,500
V-EMPMCR-WA2690	Remote cable VICI micro E mpos. actuator	4/6pos to Waters 2690 Separation Module	15,200
V-EMPMCR-WA2690-	Remote cable VICI micro E mpos. actuator	10pos to Waters 2690 Separation Module	18,200
VISF.5FPK	Syringe fillport for 1/32" connection, fingertight	for .75"/19mm long needle, 26Gauge OD, PEEK	1,900
VISF-1	Syringe fillport for 1/16" connection	for .75"/19mm long needle, 22Gauge OD	1,400
VISF-2	Syringe fillport for 1/16" connection	for 2.0"/51mm long needle, 22Gauge OD	2,400
VISF-A	Syringe fillport for 1/8" fittings	for 2.0"/51mm long needle, 22Gauge OD	4,400
VISL-1	Liner, replacement for VISF-1 or C-VISF-1L	PTFE	400
VISL-1H	Liner, replacement for C-VISF-1H	PTFE	400
VISL-2	Liner, replacement for VISF-2 or VISF-A	PTFE	400
V-RA-24VDC-HP6890	Relay assy. for 2pos micro actuator	to HP6890/7890, 24VDC	15,200
V-RA-24VDC-VA3800	Relay assy. for 2pos micro actuator	to VA3800, 24VDC	15,200
V-RA-5VDC-HP1100	Relay assy. for 2pos micro actuator	to HP1100 external event, 5VDC from micr act.	15,200
V-RA-5VDC-WA2690	Relay assy. for 2pos micro actuator	to WA2690 external event, 5VDC from micro act.	15,200
VSH	Valve spanner handle for mpos valve		0 7,600
V-SV-S32-110VAC	3-way solenoid air valve	for diaphragm valves, 110VAC, CE	18,100
V-SV-S32-220VAC	3-way solenoid air valve	for diaphragm valves, 220VAC, CE	18,100
V-SV-S32-24VAC	3-way solenoid air valve	for diaphragm valves, 24VAC, CE	18,100
V-SV-S32-24VDC	3-way solenoid air valve	for diaphragm valves, 24VDC, CE	18,100
V-SV-S52-110VAC	4-way solenoid air valve, m-pos air actuator	110VAC, CE	18,100
V-SV-S52-220VAC	4-way solenoid air valve, m-pos air actuator	220VAC, CE	18,100
V-SV-S52-24VAC	4-way solenoid air valve, m-pos air actuator	24VAC, CE	18,100
V-SV-S52-24VDC	4-way solenoid air valve, m-pos air actuator	24VDC, CE	18,100
V-SV-S53-110VAC	5-way 3-pos solenoid air valve	for 2-pos air actuator, 110VAC, CE	46,300
V-SV-S53-220VAC	5-way 3-pos solenoid air valve	for 2-pos air actuator, 220VAC, CE	46,300
V-SV-S53-24VAC	5-way 3-pos solenoid air valve	for 2-pos air actuator, 24VAC, CE	46,300
V-SV-S53-24VDC	5-way 3-pos solenoid air valve	for 2-pos air actuator, 24VDC, CE	46,300
WMMA	Close mount hdw. manual, W/UW	2-pos, 3,4,6,8 port valves	5,800
WMMA10	Close mount hdw. manual	valves with unthreaded mounting holes	5,800
WMMASO	Manual W-knob for use with standoff	2-pos, W-type valves	4,100

XLZN1-10	Nut 1/16", 25mm long, SS, 10/pkg		0	4,700
XLZN2-10	Nut 1/8", 27mm long, SS, 10/pkg		0	5,400
Z10M1	Manifold 1/16", 10 inlets 1 outlet	inlet .25mm/outlet .75mm bore, N60		53,500
Z10M1PK	Manifold 1/16", 10 inlets 1 outlet	inlet .25mm/outlet .75mm bore, PEEK		60,700
Z10M2	Manifold 1/8", 10 inlets 1 outlet	inlet 2mm/outlet 2mm bore, SS		64,800
Z12M1	Manifold 1/16", 12 inlets 1 outlet	inlet .25mm/outlet .75mm bore, N60		64,800
Z12M1PK	Manifold 1/16", 12 inlets 1 outlet	inlet .25mm/outlet .75mm bore, PEEK		70,100
Z12M2	Manifold 1/8", 12 inlets 1 outlet	inlet 2mm/outlet 2mm bore, SS		70,100
Z14M1	Manifold 1/16", 14 inlets 1 outlet	inlet .25mm/outlet .75mm bore, N60		70,100
Z14M1PK	Manifold 1/16", 14 inlets 1 outlet	inlet .25mm/outlet .75mm bore, PEEK		78,800
Z16M1PK	Manifold 1/16", 16 inlets 1 outlet	inlet .25mm/outlet .75mm bore, PEEK		88,200
Z4M1	Manifold 1/16", 4 inlets 1 outlet	inlet .25mm/outlet .75mm bore, N60		28,400
Z4M1PK	Manifold 1/16", 4 inlets 1 outlet	inlet .25mm/outlet .75mm bore, PEEK		34,700
Z4M2	Manifold 1/8", 4 inlets 1 outlet	inlet 2mm/outlet 2mm bore, SS		34,700
Z6M1	Manifold 1/16", 6 inlets 1 outlet	inlet .25mm/outlet .75mm bore, N60		34,700
Z6M1PK	Manifold 1/16", 6 inlets 1 outlet	inlet .25mm/outlet .75mm bore, PEEK		47,000
Z6M2	Manifold 1/8", 6 inlets 1 outlet	inlet 2mm/outlet 2mm bore, SS		47,000
Z8M1	Manifold 1/16", 8 inlets 1 outlet	inlet .25mm/outlet .75mm bore, N60		47,000
Z8M1PK	Manifold 1/16", 8 inlets 1 outlet	inlet .25mm/outlet .75mm bore, PEEK		53,500
Z8M2	Manifold 1/8", 8 inlets 1 outlet	inlet 2mm/outlet 2mm bore, SS		53,500
ZAOR11	Internal adaptor 1/16" to 10-32 thread	O-ring seal, SS		2,100
ZAOR12	Internal adaptor 1/16" to 5/16-24 thread	O-ring seal, SS		2,200
ZAOR22	Internal adaptor 1/8" to 5/16-24 thread	O-ring seal, SS		4,200
ZBAA1	Aerosol adaptor bulkhead union 1/16", SS	Bore 0.75 mm		8,900
ZBNV1	Micrometering needle valve, bulkhead, 2-225 ml/min	1/16" int, 2um screen,lubricated, 225C,SS/Viton		23,200
ZBNV1-D	Micrometering needle valve, bulkhead, 2-225 ml/min	1/16" int, 2um screen,225C,non-lubricated,SS/Vi		27,000
ZBNV1F	Micrometering needle valve, bulkhead, 2-175 ml/min	1/16" int, 10um frit,lubricated,225C,SS/Viton		25,500
ZBNV1F-D	Micrometering needle valve, bulkhead, 2-175 ml/min	1/16" int, 10um frit,225C,non-lubricated,SS/Vito		30,100
ZBNV1F-KZ	Micrometering needle valve, bulkhead, 2-175 ml/min	1/16" int, 10um frit,315C,non-lubricat,SS/Kalrez		33,900
ZBNV1-KZ	Micrometering needle valve, bulkhead, 2-225 ml/min	1/16" int, 2um screen,315C,non-lubricat.,SS/Kalr		28,900
ZBNV1LF	Micrometering needle valve, bulkhead, 2-90 ml/min	1/16" int,1um frit,225C, lubricated,SS/Viton		23,200
ZBNV1LF-D	Micrometering needle valve, bulkhead, 2-90 ml/min	1/16" int,1um frit,225C,non-lubricated,SS/Viton		27,800
ZBNV1LF-KZ	Micrometering needle valve, bulkhead, 2-90 ml/min	1/16" int,1um frit,315C,non-lubricated,SS/Kalrez		30,400
ZBRU1.5	Bulkhead reducing union 1/16"*1/32"	.25mm bore, SS		5,000
ZBRU1.5FPK	Bulkhead reducing union 1/16"*1/32"	.25mm bore, PEEK		11,000
ZBRU1.5L	Bulkhead reducing union 1/16"*1/32"	.5mm bore, SS		9,700
ZBRU1.5LFPK	Bulkhead reducing union 1/16"*1/32"	.5mm bore, PEEK		10,300

ZBRU1.5T	Bulkhead reducing union 1/16"*1/32"	1/32" through bore, SS	9,700
ZBRU1.5TFPK	Bulkhead reducing union 1/16"*1/32"	1/32" through bore, PEEK	10,300
ZBRU2.5	Bulkhead reducing union 1/8"*1/32"	.25mm bore, SS	11,500
ZBRU2.5FPK	Bulkhead reducing union 1/8"*1/32"	.25mm bore, PEEK	10,900
ZBRU2.5L	Bulkhead reducing union 1/8"*1/32"	.5mm bore, SS	11,500
ZBRU2.5LFPK	Bulkhead reducing union 1/8"*1/32"	.5mm bore, PEEK	10,900
ZBRU2.5T	Bulkhead reducing union 1/8"*1/32"	1/32" through bore, SS	11,500
ZBRU2.5TFPK	Bulkhead reducing union 1/8"*1/32"	1/32" through bore, PEEK	10,900
ZBRU21	Bulkhead reducing union 1/8"*1/16"	.75mm bore, SS	3,400
ZBRU21C	Bulkhead reducing union 1/8"*1/16"	.25mm bore, SS	8,600
ZBRU21CFPK	Bulkhead reducing union 1/8"*1/16"	.25mm bore, PEEK	10,000
ZBRU21FPK	Bulkhead reducing union 1/8"*1/16"	.75mm bore, PEEK	8,700
ZBRU21LFPK	Bulkhead reducing union 1/8"*1/16"	1mm bore, PEEK	8,700
ZBRU21T	Bulkhead reducing union 1/8"*1/16"	1/16" through bore, SS	3,400
ZBRU21TFPK	Bulkhead reducing union 1/8"*1/16"	1/16" through bore, PEEK	8,700
ZBRU41	Bulkhead reducing union 1/4"*1/16"	.75mm bore, SS	7,000
ZBRU41C	Bulkhead reducing union 1/4"*1/16"	.25mm bore, SS	8,600
ZBRU41T	Bulkhead reducing union 1/4"*1/16"	1/16" through bore, SS	7,000
ZBRU42	Bulkhead reducing union 1/4"*1/8"	0.75mm bore, SS	7,000
ZBRU42L	Bulkhead reducing union 1/4"*1/8"	2mm bore, 316SS	3,700
ZBRU42T	Bulkhead reducing union 1/4"*1/8"	1/8" through bore, 316SS	7,000
ZBRUF1.5	Bulkhead reducing union 1/16"*1/32"	2 um frit, pressed, SS	11,900
ZBRUF21	Bulkhead reducing union 1/8"*1/16"	.75mm bore, pressed 2 um frit, SS	8,000
ZBRUF42	Bulkhead reducing union 1/4"*1/8"	2mm bore, pressed 2 um frit, SS	8,300
ZBRUFR1.5	Bulkhead reducing union 1/16"*1/32"	.25mm bore, removable 2 um screen, SS	12,800
ZBRUFR1.5F	Bulkhead reducing union 1/16"*1/32"	.25mm bore, removable 2um frit, 316SS	14,400
ZBRUFR21	Bulkhead reducing union 1/8"*1/16"	.75mm bore, removable 2 um screen, SS	11,600
ZBRUFR21F	Bulkhead reducing union 1/8"*1/16"	.75mm bore, removable 2 um frit, 316SS	11,900
ZBRUFR41	Bulkhead reducing union 1/4"*1/16"	1mm bore, removable 2 um screen, SS	12,800
ZBRUFR41F	Bulkhead reducing union 1/4"*1/16"	1mm bore, removable 2 um frit, 316SS	13,000
ZBRUFR42	Bulkhead reducing union 1/4"*1/8"	2mm bore, removable 2 um screen, SS	12,800
ZBRUFR42F	Bulkhead reducing union 1/4"*1/8"	2mm bore, removable 2 um frit, 316SS	12,200
ZBU.5	Bulkhead union 1/32"	.25mm bore, SS	5,000
ZBU.5FPK	Bulkhead union 1/32", fingertight	.25mm bore, PEEK	12,100
ZBU.5L	Bulkhead union 1/32"	.5mm bore, SS	5,200
ZBU.5LFPK	Bulkhead union 1/32", fingertight	.5mm bore, PEEK	6,400
ZBU.5T	Bulkhead union 1/32"	1/32" through bore, SS	5,200

ZBU.5TFPK	Bulkhead union 1/32", fingertight	1/32" through bore, PEEK	12,100
ZBU.5XC	Bulkhead union 1/32"	.15mm bore, SS	11,600
ZBU1	Bulkhead union 1/16"	.75mm bore, SS	3,700
ZBU1C	Bulkhead union 1/16"	.25mm bore, SS	4,500
ZBU1CFPK	Bulkhead union 1/16", fingertight	.25mm bore, PEEK	4,400
ZBU1CPK	Bulkhead union 1/16", hex	.25mm bore, PEEK	8,000
ZBU1FPK	Bulkhead union 1/16", fingertight	.75mm bore, PEEK	7,300
ZBU1L	Bulkhead union 1/16"	1mm bore, SS	3,700
ZBU1M	Bulkhead union 1/16"	.5mm bore, SS	4,100
ZBU1MFPK	Bulkhead union 1/16", fingertight	.5mm bore, PEEK	7,900
ZBU1MPK	Bulkhead union 1/16", hex	.5mm bore, PEEK	7,900
ZBU1PK	Bulkhead union 1/16", hex	.75mm bore, PEEK	7,300
ZBU1T	Bulkhead union 1/16"	1/16" through bore, SS	3,700
ZBU1TFPK	Bulkhead union 1/16", fingertight	1/16" through bore, PEEK	13,800
ZBU1TPK	Bulkhead union 1/16", hex	1/16" through bore, PEEK	13,800
ZBU1XC	Bulkhead union 1/16"	.15mm bore, SS	6,200
ZBU2	Bulkhead union 1/8"	.75mm bore, SS	3,200
ZBU2L	Bulkhead union 1/8"	2mm bore, SS	3,200
ZBU2LPK	Bulkhead union 1/8", hex	2mm bore, PEEK	7,800
ZBU2PK	Bulkhead union 1/8", hex	.75mm bore, PEEK	7,800
ZBU2T	Bulkhead union 1/8"	1/8" through bore, SS	6,400
ZBU2TPK	Bulkhead union 1/8", hex	1/8" through bore, PEEK	7,800
ZBU4	Bulkhead union 1/4"	.75mm bore, SS	7,100
ZBU4L	Bulkhead union 1/4"	4.6mm bore, SS	7,100
ZBU4T	Bulkhead union 1/4"	1/4" through bore, SS	7,100
ZBUF1	Bulkhead union 1/16"	.75mm bore, pressed 2 um frit, SS	4,100
ZBUF2	Bulkhead union 1/8"	.75mm bore, pressed 2 um frit, SS	8,000
ZBUF4	Bulkhead union 1/4"	4.6mm bore, pressed 2 um frit, SS	8,300
ZBUFLKF	Chem inert luer adapter bulkhead union	female luer to 10-32, 1mm bore, CTFE	4,100
ZBUFLPK	Chem inert luer adapter bulkhead union	female luer to 10-32, 1 mm bore, PEEK	7,900
ZBUFR.5	Bulkhead union 1/32"	.25mm bore, removable 2 um screen, SS	18,200
ZBUFR.5F	Bulkhead union 1/32"	.25mm bore, removable 2 um frit, 316SS	18,200
ZBUFR1	Bulkhead union 1/16"	.50mm bore, removable 2 um screen, SS	6,200
ZBUFR1C	Bulkhead union 1/16"	.25mm bore, removable 2 um screen, SS	14,300
ZBUFR1CF	Bulkhead union 1/16"	.25mm bore, removable 2 um frit, 316SS	14,300
ZBUFR1F	Bulkhead union 1/16"	.5mm bore, removable 2 um frit, 316SS	11,900
ZBUFR2	Bulkhead union 1/8"	2mm bore, removable 2 um screen, SS	11,600

ZBUFR2F	Bulkhead union 1/8"	2mm bore, removable 2 um frit, 316SS		11,900
ZBUMLKF	Cheminert luer adapter bulkhead union	luer male to 10-32 ZDV, 1mm bore, CTFE		7,400
ZBUMLPK	Cheminert luer adapter bulkhead union	luer male to 10-32 ZDV, 1mm bore, PEEK		4,100
ZC.5	Cap 1/32"	SS		1,700
ZC.5FPK	Cap 1/32", fingertight, PEEK		0	4,400
ZC1	Cap 1/16"	SS		1,400
ZC1FPK	Cap 1/16", fingertight, PEEK		0	2,100
ZC1PK	Cap 1/16", hex, PEEK		0	4,100
ZC2	Cap 1/8"	SS		1,400
ZC2PK	Cap 1/8", hex, PEEK		0	4,400
ZC4	Cap 1/4"	SS		3,700
ZERU1.5FPK	Union, Reducing, Int/Ext, 1/16"1/32", 20mm	200um, PEEK		8,100
ZF.5-10	OBSOLETE, USE ZF.5S6-10			0
ZF.5B-10	Ferrule 1/32", Brass, 10/pkg		0	2,900
ZF.5FEP-10	Ferrule 1/32", FEP, 10/pkg		0	4,700
ZF.5GP-10	Ferrule 1/32", SS, gold plated, 10/pkg		0	9,100
ZF.5GV-5	Ferrule 1/32"	Polyimide, Graphite, 5/pkg		5,600
ZF.5HC	Ferrule 1/32", HC		0	2,800
ZF.5KF-10	Ferrule 1/32", CTFE, 10/pkg		0	10,900
ZF.5NI	Ferrule 1/32", Nickel		0	2,800
ZF.5PFA-10	Ferrule 1/32", PFA, 10/pkg		0	12,300
ZF.5PK-10	Ferrule 1/32", PEEK, 10/pkg		0	5,400
ZF.5PK-5	Ferrule 1/32", PEEK, 5/pkg		0	2,600
ZF.5PKG-10	Ferrule 1/32", 10/pkg	PEEK, glass-filled		0
ZF.5S6-10	Ferrule 1/32", 316SS, 10/pkg		0	4,700
ZF.5TF-10	Ferrule 1/32"	PTFE, Virgin, 10/pkg		9,700
ZF.5TFG-10	Ferrule 1/32"	PTFE, Glass-filled 25%, 10/pkg		4,100
ZF.5TI	Ferrule 1/32", Titanium		0	3,100
ZF.5V1-5	Ferrule 1/32"	Polyimide, Virgin, 5/pkg		22,400
ZF.5V-5	Ferrule 1/32"	Polyimide, Valcon, 5/pkg		4,600
ZF1-10	Ferrule 1/16", 303SS, 10/pkg		0	2,900
ZF1B-10	Ferrule 1/16", Brass, 10/pkg		0	2,400
ZF1FEP-10	Ferrule 1/16", FEP, 10/pkg		0	5,500
ZF1GP-10	Ferrule 1/16", SS, gold plated, 10/pkg		0	5,500
ZF1GV-5	Ferrule 1/16"	Polyimide, Graphite, 5/pkg		3,700
ZF1HC	Ferrule 1/16", HC		0	1,400
ZF1KF-10	Ferrule 1/16", CTFE, 10/pkg		0	5,500

ZF1NI	Ferrule 1/16", Nickel		0	1,300
ZF1PFA-10	Ferrule 1/16", PFA, 10/pkg		0	5,500
ZF1PK-10	Ferrule 1/16", PEEK, 10/pkg		0	5,400
ZF1PKG-10	Ferrule 1/16", 10/pkg	PEEK, glass-filled		6,200
ZF1S6-10	Ferrule 1/16", 316SS, 10/pkg		0	5,100
ZF1TF-10	Ferrule 1/16"	PTFE, Virgin, 10/pkg		2,900
ZF1TFG-10	Ferrule 1/16"	PTFE, Glass-filled 25%, 10/pkg		2,600
ZF1TI	Ferrule 1/16", Titanium		0	1,400
ZF1V1-5	Ferrule 1/16"	Polyimide, Virgin, 5/pkg		10,800
ZF1V-5	Ferrule 1/16"	Polyimide, Valcon, 5/pkg		4,100
ZF1VISF	Ferrule, replacement for VISF-1 or VISF-2	or C-VISF-1 (L or H), CTFE		690
ZF2-10	Ferrule 1/8", 303SS, 10/pkg		0	2,900
ZF2B-10	Ferrule 1/8", Brass, 10/pkg		0	2,400
ZF2FEP-10	Ferrule 1/8", FEP, 10/pkg		0	3,700
ZF2GP-10	Ferrule 1/8", SS, gold plated, 10/pkg		0	7,000
ZF2GV-5	Ferrule 1/8"	Polyimide, Graphite, 5/pkg		10,900
ZF2HC	Ferrule 1/8", HC		0	1,300
ZF2KF-10	Ferrule 1/8", CTFE, 10/pkg		0	5,500
ZF2NI	Ferrule 1/8", Nickel		0	2,500
ZF2PFA-10	Ferrule 1/8", PFA, 10/pkg		0	10,500
ZF2PK-10	Ferrule 1/8", PEEK, 10/pkg		0	5,400
ZF2PKG-10	Ferrule 1/8", 10/pkg	PEEK, glass-filled		21,700
ZF2S6-10	Ferrule 1/8", 316SS, 10/pkg		0	3,700
ZF2SI	Replacement support for septum injector	Valcon T polyimide		910
ZF2TF-10	Ferrule 1/8"	PTFE, Virgin, 10/pkg		3,700
ZF2TFG-10	Ferrule 1/8"	PTFE, Glass-filled 25%, 10/pkg		3,700
ZF2TI	Ferrule 1/8", Titanium		0	2,800
ZF2V1-5	Ferrule 1/8"	Polyimide, Virgin, 5/pkg		29,300
ZF2V-5	Ferrule 1/8"	Polyimide, Valcon, 5/pkg		5,500
ZF4B-10	Ferrule 1/4", Brass, 10/pkg		0	5,500
ZF4FEP-10	Ferrule 1/4", FEP, 10/pkg		0	6,200
ZF4GP-10	Ferrule 1/4", SS, gold plated, 10/pkg		0	8,100
ZF4GV-5	Ferrule 1/4"	Polyimide, Graphite, 5/pkg		13,800
ZF4HC	Ferrule 1/4", HC		0	2,800
ZF4KF-10	Ferrule 1/4", CTFE, 10/pkg		0	9,700
ZF4NI	Ferrule 1/4", Nickel		0	2,800
ZF4PFA-10	Ferrule 1/4", PFA, 10/pkg		0	9,700

ZF4PK-10	Ferrule 1/4", PEEK, 10/pkg		0	4,700
ZF4PKG-10	Ferrule 1/4", 10/pkg	PEEK, glass-filled		11,600
ZF4S6-10	Ferrule 1/4", 316SS, 10/pkg		0	2,900
ZF4TF-10	Ferrule 1/4"	PTFE, Virgin, 10/pkg		3,700
ZF4TFG-10	Ferrule 1/4"	PTFE, Glass-filled 25%, 10/pkg		3,700
ZF4TI	Ferrule 1/4", Titanium		0	2,800
ZF4V1-5	Ferrule 1/4"	Polyimide, Virgin, 5/pkg		30,400
ZF4V-5	Ferrule 1/4"	Polyimide, Valcon, 5/pkg		6,900
ZF6FEP-10	Ferrule 3/8", FEP, 10/pkg		0	7,600
ZF6GV-5	Ferrule 3/8"	Polyimide, Graphite, 5/pkg		19,500
ZF6KF-10	Ferrule 3/8", CTFE, 10/pkg		0	17,000
ZF6PFA-10	Ferrule 3/8", PFA, 10/pkg		0	17,000
ZF6PK-10	Ferrule 3/8", PEEK, 10/pkg		0	17,000
ZF6PKG-10	Ferrule 3/8", 10/pkg	PEEK, glass-filled		0
ZF6TF-10	Ferrule 3/8"	PTFE, Virgin, 10/pkg		4,700
ZF6TFG-10	Ferrule 3/8"	PTFE, Glass-filled 25%, 10/pkg		9,100
ZF6V1-5	Ferrule 3/8"	Polyimide, Virgin, 5/pkg		45,500
ZF6V-5	Ferrule 3/8"	Polyimide, Valcon, 5/pkg		19,500
ZF8FEP-10	Ferrule 1/2", FEP, 10/pkg		0	12,300
ZF8GV-5	Ferrule 1/2"	Polyimide, Graphite, 5/pkg		33,300
ZF8KF-10	Ferrule 1/2", CTFE, 10/pkg		0	18,800
ZF8PFA-10	Ferrule 1/2", PFA, 10/pkg		0	22,900
ZF8PK-10	Ferrule 1/2", PEEK, 10/pkg		0	18,800
ZF8PKG-10	Ferrule 1/2", 10/pkg	PEEK, glass-filled		0
ZF8TF-10	Ferrule 1/2"	PTFE, Virgin, 10/pkg		6,900
ZF8TFG-10	Ferrule 1/2"	PTFE, Glass-filled 25%, 10/pkg		13,800
ZF8V1-5	Ferrule 1/2"	Polyimide, Virgin, 5/pkg		48,400
ZF8V-5	Ferrule 1/2"	Polyimide, Valcon, 5/pkg		33,300
ZGF.5PK	Ferrule double grip, 1/32"	PEEK		690
ZGF.5PK-10	Ferrule double grip, 1/32", PEEK, 10/pkg		0	6,900
ZGF1PK-10	Ferrule double grip, 1/16", PEEK, 10/pkg		0	6,200
ZLA-.5	Female luer adapter	to 1/32" fittings		7,000
ZLA-1	Female luer adapter	to 1/16" fittings		2,200
ZLA-2	Female luer adapter	to 1/8" fittings		4,700
ZLCA1PK	Cheminert adaptor, 1/4-28 to 10-32 ZDV	0.5mm bore, PEEK		3,400
ZLTA41	Tube adaptor 1/4"*1/16", 2.075" (52.7 mm) long	1/16" bore, SS		2,200
ZN.5	Nut 1/32", standard	SS		470

ZN.5-10	Nut 1/32", standard, SS, 10/pkg		0	4,700
ZN.5FPK	Nut 1/32, fingertight, 10.7mm long	PEEK		510
ZN.5FPK-10	Nut 1/32", fingertight, 10.7 mm long	PEEK, 10/pkg		5,100
ZN1	Nut 1/16", standard	303SS		260
ZN1-10	Nut 1/16", standard, SS, 10/pkg		0	2,800
ZN1FPK	Nut 1/16" fingertight, 22.4 mm long	PEEK		510
ZN1FPK-10	Nut 1/16", fingertight, 22.4mm long	PEEK, 10/pkg		5,100
ZN1PK-10	Nut 1/16", hex, 11.4 mm long	PEEK, 10/pkg		4,700
ZN1R	Nut 1/16", length .43", radiused	SS		270
ZN1RFPK	Nut 1/16" fingertight, controlled radius,	PEEK		1,300
ZN2-10	Nut 1/8", standard, SS, 10/pkg		0	3,700
ZN2PK-10	Nut 1/8", hex, 15.7mm long	PEEK, 10/pkg		5,100
ZN2R	Nut 1/8" standard, hex, controlled radius	SS		650
ZN4-10	Nut 1/4", standard, SS, 10/pkg		0	4,300
ZNF.5PK-5	OBSOLETE, USE: ZNF.5FPK-5			0
ZNF.5PKG-5	OBSOLETE, USE: ZNF.5FPKG-5			0
ZNF1FKF-5	Nut 1/16", No Twist fingertight, PEEK	with CTFE ferrule, 5/pkg		13,800
ZNF1FPK-5	Nut 1/16", No Twist fingertight, PEEK	with PEEK ferrule, 5/pkg		13,800
ZNF1FPKG-5	Nut 1/16", No Twist fingertight, PEEK	with glass-filled PEEK ferrule, 5/pkg		0
ZNF1KF-5	Nut 1/16", No Twist hex short, PEEK	with CTFE ferrule, 5/pkg		13,900
ZNF1PK-5	Nut 1/16", No Twist hex short, PEEK	with PEEK ferrule, 5/pkg		6,800
ZNF1PKG-5	Nut 1/16", No Twist hex short, PEEK	with glass-filled PEEK ferrule, 5/pkg		13,800
ZNFT	Tightening Tool for PEEK hex-head	1/16" nuts, blue		1,500
ZP.5	Plug 1/32" 12.5 mm	SS		1,300
ZP.5FPK	Plug 1/32", fingertight, PEEK		0	1,800
ZP.5H	Plug 1/32", high pressure, 12.5 mm	SS		1,900
ZP1	Plug 1/16" 19.1 mm	SS		910
ZP1FPK	Plug 1/16", fingertight, PEEK		0	1,700
ZP1H	Plug 1/16", high pressure, 17.5 mm	316SS		1,400
ZP2	Plug 1/8", 25.4 mm long	SS		910
ZP2H	Plug 1/8", high pressure, 24.4 mm long	SS		1,200
ZP2PK	Plug 1/8", hex, PEEK		0	2,100
ZP4	Plug 1/4", 30.5 mm long	SS		2,500
ZRF1.5KF-5	Internal reducing ferrule 1/16"*1/32"	CTFE, 5/pkg		7,100
ZRF1.5PK-5	Internal reducing ferrule 1/16"*1/32"	PEEK, 5/pkg		3,700
ZRF1.5TFG-5	Internal reducing ferrule 1/16"*1/32"	PTFE, Glass-filled 25%, 5/pkg		3,700
ZRF1.5V1-5	Internal reducing ferrule 1/16"*1/32"	Polyimide, Virgin, 5/pkg		22,400

ZRF1.5V-5	Internal reducing ferrule 1/16"*1/32"	Polyimide, Valcon, 5/pkg	5,500
ZRF2.5KF-5	Internal reducing ferrule 1/8"*1/32"	CTFE, 5/pkg	7,100
ZRF2.5PK-5	Internal reducing ferrule 1/8"*1/32"	PEEK, 5/pkg	7,100
ZRF2.5TFG-5	Internal reducing ferrule 1/8"*1/32"	PTFE, Glass-filled 25%, 5/pkg	7,100
ZRF2.5V1-5	Internal reducing ferrule 1/8"*1/32"	Polyimide, Virgin, 5/pkg	24,700
ZRF2.5V-5	Internal reducing ferrule 1/8"*1/32"	Polyimide, Valcon, 5/pkg	10,900
ZRF21KF-5	Internal reducing ferrule 1/8"*1/16"	CTFE, 5/pkg	6,900
ZRF21PK-5	Internal reducing ferrule 1/8"*1/16"	PEEK, 5/pkg	7,100
ZRF21TFG-5	Internal reducing ferrule 1/8"*1/16"	PTFE, Glass-filled 25%, 5/pkg	7,100
ZRF21V1-5	Internal reducing ferrule 1/8"*1/16"	Polyimide, Virgin, 5/pkg	26,200
ZRF21V-5	Internal reducing ferrule 1/8"*1/16"	Polyimide, Valcon, 5/pkg	11,600
ZRF41KF-5	Internal reducing ferrule 1/4"*1/16"	CTFE, 5/pkg	11,600
ZRF41PK-5	Internal reducing ferrule 1/4"*1/16"	PEEK, 5/pkg	11,600
ZRF41TFG-5	Internal reducing ferrule 1/4"*1/16"	PTFE, Glass-filled 25%, 5/pkg	8,000
ZRF41V1-5	Internal reducing ferrule 1/4"*1/16"	Polyimide, Virgin, 5/pkg	29,300
ZRF41V-5	Internal reducing ferrule 1/4"*1/16"	Polyimide, Valcon, 5/pkg	13,800
ZRF42KF-5	Internal reducing ferrule 1/4"*1/8"	CTFE, 5/pkg	11,600
ZRF42PK-5	Internal reducing ferrule 1/4"*1/8"	PEEK, 5/pkg	11,600
ZRF42TFG-5	Internal reducing ferrule 1/4"*1/8"	PTFE, Glass-filled 25%, 5/pkg	8,000
ZRF42V1-5	Internal reducing ferrule 1/4"*1/8"	Polyimide, Virgin, 5/pkg	29,300
ZRF42V-5	Internal reducing ferrule 1/4"*1/8"	Polyimide, Valcon, 5/pkg	17,000
ZRU1.5	Reducing union 1/16"*1/32"	.25mm bore, SS	4,400
ZRU1.5FPK	Reducing union 1/16"*1/32"	.25mm bore, PEEK	4,700
ZRU1.5L	Reducing union 1/16"*1/32"	.5mm bore, SS	4,400
ZRU1.5LFPK	Reducing union 1/16"*1/32"	.5mm bore, PEEK	4,700
ZRU1.5T	Reducing union 1/16"*1/32"	1/32" through bore, SS	4,200
ZRU1.5TFPK	Reducing union 1/16"*1/32"	1/32" through bore, PEEK	4,700
ZRU1.5XC	Reducing union 1/16"*1/32"	.15mm bore, SS	6,200
ZRU2.5	Reducing union 1/8"*1/32"	.25mm bore, SS	9,400
ZRU2.5FPK	Reducing union 1/8"*1/32"	.25mm bore, PEEK	9,300
ZRU2.5L	Reducing union 1/8"*1/32"	.5mm bore, SS	9,400
ZRU2.5LFPK	Reducing union 1/8"*1/32"	.5mm bore, PEEK	9,300
ZRU2.5T	Reducing union 1/8"*1/32"	1/32" through bore, SS	9,400
ZRU2.5TFPK	Reducing union 1/8"*1/32"	1/32" through bore, PEEK	9,300
ZRU21	Reducing union 1/8"*1/16"	.75mm bore, SS	2,500
ZRU21C	Reducing union 1/8"*1/16"	.25mm bore, SS	3,600
ZRU21CFPK	Reducing union 1/8"*1/16"	.25mm bore, PEEK	8,100

ZRU21FPK	Reducing union 1/8"*1/16"	.75mm bore, PEEK		3,700
ZRU21LFPK	Reducing union 1/8"*1/16"	1mm bore, PEEK		7,300
ZRU21T	Reducing union 1/8"*1/16"	1/16" through bore, SS		2,500
ZRU21TFPK	Reducing union 1/8"*1/16"	1/16" through bore, PEEK		7,300
ZRU41	Reducing union 1/4"*1/16"	.75mm bore, SS		5,200
ZRU41C	Reducing union 1/4"*1/16"	.25mm bore, SS		7,100
ZRU41T	Reducing union 1/4"*1/16"	1/16" through bore, SS		2,600
ZRU42	Reducing union 1/4"*1/8"	0.75 mm bore, SS		5,200
ZRU42L	Reducing union 1/4"*1/8"	2mm bore, SS		5,200
ZRU42T	Reducing union 1/4"*1/8"	1/8" through bore, SS		5,200
ZRUF1.5	Reducing union 1/16"*1/32"	.25mm bore, pressed 2 um frit, SS		9,300
ZRUF21	Reducing union 1/8"*1/16"	.75mm bore, pressed 2 um frit, SS		7,100
ZRUF42	Reducing union 1/4"*1/8"	2mm bore, pressed 2 um frit, SS		7,100
ZRUFR1.5	Reducing filter union 1/16"*1/32"	.25mm bore, removable 2 um screen, SS		11,600
ZRUFR1.5F	Reducing union 1/16"*1/32"	.25mm bore, removable 2 um frit, 316SS		11,600
ZRUFR21	Reducing filter union 1/8"*1/16"	.75mm bore, removable 2 um screen, SS		4,800
ZRUFR21F	Reducing filter union 1/8"*1/16"	.75mm bore, removable 2 um frit, 316SS		9,600
ZRUFR41	Reducing filter union 1/4"*1/16"	1mm bore, removable 2 um screen, SS		11,200
ZRUFR41F	Reducing filter union 1/4"*1/16"	1mm bore, removable 2 um frit, 316SS		10,600
ZRUFR42	Reducing filter union 1/4"*1/8"	2mm bore, removable 2 um screen, SS		11,200
ZRUFR42F	Reducing filter union 1/4"*1/8"	2mm bore, removable 2 um frit, 316SS		10,600
ZSN1R	Nut 1/16", length .30", controlled radius	SS		620
ZT.5	Tee 1/32", .25mm bore, SS		0	5,400
ZT.5FPK	Tee 1/32", fingertight	.25mm bore, PEEK		13,000
ZT.5L	Tee 1/32", .50mm bore, SS		0	11,500
ZT.5LFPK	Tee 1/32", fingertight	.5mm bore, PEEK		13,000
ZT1	Tee 1/16", .75mm bore, SS		0	3,700
ZT1C	Tee 1/16", .25mm bore, SS		0	5,000
ZT1CFPK	Tee 1/16", fingertight	.25mm bore, PEEK		12,200
ZT1FPK	Tee 1/16", fingertight	.75mm bore, PEEK		10,300
ZT1L	Tee 1/16", 1.0mm bore, SS		0	3,700
ZT1LFPK	Tee 1/16", fingertight	1mm bore, PEEK		5,100
ZT1M	Tee 1/16", .50mm bore, SS		0	4,500
ZT1MFPK	Tee 1/16", fingertight	.5mm bore, PEEK		11,300
ZT2	Tee 1/8", .75mm bore, SS		0	3,700
ZT2L	Tee 1/8"	2mm bore, SS		3,700
ZT2LPK	Tee 1/8", hex	2mm bore, PEEK		11,300

ZT2PK	Tee 1/8", hex	.75mm bore, PEEK		11,300
ZT4	Tee 1/4", 1.0mm bore, SS		0	8,600
ZT4L	Tee 1/4", 4.6mm bore, SS		0	8,600
ZTA41	Tube adaptor 1/4"*1/16", 0.700" (17.8 mm) long	1/16" bore, SS		1,900
ZU.5	Union 1/32"	.25mm bore, SS		4,200
ZU.5FPK	Union 1/32", fingertight	.25mm bore, PEEK		8,100
ZU.5L	Union 1/32"	.5mm bore, SS		3,700
ZU.5LFPK	Union 1/32", fingertight	.5mm bore, PEEK		8,100
ZU.5T	Union 1/32"	1/32" through bore, SS		4,200
ZU.5TFPK	Union 1/32", fingertight	1/32" through bore, PEEK		8,100
ZU.5XC	Union 1/32"	.15mm bore, SS		5,000
ZU1	Union 1/16"	.75mm bore, SS		2,600
ZU1C	Union 1/16	25mm bore, SS		3,600
ZU1CFPK	Union 1/16", fingertight	.25mm bore, PEEK		3,600
ZU1CPK	Union 1/16", hex	.25mm bore, PEEK		3,600
ZU1FPK	Union 1/16", fingertight	.75mm bore, PEEK		2,600
ZU1FPK.5	Filter 1/16", fingertight 0.5 micron filter Ti	.5mm bore, PEEK		13,800
ZU1L	Union 1/16"	1mm bore, SS		2,600
ZU1M	Union 1/16"	.5mm bore, SS		3,100
ZU1MFPK	Union 1/16", fingertight	.5mm bore, PEEK		2,900
ZU1MPK	Union 1/16", hex	.5mm bore, PEEK		6,400
ZU1PK	Union 1/16", hex	.75mm bore, PEEK		2,600
ZU1T	Union 1/16"	1/16" through bore, SS		2,600
ZU1TFPK	Union 1/16", fingertight	1/16" through bore, PEEK		5,200
ZU1TPK	Union 1/16", hex	1/16" through bore, PEEK		5,200
ZU1XC	Union 1/16"	.15mm bore, SS		5,000
ZU2	Union 1/8"	.75mm bore, 316SS		2,400
ZU2L	Union 1/8"	2mm bore, 316SS		2,100
ZU2LPK	Union 1/8", hex	2mm bore, PEEK		6,300
ZU2PK	Union 1/8", hex	.75mm bore, PEEK		6,300
ZU2T	Union 1/8"	1/8" through bore, SS		2,400
ZU2TPK	Union 1/8", hex	1/8" through bore, PEEK		6,300
ZU4	Union 1/4"	.75mm bore, SS		5,000
ZU4L	Union 1/4"	4.6mm bore, SS		5,000
ZU4T	Union 1/4"	1/4" through bore, SS		5,000
ZUF1	Filter union 1/16"	.75mm bore, pressed 2 um frit, SS		2,900
ZUF2	Filter union 1/8"	.75mm bore, pressed 2 um frit, SS		7,100

ZUF4	Filter union 1/4"	4.6mm bore, pressed 2 um frit, SS		7,100
ZUFLKF	Cheminert female luer adapter to 10-32	0.75mm bore, CTFE		7,300
ZUFLPK	Cheminert female luer adapter to 10-32 female	0.75mm bore, PEEK		7,300
ZUFR.5	Filter union 1/32"	.25mm bore, removable 2 um screen, SS		17,800
ZUFR.5F	Filter union 1/32"	.25mm bore, removable 2 um frit, 316SS		17,800
ZUFR1	Filter union, 1/16"	.50mm bore, removable 2 um screen, SS		4,800
ZUFR1C	Filter union 1/16"	.25mm bore, removable 2 um screen, SS		12,800
ZUFR1CF	Filter union 1/16"	.25mm bore, removable 2 um frit, 316SS		6,800
ZUFR1F	Filter union 1/16"	.5mm bore, removable 2um frit, 316SS		4,800
ZUFR2	Filter 1/8"	2mm bore, removable 2 um screen, SS		4,800
ZUFR2F	Filter union 1/8"	2mm bore, removable 2 um frit, 316SS		5,100
ZVISF-1PE	Syringe fillport for 1/16",high throughput, HPE	for minimum 35mm long needle, 22Gauge OD		6,500
ZVISF-1PEH	Syringe fillport for 1/16",high throughput, HPE	for minimum 35mm long needle, 22Gauge OD		7,300
ZVISF-1PFA	Fillport, ZDV for 1/16", PEEK with PFA bushing	for minimum 35mm long needle, 22 Gauge		5,400
ZVISF-1PFAH	Fillport, ZDV for 1/16", PEEK with PFA bushing HP	for minimum 35mm long needle, 22 Gauge		6,100
ZX.5	Cross 1/32", .25mm bore, SS		0	14,100
ZX.5FPK	Cross 1/32", fingertight	.25mm bore, PEEK		17,300
ZX.5L	Cross 1/32", .50mm bore, SS		0	14,100
ZX.5LFPK	Cross 1/32", fingertight	.5mm bore, PEEK		17,300
ZX1	Cross 1/16", .75mm bore, SS		0	5,400
ZX1C	Cross 1/16", .25mm bore, SS		0	7,000
ZX1CFPK	Cross 1/16", fingertight	.25mm bore, PEEK		16,700
ZX1FPK	Cross 1/16", fingertight	.75mm bore, PEEK		13,800
ZX1L	Cross 1/16", 1.0mm bore, SS		0	5,400
ZX1LFPK	Cross 1/16", fingertight	1mm bore, PEEK		13,800
ZX1M	Cross 1/16", .50mm bore, SS		0	6,100
ZX1MFPK	Cross 1/16", fingertight	.5mm bore, PEEK		15,300
ZX2	Cross 1/8", .75mm bore, SS		0	11,300
ZX2L	Cross 1/8", 2.0mm bore, SS		0	11,300
ZX2LPK	Cross 1/8", hex	2mm bore, PEEK		15,300
ZX2PK	Cross 1/8", hex	.75mm bore, PEEK		15,300
ZX4	Cross 1/4", 1.0mm bore, SS		0	12,200
ZX4L	Cross 1/4", 4.6mm bore, SS		0	12,200
ZXLTA41	Tube adaptor 1/4"*1/16", 2.800" (71.12 mm) long	1/16" bore, SS		5,200